

BASELINE WATER QUALITY DATA INVENTORY AND ANALYSIS

Fort Larned National Historic Site



WATER RESOURCES DIVISION AND SERVICEWIDE INVENTORY AND MONITORING PROGRAM



National Park Service - Department of the Interior
Fort Collins - Denver - Washington

The National Park Service Water Resources Division is responsible for providing water resources management policy and guidelines, planning, technical assistance, training, and operational support to units of the National Park System. Program areas include water rights, water resources planning, regulatory guidance and review, hydrology, water quality, watershed management, watershed studies, and aquatic ecology.

Technical Reports

The National Park Service disseminates the results of biological, physical, and social research through the Natural Resources Technical Report Series. Natural resources inventories and monitoring activities, scientific literature reviews, bibliographies, and proceedings of technical workshops and conferences are also disseminated through this series.

Mention of trade names or commercial products does not constitute endorsement or recommendation for use by the National Park Service.

Copies of this report are available from the following:

Technical Information Center	(303) 969-2130
Denver Service Center	
P.O. Box 25287	
Denver, CO 80225-0287	

U. S. Department of Commerce	(703) 487-4650
National Technical Information Service	
5285 Port Royal Road	
Springfield, VA 22161	

**BASELINE WATER QUALITY DATA
INVENTORY AND ANALYSIS
FORT LARNED NATIONAL HISTORIC SITE**

National Park Service
Water Resources Division
Fort Collins, CO 80525

Technical Report NPS/NRWRD/NRTR-98/229

AUGUST 2000

United States Department of the Interior
National Park Service
Washington, D.C.

EXECUTIVE SUMMARY

This document presents the results of surface-water-quality data retrievals for Fort Larned National Historic Site (FOLS) from six of the United States Environmental Protection Agency's (EPA) national databases: (1) Storage and Retrieval (STORET) water quality database management system; (2) River Reach File (RF3); (3) Industrial Facilities Discharge (IFD); (4) Drinking Water Supplies (DRINKS); (5) Water Gages (GAGES); and (6) Water Impoundments (DAMS). This document is one product resulting from a cooperative contractual endeavor between the National Park Service's Servicewide Inventory and Monitoring Program, the National Park Service's Water Resources Division (WRD), and Horizon Systems Corporation to retrieve, format, and analyze surface water quality data for all units of the National Park System containing significant water resources. The primary goal of the project is to provide descriptive water quality information in a manner and format that is both consistent with the goals of the Servicewide Inventory and Monitoring Program and useable by park resource managers. The document provides: (1) a complete inventory of all retrieved water quality parameter data, water quality stations, and the entities responsible for the data collection; (2) descriptive statistics and appropriate graphical plots of water quality data characterizing period of record, annual, and seasonal central tendencies and trends; (3) a comparison of the park's water quality data to relevant EPA and WRD water quality screening criteria; and (4) an Inventory Data Evaluation and Analysis (IDEA) to determine what Servicewide Inventory and Monitoring Program "Level I" water quality parameters have been measured within the study area. Accompanying the report are disks containing digital copies of all data used in the report, as well as all components of the report (tables, figures, etc.).

The results of the retrievals for the study area from the IFD, DRINKS, GAGES, and DAMS databases located two industrial/municipal dischargers; two drinking water intakes; one active and one inactive U. S. Geological Survey (USGS) stream gage; and no water impoundments. The results of the STORET retrieval for the study area yielded 9,030 observations for 177 separate parameters collected by the USGS and Kansas Department of Health and Environment (KDHE) at four monitoring stations from 1958 through 1997. Approximately 52 percent of the 9,030 observations within the study area were collected by the KDHE from 1972 through 1997. No stations were located within the park boundaries.

All four monitoring stations within the study area yielded longer-term records consisting of multiple observations for several important water quality parameters (see Station Period of Record Tabulation). These four stations, within the study area but outside of the park boundaries, are: (1) Pawnee River at Rozel (FOLS 0004); (2) Pawnee River near Larned (FOLS 0003); (3) Pawnee River at Larned (FOLS 0002); and (4) Pawnee River at Larned (FOLS 0001)[†].

Screening criteria consisting of published EPA water-quality criteria and instantaneous concentration values selected by the WRD were used to identify potential water quality problems within the study area. While the criteria represent important threshold concentrations of pollutants, it is important to remember that criteria may have been exceeded due to any number of natural or anthropogenic factors, including errors in field, laboratory, and/or recording procedures. The reader is advised to read the Introduction for additional caveats in interpreting the exceeded criteria in this report. The results of the FOLS water quality criteria screen found 12 groups of parameters that exceeded screening criteria at least once within the study area. Dissolved oxygen, antimony, cadmium, copper, silver, and zinc exceeded their respective EPA criteria for the protection of freshwater aquatic life. Sulfate, antimony, cadmium, lead, and thallium exceeded their respective EPA drinking water criteria. Fecal-indicator bacteria concentrations (total coliform and fecal coliform) and turbidity exceeded the WRD screening limits for freshwater bathing and aquatic life, respectively.

Dissolved oxygen concentrations were measured 116 times at three monitoring stations in the Pawnee River near Larned (FOLS 0001, FOLS 0002, FOLS 0003) from 1972 through 1997. Of the 115 observations used in the criteria analysis (see EPA Water Quality Criteria Analysis for Station in the Interpretive Guide To Water Quality

[†]Water quality station location descriptions are verbatim from STORET. Any misspellings and abbreviations in STORET are replicated in this document.

Results for explanation), five observations at two stations, approximately five miles west of Larned (FOLS 0003) and approximately one mile southwest of Larned (FOLS 0002), were less than the 4.0 milligrams per liter (mg/L) EPA criterion for the protection of freshwater aquatic life from 1978 through 1997.

Turbidity concentrations were measured 131 times at all four monitoring stations in the Pawnee River (FOLS 0001, FOLS 0002, FOLS 0003, FOLS 0004) from 1972 through 1997. Seventy-one observations at the four stations, near Larned (FOLS 0001, FOLS 0002, FOLS 0003) and Rozel (FOLS 0004), exceeded the WRD screening criterion of 50 Jackson Candle/Formazin/Nephelometric Turbidity Units (JTU/FTU/NTU) from 1972 through 1996. The highest concentration of 2,600 JTU was reported in the Pawnee River at Rozel (FOLS 0004) in October 1973.

Total coliform concentrations were measured 79 times at two monitoring stations in the Pawnee River approximately one mile southwest of Larned (FOLS 0001, FOLS 0002) from 1972 through 1981. Thirty-four concentrations at the two stations exceeded the WRD bathing water screening criterion of 1,000 Colony Forming Units/Most Probable Number per 100 milliliters (CFU/MPN/100 ml) from 1972 through 1981. The highest concentration of 180,000 CFU/100 ml was reported in the Pawnee River southwest of Larned (FOLS 0001) in June 1972. Fecal coliform concentrations were measured 116 times at three monitoring stations in the Pawnee River near Larned (FOLS 0001, FOLS 0002, FOLS 0003) from 1972 through 1997. Of the 112 observations used in the criteria analysis (see EPA Water Quality Criteria Analysis for Station in the Interpretive Guide To Water Quality Results for explanation), 37 concentrations at the three stations, approximately one mile southwest of Larned (FOLS 0001, FOLS 0002) and approximately five miles west of Larned (FOLS 0003), exceeded the WRD bathing water screening criterion of 200 CFU/MPN/100 ml from 1972 through 1997. The highest concentration of 4,500 CFU/100 ml was reported in the Pawnee River approximately five miles west of Larned (FOLS 0003) in June 1996.

Sulfate concentrations (including dissolved and total) were measured 239 times at all four monitoring stations in the Pawnee River (FOLS 0001, FOLS 0002, FOLS 0003, FOLS 0004) from 1961 through 1997. Sixteen concentrations at two stations approximately one mile southwest of Larned (FOLS 0001, FOLS 0002) exceeded the drinking water criterion of 250 mg/L from 1975 through 1983. The highest concentration of 740 mg/L was reported in the Pawnee River southwest of Larned (FOLS 0002) in September 1980.

Total antimony concentrations were measured 37 times in the Pawnee River approximately five miles west of Larned (FOLS 0003) from 1990 through 1997. Six concentrations, ranging from 10 micrograms per liter ($\mu\text{g/L}$) to 152 $\mu\text{g/L}$, exceeded the drinking water criterion of 6 $\mu\text{g/L}$ from 1992 through 1997. The highest concentration of 152 $\mu\text{g/L}$ also exceeded the acute freshwater criterion of 88 $\mu\text{g/L}$ in June 1996.

Cadmium concentrations (including dissolved and total) were measured 47 times at two monitoring stations in the Pawnee River near Larned (FOLS 0002, FOLS 0003) from 1975 through 1997. One total concentration of 10 $\mu\text{g/L}$ collected approximately one mile southwest of Larned (FOLS 0002) exceeded the acute freshwater criterion of 3.9 $\mu\text{g/L}$ and the drinking water criterion of 5 $\mu\text{g/L}$ in May 1983.

Copper concentrations (including dissolved and total) were also measured 47 times at two monitoring stations in the Pawnee River near Larned (FOLS 0002, FOLS 0003) from 1975 through 1997. Seventeen concentrations at the two stations, approximately five miles west of Larned (FOLS 0003) and approximately one mile southwest of Larned (FOLS 0002), exceeded the acute freshwater criterion of 18 $\mu\text{g/L}$ from 1975 through 1997. The highest concentration of 50 $\mu\text{g/L}$ was reported in the Pawnee River approximately one mile southwest of Larned (FOLS 0002) in April 1979.

Lead concentrations (including dissolved and total) were measured 41 times at two monitoring stations in the Pawnee River near Larned (FOLS 0002, FOLS 0003) from 1975 through 1997. Seven concentrations, ranging from 23 $\mu\text{g/L}$ to 59 $\mu\text{g/L}$ at the two stations, approximately one mile southwest of Larned (FOLS 0002) and approximately five miles west of Larned (FOLS 0003), exceeded the drinking water criterion of 15 $\mu\text{g/L}$ from 1976 through 1996. The highest concentration of 59 $\mu\text{g/L}$ was reported in the Pawnee River approximately five miles west of Larned (FOLS 0003) in October 1992.

Silver concentrations (including dissolved and total) were measured 47 times at two monitoring stations in the Pawnee River near Larned (FOLS 0002, FOLS 0003) from 1975 through 1997. One total concentration of 10 µg/L collected approximately one mile southwest of Larned (FOLS 0002) exceeded the acute freshwater criterion of 4.1 µg/L in April 1979.

Total thallium concentrations were measured 25 times in the Pawnee River approximately five miles west of Larned (FOLS 0003) from 1990 through 1995. Two concentrations of 30 µg/L exceeded the drinking water criterion of 2 µg/L during October and December 1990.

Zinc concentrations (including dissolved and total) were measured 47 times at two monitoring stations in the Pawnee River near Larned (FOLS 0002, FOLS 0003) from 1975 through 1997. Two total concentrations at the two stations, 176 µg/L approximately five miles west of Larned (FOLS 0003) and 120 µg/L approximately one mile southwest of Larned (FOLS 0002), exceeded or equaled the acute freshwater criterion of 120 µg/L in October 1996 and May 1983, respectively.

The IDEA conducted for FOLS indicates that STORET data exist for 12 of the 13 Level I parameter groups in the study area. No STORET data exist for the parameter group Chlorophyll. For eight of the parameter groups with data (Alkalinity, Conductivity, Water Temperature, Flow, Nitrate/Nitrogen, Phosphate/Phosphorus, Sulfates/Total Dissolved Solids/Hardness, and Bacteria), less than 25 percent of the observations were recorded since 1985. Overall, approximately 31 percent of the observations for Level I parameters were recorded since 1985. Relative to other parameter groups, data were limited for the group Dissolved Oxygen. Results for 37 of the 126 EPA priority toxic pollutants (consisting of organic parameters, metals, pesticides, and PCB's) were retrieved from STORET.

Surface water resources in the FOLS study area include the Pawnee and Arkansas Rivers; Sawmill and many other perennial and intermittent creeks; and some perennial and intermittent lakes and ponds. The data inventories and analyses contained in this report indicate a shortage of monitoring stations throughout the study area and a complete lack of any data collected within the FOLS park boundaries. Only two monitoring stations in the study area yielded data collected since 1985. Without adequate data it is difficult to make definitive statements regarding recent surface water quality within the study area; however, from the available data, water quality appears to have been impacted by human activities. Potential anthropogenic sources of contaminants include municipal and industrial wastewater discharges; ranching and agricultural operations; stormwater runoff; oil field development; recreational use; sand and gravel pit operations; and atmospheric deposition.

TABLE OF CONTENTS

EXECUTIVE SUMMARY	v
TABLE OF CONTENTS	ix
I. INTRODUCTION	1
Goal	1
Purpose	1
Objectives	1
Document Overview	2
Caveats	2
Key Personnel	3
II. METHODOLOGY	5
Delineation of Park Study Area	5
Data Sources	5
Data Retrieval and Analysis Procedures	7
Park Unit Databases	8
Screening Methodologies and Procedures	9
STORET Edit Criteria	9
Date Screen	10
Station Type Screen	10
Phase 0 Parameter Screen	11
Phase 1 Parameter Screen	11
Media Type Screen	11
Remark Code Screen	11
Composite Type Screen	13
Phase 2 Parameter Screen	14
Observations/Period of Record Screen	15
Statistical Definitions	17
III. INTERPRETIVE GUIDE TO WATER QUALITY RESULTS	19
Overview	19
Regional Location Map	19
Water Quality Monitoring Locations Map(s)	19
Dischargers, Drinking Intakes, Gages, and Impoundments Map(s)	20
Industrial Facilities Discharges, Drinking Water Intakes, Water Gages, and Water Impoundments Table	20
Representative Mean Annual Hydrograph for Seasonal Analysis	20
Contacts for Agency Codes Retrieved	21
Quantity of Data Retrieved by Agency Code	21
Station Period of Record Tabulation	21
Parameter Period of Record Tabulation	22
Station/Parameter Period of Record Tabulation	22
Station-By-Station Results	22
Station Inventory for Station	23
Parameter Inventory for Station	23
EPA Water Quality Criteria Analysis for Station	23
Time Series Plots for Station	24
Annual Analysis for Station	25
Annual Box-and-Whiskers Plots for Station	25

	<u>Seasonal Analysis for Station</u>	25
	<u>Seasonal Box-and-Whiskers Plots for Station</u>	26
	<u>EPA Water Quality Criteria Analysis for Entire Park Study Area</u>	26
	<u>NPS Servicewide Inventory and Monitoring Program</u>	
	<u>“Level I” Water Quality Inventory Data Evaluation and Analysis (IDEA)</u>	26
	<u>Water Quality Observations Outside STORET Edit Criteria for Park</u>	28
IV.	<u>WATER QUALITY RESULTS</u>	29
	<u>Overview</u>	31
	<u>Regional Location Map</u>	32
	<u>Water Quality Monitoring Locations Map(s)</u>	33
	<u>Dischargers, Drinking Intakes, Gages, and Impoundments Map(s)</u>	34
	<u>Industrial Facilities Discharges, Drinking Water Intakes, Water Gages, and Water Impoundments Table</u>	35
	<u>Representative Mean Annual Hydrograph for Seasonal Analysis</u>	36
	<u>Contacts for Agency Codes Retrieved</u>	37
	<u>Quantity of Data Retrieved by Agency Code</u>	38
	<u>Station Period of Record Tabulation</u>	39
	<u>Parameter Period of Record Tabulation</u>	40
	<u>Station/Parameter Period of Record Tabulation</u>	43
	<u>Station-By-Station Results</u>	49
	<u>FOLS0001 Pawnee River at Larned</u>	51
	<u>FOLS0002 Pawnee River at Larned</u>	53
	<u>FOLS0003 Pawnee River Near Larned</u>	64
	<u>FOLS0004 Pawnee R at Rozel, KS</u>	68
	<u>EPA Water Quality Criteria Analysis for Entire Park Study Area</u>	172
	<u>NPS Servicewide Inventory and Monitoring Program</u>	
	<u>“Level I” Water Quality Inventory Data Evaluation and Analysis (IDEA)</u>	174
	<u>Water Quality Observations Outside STORET Edit Criteria for Park</u>	179
V.	<u>APPENDICES</u>	181
	A. <u>Computer Files Transmitted With Park Baseline Water Quality Data Inventory and Analysis</u>	A-1
	B. <u>Water Quality Database File Structures</u>	B-1
	<u>Parameter Data File</u>	B-1
	<u>Water Quality Station Data File</u>	B-4
	<u>Industrial Facilities Discharges File</u>	B-6
	<u>Drinking Water Intakes File</u>	B-9
	<u>Water Gage File</u>	B-12
	<u>Water Impoundment File</u>	B-14
	<u>RF3 Structure File</u>	B-18
	<u>RF3 Trace File</u>	B-22
	<u>Catalog Unit Boundary File</u>	B-23
	<u>Encyclopedia File</u>	B-24
	C. <u>STORET Water Quality Control/Edit Checking</u>	C-1
	D. <u>STORET Administrative Parameters</u>	D-1
	E. <u>STORET Parameters Not Suitable for Statistical Analysis</u>	E-1
	F. <u>National EPA Water Quality Criteria Summary</u>	F-1
	G. <u>Inventory Data Evaluation and Analysis (IDEA) Servicewide Inventory and Monitoring Program “Level I” Parameter Groups</u>	G-1
	H. <u>Literature Cited</u>	H-1
	I. <u>Selected General Water Quality References</u>	I-1

INTRODUCTION

The National Park Service's (NPS) Organic Act of 1916 states that the mission of the NPS is to promote and regulate the use of national parks, monuments, and other units "... to conserve the scenery and the natural and historic objects and wildlife therein and to provide for the enjoyment of the same in such a manner and by such means as will leave them unimpaired for the enjoyment of future generations." One task embodied by this mission is preserving and protecting water resources and water dependent environments in parks. Ensuring the integrity of park water quality, due to its importance in sustaining natural, aquatic park ecosystems and supporting human consumptive and recreational use, is fundamental to successfully addressing this task. The first step in ensuring the integrity of park water quality is defining historic and extant water quality.

This document represents one product of an ongoing effort by the NPS Water Resources Division (WRD) and the Servicewide Inventory and Monitoring Program to characterize baseline water quality using existing data at park units containing significant natural resources. This effort was initiated in 1993 by the award of a contract to Horizon Systems Corporation to retrieve, format, and analyze surface water quality data from the Environmental Protection Agency's (EPA) Storage and Retrieval (STORET) database system. The scope of work identified in the Request For Proposals outlined several sequential, interrelated project phases, including, but not limited to: (1) determining the water quality retrieval/query area around each park; (2) downloading and assessing the quality of the data from STORET; (3) generating basic water quality summary statistics and graphic plots; (4) reformatting water quality data for compatibility with the park-based Water Quality Data Management System presently under-development; and (5) providing recommendations concerning possible hardware, software, and personnel options for storing combined park databases in a centralized NPS water quality database. This report documents the results of phases one through four of this effort for this park unit.

Goal

The goal of this document is to provide descriptive water quality information in a format usable for park planning purposes (eg. Water Resources Management Plans, Resource Management Plans, and General Management Plans). The report is designed to characterize baseline water quality rather than assess specific water quality problems at a park. This is consistent with the Servicewide Inventory and Monitoring Program's goal of obtaining basic, "Level I", water quality parameters for key waterbodies at each park (National Park Service 1993). Consequently, this report is best used as a reference document to help design new goal-driven water quality monitoring programs rather than as conclusive evidence of previous or existing water quality problems.

Purpose

The purpose of this report is to inventory existing park water quality data; establish baseline water quality at the park; identify potential water quality problems; and establish a park water quality database. This report is intended to enable park resource managers to compare and contrast water quality data collected as part of ongoing inventory and monitoring programs with historical water quality trends. Additionally, this report is intended to foster better designed park-based water quality inventory and monitoring programs in the future. The water quality databases which accompany this report will also lay the groundwork for establishing a NPS water quality database that will allow Regions and Washington Offices to generate regional and national assessments of park water quality.

Objectives

Specific objectives of the study documented in this report are to:

1. Retrieve water quality and related data from the EPA's STORET and other database systems;
2. Develop a complete inventory of all retrieved data;

3. Produce descriptive statistics and appropriate time series and box-and-whiskers plots of water quality data to characterize period of record, annual, and seasonal central tendencies and trends;
4. Compare water quality data with relevant national EPA water quality criteria on a station-by-station and study area basis;
5. Determine the presence and/or absence of the Servicewide Inventory and Monitoring Program's "Level I" water quality parameters within the study area; and
6. Reformat water quality and other related data for use in the park-based Water Quality Data Management System, presently under-development, and other appropriate analytical tools.

Document Overview

This report is comprised of five chapters. The first chapter, this Introduction, provides a brief statement of the study's background; goal, purpose, and objectives; and the key personnel who helped produce the document. This chapter also contains this brief overview of the document's contents and important interpretive caveats to consider when referring to and using this document. The second chapter focuses on the methods, procedures, and databases that were employed to retrieve and analyze water quality data for the park. The third chapter is the user's interpretive guide to chapter four. Chapter three explains how to interpret all the tables and figures presented in chapter four. Chapter four, which likely comprises the majority of the document (unless there isn't much water quality data for the park), contains detailed inventories, descriptive statistics, graphics, and national EPA water quality criteria comparisons characterizing the park unit's water quality data on a station-by-station basis and over the entire study area. This chapter also contains a comparison of park water quality data with the Servicewide Inventory and Monitoring Program's "Level I" water quality inventory parameters and a listing of water quality observations that were outside the STORET edit criteria range. Chapter five, the Appendices, contains more specialized materials such as the file names and database structures included on floppy disk(s) with this report; STORET edit criteria; national EPA water quality criteria; Servicewide Inventory and Monitoring Program's "Level I" water quality inventory parameters; selected water quality references; and other materials which provide background on the methods, procedures, and databases used or produced by this study.

The water quality and other related data referenced in this report accompany the document on floppy disk. The water quality parameter data file is in DBASE III+¹ format and will be useable in the park-based Water Quality Data Management System presently under-development. The water quality stations, industrial facilities discharges, drinking water intakes, water gages, water impoundments, and River Reach databases are also in DBASE III+ and/or ASCII format for ready-use in Geographic Information Systems (GIS), Computer-Aided Design Systems, or Desktop Mapping Systems.

Caveats

While intended primarily as a reference document, it is important that users peruse the first three chapters and Appendices of this report to better understand and interpret the results presented in chapter four. As a means for identifying potential areas for more intensive study, comparisons of the park's water quality data with relevant national EPA water quality criteria for appropriate designated uses² and with the Servicewide Inventory and

¹The use and/or mention of specific proprietary hardware or software packages is for informational purposes only and is not intended to connote or denote an endorsement.

²The Environmental Protection Agency's Quality Criteria for Water 1995 Final Draft (Silver Book) was the primary source of water quality criteria. In the spirit of the other caveats offered in this section, it is important to recognize that water quality criteria are often revised when new or better information become available.

Monitoring Program's "Level I" water quality inventory parameters have been made. Extreme caution must be exercised in interpreting the results of these comparisons. Observations that exceed water quality criteria may have occurred due to any number of natural or anthropogenic factors, as well as other reasons. For example, STORET is a "user-beware" water quality database system. While there is some rudimentary edit (bounds) checking of any data entered in STORET (See Appendix C), users are basically free to enter their own data. Beyond data entry errors, the possibility of inaccurate data entering the system due to inappropriate measurement techniques, sample mistreatment, and other reasons is a serious concern. Consequently, if observations for a particular parameter frequently exceed the EPA water quality criterion over a prolonged time period, the best approach is to examine in detail the data exceeding the criterion. Questions which should be asked regarding the data include: What water source(s) are manifesting the problem? Does the data make sense? Was it collected by a reputable organization following a sound study plan and employing accepted techniques? If the answers to these questions still cause concern, a specific cause and effect water quality investigation focusing on the parameters of concern may be warranted. Similarly, the absence of particular Servicewide Inventory and Monitoring Program "Level I" water quality parameters from the park only means that no entity or organization has collected and entered this data into the EPA's STORET database. Too frequently, data that are collected in and around NPS units never make it into the EPA's national water quality database. These data may exist in published or unpublished reports, file cabinets, or other databases. Before definitively concluding that no baseline data exist for a particular parameter, these alternative resting grounds for data should be investigated. Such a detailed exploration, however, was beyond the scope of this study.

Key Personnel

Many individuals contributed to the design and implementation of this project. The primary contributors and their roles in the project are briefly mentioned below.

National Park Service, Water Resources Division:

Dean Tucker was the Contracting Officer's Technical Representative responsible for designing, coordinating, and implementing all aspects of this effort.

Mike Matz coordinated and managed the team which prepared all components of the report.

Gary Rosenlieb provided administrative oversight and was involved in quality control for all tasks related to this project.

Barry Long and Roy Irwin reviewed technical tasks and provided water quality expertise related to data analysis.

Gary Smillie provided hydrologic expertise in the determination of hydrologic seasons.

Clint Bassett and Amy Benton helped prepare reports and write the Executive Summaries.

Elizabeth Eisenhauer, Bill Folsom, Scott Ratchford, Jeff Ketcham, and Valdete Celaj provided digital cartographic support, both in determining retrieval/query areas and producing maps and graphics.

Kelli O'Connor, J. Chris Echohawk, Adam Henson, Ryan Shy, Lisa Dummer, Eric Lord, Adriane Petersen, Ronda Burns, Aria Brissette, Nancy O'Keeffe, Brett Atkinson, Paul Sorek, and Cara Ellis uploaded water quality data to STORET prior to report preparation.

Jacque Nolan designed the cover.

Horizon Systems:

Cindy McKay served as Project Manager for Horizon Systems, performed the initial requirements analysis, and was involved in all quality control tasks related to the project.

Alan Cahoon was responsible for automating the procedures which produced the water quality databases and Water Quality Results chapter.

Sue Hanson, P.E., provided technical advice for writing this document.

Dr. Jim Loftis was the data quality analyst for the project.

Armando F. Ballofet, P.E., served as the local technical liaison between Horizon Systems and the NPS.

Other National Park Service:

Several other individuals provided invaluable technical review, comments, administrative support, and/or other assistance, including: Dan Kimball, Bill Jackson, Mark Flora, Gary Williams, John Karish, Brendhan Zubricki, Richard Hammerschlag, Randy Ferrin, Gary Vequist, Mike Martin, Kevin Berghoff, and Dyra Monroe.

METHODOLOGY

This section provides an overview of the procedures and criteria used to retrieve and analyze water quality data for each park unit. Generating baseline water quality data inventories and analyses for all NPS units is a monumental task. To accomplish this undertaking given a very limited budget, the procedures employed to produce each report had to be as generic and automated as possible. Consequently, customization of reports to individual park needs and issues was not feasible. Moreover, such customization was beyond the scope of this effort which was simply intended to produce baseline water quality data inventories for all parks rather than customized issue-driven reports. During the procedure-development stages of the project, specifications for the final product evolved, within the context of the aforementioned resource constraints, to focus on comprehensive water quality baseline data inventories and concise, descriptive statistical examinations of the available water quality data for each park unit. Detailed below are the data sources and final methods and procedures that were used to create the baseline water quality inventories, analyses, databases, and other products for each park unit. A thorough understanding of the limitations of the data sources and procedures described in this chapter and the next (Interpretive Guide to Water Quality Results) is a prerequisite to intelligent use of the results presented in this document.

Delineation of Park Study Area

The first step in retrieving water resources-related data for each park was deciding on a procedure to determine the study area boundary. Since water flows through parks, utilizing the park boundary as a simple query/study area was deemed inadequate. On the other end of the continuum, using the entire watershed as the study area was considered superfluous given: (1) the areal extent of certain park watersheds (eg. the entire Mississippi River); (2) the sheer volume of potentially irrelevant data such a large study area could generate; and (3) the resources required to specify the watershed for each park unit. The approach which was ultimately adopted - a modified hydrologic boundary - reflects a compromise between the park boundary and the entire watershed. Thus the study area employed for each park is an area extending at least three miles upstream and one mile downstream from the park boundary. Although these distances are somewhat arbitrary, this approach is easy to automate and was felt to limit the data retrieved, in most instances, to that of most importance to the park. Extending the query area one mile downstream of the park was intended to capture any data immediately downstream of the park which may reflect the quality of the water in the park. A current (as possible) copy of each park's boundary was obtained in digital format directly from the park or digitized from Regional land status maps, U.S. Geological Survey (USGS) quadrangles, or other sources. Using GIS techniques, the boundary was used to create the three miles upstream, one mile downstream buffer. For a few parks with which WRD water quality specialists were very familiar with potential water quality threats and/or valuable sources of data that may lie just outside the study area, the study area may have been tweaked (enlarged) to cover these areas of concern or interest. Unfortunately, a customized study area was not feasible for all park units. Hence, the three miles upstream, one mile downstream buffer was the primary study area employed for most parks. This study area was transferred to the EPA mainframe computer and used as the basis for all water resources-related data retrievals from the data sources described below.

Data Sources

The EPA maintains many mainframe data systems related to national water resources (U.S. Environmental Protection Agency 1992). Six of these data systems were used for this project:

- STOrage and RETrieval System (STORET) - water quality parameter data, locations of sampling stations, descriptive elements about stations and parameters;
- Industrial Facilities Discharge (IFD) - locations of industrial and municipal point source discharge facilities;

- Drinking Water Supplies (DRINKS) - locations of intake pipes for drinking water supplies;
- Water Gages (GAGES) - locations of USGS and other water gages;
- Water Impoundments (DAMS) - locations of most large water impoundments (greater than 10,000 acre feet at normal pool volume) and many smaller impoundments; and
- River Reach File, Version 3 (RF3) - 1:100,000 scale geographical representation of surface waters (rivers, lakes, etc.) with a unique identifier assigned to each surface water segment and connectivity information useful for routing and navigation.

STORET is the national water quality data repository (U.S. Environmental Protection Agency 1989). Water quality data is entered in STORET by public agencies (federal, state, or local) that collect water samples and/or perform laboratory analysis. As such, STORET is a "user-beware" data system. Although the EPA manages the STORET data system and, since November 1983, has imposed some minimum quality control criteria on the data (See Appendix C), data are generated and input to STORET by the "owner" agencies. Consequently, the EPA does not certify any data within STORET. Currently, there are over 800,000 active and inactive sampling stations and more than 225 million observations covering in excess of 13,000 water quality parameters entered in STORET. The earliest data dates back to the turn of the century. Using the bi-monthly update cycle, user agencies may store results of recent monitoring activities in STORET. Included in STORET is USGS WATSTORE water quality data, which is updated on a monthly basis. Although STORET contains a phenomenal amount of data, it is important to note that data exist in STORET only if the collectors decide to upload their data to the system. Since many agencies and researchers do not upload their data to STORET, the absence of water quality data in the system for a particular area doesn't mean that there has never been any water quality data collected for the area. The data may exist in published or unpublished reports, file cabinets, or in agency-specific databases. Identifying and retrieving these other sources of data were beyond the scope of the present effort. All parameter data and water quality station location data downloaded from STORET within the park's study area are included in DBASE III+ format files on disk(s) accompanying this report (See Appendices A and B).

The data within the IFD database are extracted from the EPA's Permit Compliance System (PCS). IFD contains the facility locations of all industrial and municipal dischargers which require a National Pollutant Discharge Elimination System (NPDES) permit to operate. Over 7,100 municipal, federal, and industrial facilities discharging into the waters of the United States are tracked by PCS and IFD. If any industrial facilities discharges exist within the study area, a file in DBASE III+ format documenting a variety of information about each discharge accompanies this report on disk (See Appendices A and B).

The EPA DRINKS database identifies locations of drinking water supply intakes. This file contains data for 850 supplies which serve more than 25,000 people, and 6,800 supplies which serve between 1,000 and 25,000 people. If any drinking water intakes exist within the study area, a file in DBASE III+ format documenting a variety of information about each intake accompanies this report on disk (See Appendices A and B).

The GAGES data originates primarily with the USGS and copies are maintained on the EPA mainframe computer for ease of integration with other EPA national data systems. Although other agency's water gages, as well as some artificial gages, may appear in GAGES, the vast majority of gages are stream gages belonging to the USGS. The GAGES database contains approximately 36,000 records for both active and inactive gaging stations. If any USGS or other agency stream gages occur within the study area, a file in DBASE III+ format documenting several fields of information about each gage accompanies this report on disk (See Appendices A and B).

The Water Impoundment database was originally compiled by the U.S. Army Corps of Engineers in response to a Congressional inquiry on dam safety hazards (GKY and Associates 1990). The EPA subsequently modified the database for use in water quality investigations. Of the 68,155 dams in the database, 2,125 are considered large (impounding 10,000 acre feet or more at normal pool volume). It is important to note that while the database includes entries for 66,030 smaller dams, estimates place the actual number of dams in the U.S. at several million

(including small farm ponds). If any water impoundments occur within the study area, a file in DBASE III+ format documenting several fields of information about each impoundment accompanies this report on disk (See Appendices A and B).

The RF3 data system is a hydrologic database of surface water features across the U.S. (excluding, at present, Idaho, Oregon and Washington, which currently operate a different system - although this data is expected to be converted to RF3 soon, Alaska and Hawaii). RF3 was created primarily from 1:100,000 scale USGS Digital Line Graph data. RF3 is made up of over 3,000,000 individual "reaches". A reach is generally defined as a portion of surface water between two confluences (U.S. Environmental Protection Agency 1993). The linework underlying RF3 contains over 95,000,000 coordinate points. RF3 is designed to facilitate hydrologic routing, identifying upstream and downstream elements, and specifying the exact location of any point on a stream network. RF3 data exists as a series of traces with associated attributes. The EPA project which is producing RF3 is being conducted in three phases: Compilation, Assessment, and Revision. The Compilation phase is complete except for Idaho, Washington, Oregon, and Alaska. The Assessment phase was completed during the first half of 1994; while the Revision phase was begun in March 1994. One important outcome of the Revision phase is that the reach codes which uniquely identify each surface water feature will change. Consequently, these codes should not be used, at this time, as keys for relating other data to RF3. The RF3 data provided with this document is provisional and should be used only to provide a geographic backdrop for the park's water quality data. RF3 data covering each USGS catalog unit (a geographic area representing a single or multiple drainage basin(s), or some other distinct hydrologic feature (U.S. Geological Survey 1982)) touched by the park's study area is included in ASCII export and DBASE III+ formats on the disk(s) accompanying this report (See Appendices A and B).

For additional information on any of these data systems, contact the EPA Office of Water at (202) 260-7028.

Data Retrieval and Analysis Procedures

The six EPA data systems discussed above reside on the EPA mainframe computer located in Research Triangle Park, N.C. Horizon Systems used a dedicated, leased telephone line with a data transfer rate of 9600 bits per second to download data occurring within the park's study area from all the databases. The bisynchronous communication software and hardware provided error checking during all data transfer procedures.

As described above, the park study/query area boundary was used to select the water quality stations, industrial facilities discharges, drinking water intakes, water gages, water impoundments, and river reaches associated with the park unit. For various reasons, screening criteria (described later in this section) were employed to select appropriate water quality stations, parameters, and observations. Horizon Systems wrote several mainframe programs to automate, to the greatest extent feasible, the STORET data retrieval and storage procedures. Once the data were extracted from the EPA data systems, they were downloaded to a microcomputer for statistical analyses and reformatted into DBASE III+ compatible format.

Specifically, once on the PC, the data were processed to:

- (1) Reformat the data into DBASE III+ format and other database structures;
- (2) Eliminate questionable data outside the STORET edit criteria ranges (See Appendix C);
- (3) Display on a map the location of water quality monitoring stations and other water resources themes;
- (4) Determine the frequency of water quality observations by station, parameter, and station/parameter;
- (5) Generate descriptive period-of-record water quality statistics in a tabular format;
- (6) Generate appropriate descriptive annual and seasonal analyses of the water quality data in a tabular format;
- (7) Plot appropriate period of record time series and annual and seasonal box-and-whisker graphs;
- (8) Compare the water quality data against relevant EPA national criteria; and

- (9) Compare the water quality data against the NPS Servicewide Inventory and Monitoring Program's "Level I" water quality parameters.

Special customized microcomputer programs (primarily written in Clipper and Microsoft Professional BASIC) and procedures were created to address each of these tasks. All reformatted database files are included on disk(s) accompanying this document. The contents of these databases are described briefly below. Complete database structures are included in Appendices A and B. The descriptive water quality tabular statistics (see "Statistical Analyses" below) were computed based upon NPS specifications. Command or batch files were generated to drive STATGRAPHICS 7.0 in order to produce all the time series and box-and-whiskers plots.

Park Unit Databases

Up to seven digital databases in DBASE III+ and other formats have been created for the park by querying the water resources-related data sources described above. The disk(s) containing these databases accompany the report. The contents of each of these databases are discussed briefly below. More detailed documentation of these databases is included in Appendices A and B.

- (A) Water Quality Parameter Data: This database includes all the water quality parameter data downloaded from STORET that passed the STORET Edit Criteria, Date, Station Type, and Phase 0 Parameter screens (described below) and is summarized tabularly and graphically in this document. This constitutes the park's baseline water quality data. Since it is already in digital format, more sophisticated analysis of the data is possible than the descriptive statistics and graphics presented here.
- (B) Water Quality Station Locations: This database consists of the STORET header information describing each station where water quality data was collected. As the latitude and longitude of the station are included in the database, this file is easily imported into the park's GIS.
- (C) Industrial Facility Discharge Locations: This database includes any industrial or municipal point source discharges located within the park's study area. As the latitude and longitude of each discharge facility are included in the database, this file is easily imported into the park's GIS.
- (D) Drinking Water Intake Locations: This database includes any drinking water intakes located within the park's study area. As the latitude and longitude of each intake are included in the database, this file is easily imported into the park's GIS.
- (E) Water Gage Locations: This database includes water (stream, lake, estuary, well, spring, climate, or other) gages located within the park's study area. Most of the gages will likely be stream gages belonging to the USGS. As the latitude and longitude of each gage are included in the database, this file is easily imported into the park's GIS.
- (F) Water Impoundment Locations: This database includes any water impoundments (dams) located within the park's study area. As the latitude and longitude of each impoundment are included in the database, this file is easily imported into the park's GIS.
- (G) River Reach Data: This database includes all stream traces (1:100,000 scale) and attributes for reaches falling within any USGS catalog unit that touches the park's study area. The traces are geo-referenced in ASCII format. The attributes are in both ASCII export and DBASE III+ formats. This information is also readily incorporated into the park's GIS.

The absence of any of these seven files from the disk(s) accompanying the report indicates that there was either no data of this type within the park's study area or the data was unavailable. Several other files are included on the disk(s) accompanying this report, including digital copies of all the figures and tables contained in the document and some other items. Refer to Appendices A and B for detailed documentation of these files. Not included on

disk is an Encyclopedia File (for WRD reference) that documents the minimum and maximum values for each water quality parameter and the parks in which those values were recorded. When Baseline Water Quality Data Inventory and Analysis reports have been completed for all parks, this Encyclopedia File will be available upon request from the NPS WRD.

Screening Methodologies and Procedures

Developing automated or semi-automated procedures to produce baseline water quality inventories and analyses for all national park units required constant testing and debugging of procedures. Three parks, Rock Creek Park, Yellowstone National Park, and Indiana Dunes National Lakeshore, were used to pilot test and refine the automated procedures. It became evident, after a preliminary analysis of all the downloaded STORET data, especially for Indiana Dunes National Lakeshore, that the specifications for the graphical analyses could generate hundreds (possibly thousands) of plots, many of which would not necessarily be useful. Also, there were many stations; parameters; and/or observations downloaded that were not part of the study's objectives; not overly useful; or of dubious quality. In order to reduce the number of graphical plots (time series, annual and seasonal box-and-whiskers) to fit within project resources, various screening criteria were investigated. Ultimately, a comprehensive set of screening criteria were developed to reduce the number of graphical plots. After initial counts of the total number of possible time series and annual and seasonal box-and-whiskers plots were generated, these counts were used to decide which screening criteria would be applied to limit the number of these plots produced for the park unit. Additional screening criteria were employed to restrict the tabular descriptive statistics results to only those deemed useful to the park. Table A provides the categories of screening criteria and to which analyses the screens were applied. A "yes" entry in the table means that the screening category eliminated or prevented data from appearing in certain tables and plots contained in the document. Consequently, in understanding how data from STORET was used in this report, it may be helpful to keep in mind the three general types of screening criteria: (1) screens that apply to stations; (2) screens that apply to certain parameters at stations; and/or (3) screens that apply only to particular observations of parameters at stations. A detailed description of each of the screening criteria categories follows this table. *It is important to note that statistics in "Inventory" reports may not be consistent with statistics in "Overview" reports since different categories of screening criteria were applied.* Also, if attempting to replicate the results of the statistical and graphical analyses presented in this document, be sure to follow the same screening methodologies.

STORET Edit Criteria

As mentioned previously, STORET is a "user-beware" data system. As the EPA doesn't certify any data in STORET, public agencies enter and are responsible for the quality of their own data. Only data entered since November 1983 have been subjected to any rudimentary edit/bounds checking. Agencies entering data since this date can elect to override the edit/bounds checking for individual observations. USGS WATSTORE water quality data is entered into STORET without any EPA edit/bounds checking to ensure data integrity between WATSTORE and STORET. Unfortunately, during the course of our pilot tests, erroneous USGS and EPA water quality data values were discovered. In order to eliminate as much "bad" data as possible, all water quality data downloaded from STORET was subjected to automatic edit/bounds checking (STORET Edit Criteria contained in Appendix C) for the 190 most common parameters. Observations falling outside the STORET Edit Criteria were documented (See the Water Quality Observations Outside STORET Edit Criteria for Park section in the Water Quality Results chapter) and then retained or discarded from the database and all tables and plots based on whether the value was judged as being in the realm of possibility. Although the STORET Edit Criteria screen likely removed some "bad" data for these common parameters, the probability of other erroneous data in the database is high. Be sure to consult the Caveat section in the Introduction.

Table A. Categories of Screening Criteria and to Which Output Products They Apply (A "yes" Entry Means the Screening Category Eliminated or Prevented Data From Being Used in the Product):							
Screening Category	Data Download	Overview Tables	Inventory Tables	Annual Tables	Seasonal Tables	Standards Tables	Plots (All)
STORET Edit Criteria	yes	yes	yes	yes	yes	yes	yes
Date	yes	yes	yes	yes	yes	yes	yes
Station Type	yes	yes	yes	yes	yes	yes	yes
Phase 0 Parameter	yes	yes	yes	yes	yes	yes	yes
Phase 1 Parameter	no	no	yes	yes	yes	yes	yes
Media Type	no	no	yes	yes	yes	yes	yes
Remark Codes	no	no	yes	yes	yes	yes	yes
Composite Type	no	no	yes	yes	yes	yes	yes
Phase 2 Parameter	no	no	no	no	no	no	yes
Observations/Period of Record	no	no	no	yes	yes	no	yes

Date Screen

Every water quality observation in STORET typically has a sampling date associated with it. Unfortunately, STORET does not prevent users from entering incorrect dates. Consequently, any water quality observation with an incorrect and/or suspect date (eg. a month greater than 12; a day greater than 31; or a sample date later than the STORET retrieval date) were discarded.

Station Type Screen

STORET contains data from a wide variety of stations classified by the type of waterbody in which samples were collected. As this project's purpose was to inventory and analyze surface-water quality, the following surface-water station types were retrieved (clarification provided in parentheses):

Station Types Included In Retrieval

- (a) STREAM
- (b) CANAL
- (c) LAKE
- (d) RESERV (Reservoir)
- (e) SPRING
- (f) FWTLND (Fresh Water Wetland)
- (g) SWTLND (Salt Water Wetland)
- (h) ESTURY (Estuary)
- (i) OCEAN

Ground water and/or other station type data may have been retrieved if the entering agency classified the station type incorrectly. Rectifying this error was beyond the scope and resources of this project.

Phase 0 Parameter Screen

Nearly all water quality parameters associated with each station type listed above were retrieved. The only exception to this was the exclusion of most of the STORET administrative parameters. A complete list of STORET administrative parameters is included in Appendix D. The few administrative parameters that were included in the retrievals are as follows:

<u>Code</u>	<u>STORET Administrative Parameter Description</u>
00027	Code No. for Agency Collecting Sample
00028	Code No. for Agency Analyzing Sample
00063	Sampling Points, Number of In a Cross Section
00111	Ratio of Fecal Coliform to Fecal Streptococci
00115	Sample Treatment Code (1=Raw, 2=Treated)
34772	NPDES Number, Cross Reference
45580	Method of Analysis
74065	Stream Flow Class
74066	Annual Runoff
74067	Soil Classification
74068	Water Quality Designated Use Classification

Phase 1 Parameter Screen

Some of the data retrieved from STORET was not suitable for statistical or graphical analysis. Consequently, this screening criterion eliminated all parameters which were not suitable for statistical or graphical analysis within the context of this project. The full list of these parameters is presented in Appendix E. Examples of parameters excluded from statistical and graphical analysis include the administrative parameters mentioned above, land use acreage, encoded values, dates, latitude/longitude, etc. Excluded parameters do, however, appear in the Parameter Period of Record and Station/Parameter Period of Record (two of the "Overview" Tables), as well as in the water quality parameter file included on disk(s) accompanying this report.

Media Type Screen

Water quality samples can be taken in a variety of aqueous media. Water quality data were retrieved from STORET only if the media were WATER or VERT (vertically integrated). WATER and VERT samples comprise the overwhelming majority of samples in STORET. The media screen eliminated the following water quality sampling media:

<u>Media Screen</u>	<u>Description</u>
BOTTOM	Sampled At the Bottom
DREDGE	Sampled By Dredge
PORE	Pore Sample
CORE	Core Sample

Remark Code Screen

STORET enables the agency collecting water quality samples to provide a qualifying remark for each parameter observation. These remarks provide additional information about the measured or observed value entered into STORET (See Appendix B - Parameter Data File for a complete listing and description of all remark codes). Based on the STORET remark codes, two potential screens were applied to water quality observations based on whether the measured value was used in subsequent analyses: (1) Elimination or (2) Modification/Inclusion.

Elimination:

Non-composite water quality parameters with the remark codes presented in Table B were eliminated from the period of record, annual, and seasonal descriptive statistics and graphics. Not including observations with these remarks was justified by the fact that most of the remarks: (A) indicate either less confidence in the measured value; (B) are remarks for nominal or categorical data that doesn't lend itself to statistical analysis; or, (C) complicate the statistical analysis beyond the scope of this effort. Observations containing these remark codes comprise a very small fraction of the data. Although statistical analyses weren't undertaken on this data, all water quality observations, regardless of remark code, are included on disk(s) accompanying this report. If you re-analyze this data in order to replicate the results presented here, be sure to eliminate all non-composite observations with the remark codes presented in Table B.

Table B. Non-composite Parameters With the Following Remark Codes Were Eliminated From Statistical and Graphical Analysis:	
Remark Code	Description of STORET Remark Code
F	Female Species.
J	Estimated, Not the Result of Analytic Measurement.
M	Presence Verified, But Not Quantified, Below Quantification Limit. For Species, Male. For Oxygen Reduction Potential, Indicates Negative Value.
N	Presumptive Evidence of Presence.
O	Analysis Lost.
V	Analyte Was Detected In Sample and Method Blank.
W	Less Than Lowest Value Reportable Under Remark "T".
Z	Too Many Colonies Were Present to Count (TNTC), Value Represents Filtration Value.

Modification/Inclusion:

Water quality parameter observations with the remark codes presented in Table C were halved prior to inclusion in period of record, annual, and seasonal descriptive statistics and graphics. These remark codes deal with observations that were below the detection limit for the parameter. The common water quality data analysis convention for these remark codes is to use half of the detection limit in statistical analyses (Ward, Loftis, and McBride 1990; Gilbert 1987). Although this is a somewhat defensible treatment of observations below the detection limit, the statistics that may be computed using these halved values may not be defensible. Consequently, any computed statistics in inventory, annual, or seasonal tables that are comprised of 50% or more K, T, and U remark codes are footnoted "Computed with 50% or more of the total observations as values that were half the detection limit." This will provide the user with some caution in using and interpreting these results. Water quality data included on disk(s) accompanying this report that may have these remark codes are stored as the original entry (detection limit). If you re-analyze this data in order to replicate the results presented here, be sure to substitute half the detection limit value in the database whenever these remark codes are encountered.

Table C. The Value of Water Quality Parameters With the Following Remark Codes Were Halved (Half of the Detection Limit Entered In STORET) Prior to Inclusion In Descriptive Statistics and Graphics:	
Remark Code	Description of STORET Remark Code
K	Off-scale Low, Actual Value Not Known, But Known to Be Less Than Value Shown.
T	Less Than Detection Criteria.
U	Analyzed For But Not Detected, Value is Detection Limit For Process Used. If Species, Undetermined.

Composite Type Screen

Sometimes data entered in STORET represent something other than a single measurement at one location at one point in time. These samples are typically referred to as composite samples due to the fact that they vary temporally and spatially. Consequently, the observation entered into STORET for composite data is typically a computed value that summarizes the data over time and/or space. Such data complicate statistical and graphical analyses and must be handled separately. Such treatment was beyond the scope of this study; although composite values typically represent only a fraction of STORET observations. The composite type screen eliminates all composite observations from statistical and graphical analyses, except those with a composite type code of "A" that have a one day or less sampling period and those with a composite type code "D". All water quality observations, regardless of composite type code, are included on disk(s) accompanying this report. If you re-analyze this data in order to replicate the results presented here, be sure to exclude all composite observations except those with a code of "A" that have a one day or less sampling period and those with a code of "D". Table D presents a list of possible STORET composite type codes.

Table D. Possible STORET Composite Type Codes	
Composite Type Code	STORET Composite Type Description
A	Average
H	Maximum
L	Minimum
N	Number of Observations
#	Number of Observations
S	Standard Deviation
U	Sum of Squares
V	Variance
C	Coefficient of Error
X	Coefficient of Variance
E	Skewness
F	Kurtosis
Z	Number of Obs. That Exceed An Established Limit
%	Precision
\$	Accuracy
B	N/A
D	Indicates Replicate Sample

Phase 2 Parameter Screen

Due to budgetary limitations, the number of graphical plots (time series, annual and seasonal box-and-whiskers) produced had to be manageable - typically no more than 100 total plots. After scrutinizing the results of the pilot tests and the Baseline Water Quality Data Inventory and Analysis Reports produced for the first group of parks, the 19 parameters which, typically, were the most frequently measured at nearly all stations were water temperature, stage, discharge, and various meteorological measurements (See Table E). Consequently, most of the graphical plots produced would be of water temperature, stage, discharge, and meteorological conditions. Although these are important parameters, particularly in conjunction with other water quality parameters, it was felt that plotting resources would be better allocated to other water quality parameters. Consequently the STORET parameter codes listed in Table E never generated graphical plots. It is important to note, however, that these parameters are included in all other aspects of the project, including all applicable period of record, annual, and seasonal descriptive statistics tables.

Table E. Frequently Measured STORET Codes That Were Prevented From Generating Plots	
STORET Parameter Code	STORET Parameter Description
00003	Sampling Station Location, Vertical (Feet)
00010	Water Temperature (Degrees Centigrade)
00020	Temperature, Air (Degrees Centigrade)
00021	Temperature, Air (Degrees Fahrenheit)
00025	Barometric Pressure (MM of HG)
00032	Cloud Cover (Percent)
00035	Wind Velocity (Miles Per Hour)
00036	Wind Direction in Degrees from Trun N (Clockwise)
00040	Wind Direction (Azimuth)
00045	Precipitation, Total (Inches Per Day)
00046	Precipitation, Total (Inches Per Week)
00052	Humidity, Relative (Percent)
00061	Stream Flow, Instantaneous (CFS)
00065	Stream Stage (Feet)
81903	Depth of Bottom of Water @ Sample Site (Feet)
82553	Rainfall In 1 Day Inclusive Prior to Sample (Inches)
82554	Rainfall In 7 Days Inclusive Prior to Sample (Inches)
82371	Rainfall In 3 Days Inclusive Prior to Sample (Inches)
82372	Rainfall In 14 Days Inclusive Prior to Sample (Inches)
85599	Precipitation, Total/Period-Rain Equivalent (Cm/Sample)

Observations/Period of Record Screen

Despite never plotting water temperature, stage, discharge, and meteorological measurements, the number of plots generated by some parks still exceeded the 100 plot limit. Also, some rationale was needed to plot only those parameters with sufficient data density to make a meaningful statistical graphic. For example, time series plots comprised of only a few observations or annual or seasonal box-and-whiskers plots with limited observations and/or data in only one or two years or seasons are not very informative. Consequently, a number of plotting criteria were developed to limit the number of time series and box-and-whiskers plots to, at most, 100 informative graphics by using each parameter's number of observations and period of record. Similar, albeit less stringent criteria, were used for including results of annual and seasonal analyses in descriptive statistics tables. Consequently, there are more summaries of annual and seasonal results in tables than in graphics. Whenever an entry in an annual or seasonal table generated a plot, this entry was footnoted to notify the reader of the presence of the graphic. Due to differing quantities of data at parks, different screening criteria were employed. The same

criteria for appearance in seasonal and annual tables were used for all parks. Table F presents the least stringent plot screens.

Table F. Least Stringent Plot Screening Criteria Used to Limit the Number of Plots Generated

<p>Time Series:</p> <p>To generate a time series plot, a station/parameter combination must have a period of record of at least 2 years and a total of at least 8 observations.</p> <p>Annual Analysis:</p> <p>To generate an annual box-and-whiskers plot, a station/parameter combination must have at least 9 observations in each of at least 4 years. The years do not have to be consecutive.</p> <p>Seasonal Analysis:</p> <p>To generate a seasonal box-and-whiskers plot, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 6 years and observations in at least 3 of the 6 years. The years do not have to be consecutive.</p>
--

The exact three plot screens used varied by park unit and are documented in the Overview section of the Water Quality Results chapter. If your park's plotting criteria deviated from these least stringent criteria, it is because too many plots would have been generated using these criteria.

The criteria used for appearance of station/parameter combinations in annual and seasonal analysis tables are presented in Table G. These tabular criteria, which are actually the least stringent plotting criteria, were constant from park to park.

Table G. Criteria Used for Generating Entries in Annual and Seasonal Analysis Tables

<p>Annual Analysis:</p> <p>For an entry to appear in an annual table, a station/parameter combination must have at least 9 observations in each of at least 4 years. The years do not have to be consecutive.</p> <p>Seasonal Analysis:</p> <p>For an entry to appear in a seasonal table, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 6 years and observations in at least 3 of the 6 years. The years do not have to be consecutive.</p>
--

Statistical Definitions

Since this report is intended only to characterize historical and/or existing water quality at the park rather than address specific water quality problems, only simple descriptive statistics are presented. Inferential and non-parametric statistical analysis to examine relationships and trends were beyond the scope of the study. The complete water quality dataset is provided on disk accompanying this report to afford the opportunity for more detailed exploratory data analysis. The descriptive statistics are included in the inventory, annual, and seasonal tables. Table H provides a brief definition of each descriptive statistic provided for each parameter at a station.


Table H. Definition of Descriptive Statistics Contained in Inventory, Annual, and Seasonal Tables

Observations:	The number of samples collected.
Median:	The median is the 50th percentile or the value in a dataset sorted in ascending order that exceeds 50% of all observations, yet is also exceeded by the remaining 50% of all observations.
Mean:	The sum of all observations collected divided by the number of observations.
Maximum:	The maximum value observed.
Minimum:	The minimum value observed.
Variance:	This is a measure of variability or dispersion of the observations; or, in other words, describes how many observations are close (or far), from the mean. It is calculated as the weighted average of the squared deviations from the mean.
Standard Deviation:	The positive square root of the variance.
10th Percentile:	The value in a dataset sorted in ascending order that exceeds 10% of all observations, yet is itself exceeded by the remaining 90% of all observations.
25th Percentile:	The value in a dataset sorted in ascending order that exceeds 25% of all observations, yet is itself exceeded by the remaining 75% of all observations. The 25th percentile is also known as the first quartile.
75th Percentile:	The value in a dataset sorted in ascending order that exceeds 75% of all observations, yet is itself exceeded by the remaining 25% of all observations. The 75th percentile is also known as the third quartile.
90th Percentile:	The value in a dataset sorted in ascending order that exceeds 90% of all observations, yet is itself exceeded by the remaining 10% of all observations.

As with the tabular descriptive statistics, the scope of the project limited the generation of exploratory graphics to time series plots and annual and seasonal box-and-whiskers plots. Plots were only generated, however, provided the parameter met or exceeded the relevant plotting criteria specified in the previous section.

Time series plots display the parameter concentration on the Y-axis and the date on the X-axis. This provides the user with a visual feeling for not only the parameter's concentration and variability over time, but also the density of data in different time periods. The time series plots provide a visual representation of the data in the basic station inventory. Due to software limitations, a line connects each measured value in sequence regardless of the time period between samples. Readers are cautioned not to assume that the concentration of the parameter between any two data points can be represented by a straight line. It is likely that the concentration varied between any two observations, particularly if the observations are separated by a significant time period.

The annual and seasonal box-and-whisker plots provide a graphical overview of the measured data and give the user a better understanding of the data's distribution and possible outliers. In essence, the box-and-whisker plots provide a visual representation of the data contained in the annual and/or seasonal tables. The interpretation of the boxes is provided in the figure to the right. Each box encompasses the middle 50 percent of measured values (from the 75th to 25th percentiles). The difference between the 75th and 25th percentiles is also known as the interquartile range. The horizontal line inside each box is the median or 50th percentile. The lines which extend out from each end of the box are the whiskers. The whiskers extend out from first quartile (25th percentile) and third quartile (75th percentile) to the smallest data point within 1.5 interquartile ranges from the first and third quartiles. Observations that extend beyond the whiskers are known as outliers. Far outliers are observations whose values lie more than three interquartile ranges below the first quartile or above the third quartile. These are designated with plus signs.



INTERPRETIVE GUIDE

TO WATER QUALITY RESULTS

This interpretive guide discusses each of the products presented in the next chapter - Water Quality Results. This chapter highlights how each of the tables and figures were prepared and how they can be used. Each subheading in this chapter corresponds to a particular product in the subsequent Water Quality Results chapter.

Overview

The Overview provides a brief one-page summary of the results of the various database retrievals for both the study area and the park. The study area results include the park results since the study area encompasses the park and all lands and waters within at least 3 miles upstream and 1 mile downstream of the park. Thus, the GIS estimated acreage of the study area should always be greater than the park acreage. The park acreage was computed from the digital boundary that was obtained for the park. More than likely this acreage will differ, perhaps significantly, from the "official" published acreage for the park due to the spatial and temporal accuracy of the digital boundary, treatment of inholdings, and other concerns. The number of STORET stations is the number of locations within the study area and park where an agency monitored (or intended to monitor) water quality. The number of stations with no data reveals the number of stations created in STORET for which water quality data were never entered. The number of stations with no statistical analysis reports the number of stations in the study area and park that contain data not amenable to normal parametric statistics. The number of longer term stations indicates the number of stations in the study area and park with at least 6 parameters having periods-of-record extending 2 years with an average of at least 1 observation per year over the period-of-record. The date of STORET retrieval is the calendar date when Horizon Systems downloaded all the data from STORET. Thus, the report documents all data entered in STORET prior to the retrieval date. Keep in mind that an agency can upload archival data at any time. Consequently, a retrieval date only guarantees that as of that date, this report contains all the data that had been entered into STORET. The period of record is the earliest date for which water quality data exist in STORET for the study area and park up to the date when the most recent data were entered prior to the retrieval date. The number of parameters measured is the number of unique water quality parameters measured within the study area and park and entered in STORET. The number of water quality observations is the sum of the total number of observations across all parameters within the study area and park. The number of industrial/municipal facilities discharges, drinking water intakes, water gages, and water impoundments are the number of each of these entities found within the study area and park. The number of time series, annual, and seasonal plots are the number of these different types of graphics produced by station/parameter combinations within the study area and park using the plotting criteria described in the previous chapter. The hydrologic seasons, described below, are the seasons used for the seasonal water quality data analysis. The time series, annual, and seasonal criteria are the plot and tabular screening criteria described in the previous chapter.

Regional Location Map

The Regional Location Map provides a small scale, general representation of the park and study area location within the United States. Digital, reproducible copies of this graphic are included on the disk(s) accompanying this report.

Water Quality Monitoring Locations Map(s)

The Water Quality Monitoring Locations Map(s) usually provides a larger scale representation of the park and study area than the Regional Location Map. This map indicates the locations within the study area where water quality has been monitored and the data entered into STORET. The water quality monitoring stations are labelled sequentially with the rightmost significant digits. The station names were assigned in numerically ascending order by latitude (for parks with a greater north-south extent than east-west) or longitude (for parks with a greater east-

west extent than north-south). Thus, this map serves as a visual index to the water quality data contained in the report. Since the 1:100,000 scale hydrography (from the River Reach File Ver. 3.0 or other sources) is displayed on the map, users can refer to the map to locate the station number on the reach in which they are interested and then find the appropriate section in the report that documents the water quality at that station. If the scale allows, USGS catalog units are also displayed on the map to provide an approximation of drainage basins. More than one Water Quality Monitoring Location map may be presented if the scale requires breaking the area into multiple maps for legibility. If multiple maps are necessary, an index map showing the geographic extent of each sub-map or panel will be present. Digital, reproducible copies of this graphic are included on the disk(s) accompanying this report. The digital, geo-referenced data files documented in Appendices A and B will allow the park to create water quality monitoring stations as a coverage in their GIS.

Dischargers, Drinking Intakes, Gages, and Impoundments Map(s)

The Dischargers, Drinking Intakes, Gages, and Impoundments Map(s) displays the same information as the Water Quality Monitoring Location Map(s) except the water quality stations are replaced by industrial/municipal facilities discharges, drinking water intakes, active and inactive gage locations, and water impoundments. This map also serves as a visual index allowing the user to determine the identification code of each discharger, drinking intake, gage, or impoundment. This number can then be used to obtain additional information about the entity on the following page of the report or to refer to the more detailed database files accompanying the report on disk. These more detailed database files are geo-referenced (See Appendices A and B), thus allowing the park to create these coverages in their GIS. More than one Dischargers, Drinking Intakes, Gages, and Impoundments map may be presented if the scale requires breaking the area into multiple maps for legibility. If multiple maps are necessary, an index map showing the geographic extent of each sub-map or panel will be present. Digital, reproducible copies of this graphic are also included on the disk(s) accompanying this report.

Industrial Facilities Discharges, Drinking Water Intakes, Water Gages, and Water Impoundments Table

This table provides some additional information about each of the discharges, drinking intakes, water gages, and water impoundments displayed on the previous map(s). This information generally includes the site identification number; the station or facility name; an address or some other indication of location; and some other pertinent information. More detailed information about each of these entities is contained in the database files on disk accompanying the report (See Appendices A and B).

Representative Mean Annual Hydrograph for Seasonal Analysis

One component of the water quality data analysis contained in the document is a seasonal analysis of the data (where adequate data exist). In order to undertake this analysis, some representation of the park's seasons was required. Seasons can be based on many factors (eg. hydrologic, climatic, recreational use, etc.). Since project resources did not allow us to contact every park and discuss with resource management staff what appropriate seasons may be for the park, WRD staff elected to adopt primarily a hydrologic/climatic definition of the seasons which uses a process of hydrograph separation to glean seasons from stream discharge patterns. The procedure employed to make these determinations was as follows:

- (1) Find the nearest USGS Hydro-Climatic Data Network (HCDN) station (U.S. Geological Survey 1992) to the park that is most representative of streamflow conditions at the park. The HCDN is basically a subset of USGS streamflow stations, including only those stations that are unaffected by artificial diversions, storage, or other disruptions of the natural channel. All HCDN stations generally have at least a 20 year period of record. Consequently, discharge patterns at these stations should reflect only hydrologic and climatic influences. For the most part, selected HCDN sites were typically within 15-20 miles of the park. In some parks where WRD staff were aware of the existence of a stream gage located within the park that would be more representative of park waters even though it wasn't an HCDN site, this gage was selected.

- (2) Retrieve the daily discharge values for the selected station from the USGS Daily Values File and generate a mean annual hydrograph and a box-and-whiskers plot of daily flows by month.
- (3) Interpret the plots based on our knowledge of the hydrologic regime at these parks and assign seasons.

This approach, used for the majority of parks, assumes that most water quality data at the park will be found in streams and that the discharge pattern of the selected stream is representative of the seasons for all park waterbodies. Although this assumption may be weak for certain parks, project resources did not allow a more thorough investigation. For parks where there wasn't any stream gage (HCDN or otherwise) deemed representative of park waters, precipitation records from a nearby meteorological station were obtained from the National Climatic Data Center. Plotting daily average precipitation and box-and-whiskers of monthly precipitation sums allowed WRD hydrologists to make a rough approximation of climatic seasons for use in analyzing the water quality data.

Again, it is important to note the many ways of defining "seasons" and thus the limitations of the seasonal analysis contained in this document. For certain parks it may be more useful to perform a seasonal analysis with seasons defined by recreational use patterns or some other natural or anthropogenic factor. This option is available to the park since all the water quality data analyzed in this document is contained on disk(s) accompanying this report. Digital, reproducible copies of this seasonal analysis graphic are also included on the disk(s) accompanying this report.

Contacts for Agency Codes Retrieved

This table provides a list of the organizations who have entered data into STORET. A contact name at the organization and a phone number are also supplied. The agency code in the first column is the key for identifying which stations belong to that agency. This code will appear in the first line of each station's inventory. Although the agencies listed in this table are potential partners for future water quality monitoring or management endeavors, don't be surprised if the name of the contact and/or the telephone number is out of date. This information is entered when an agency first creates a station. The agency may not update this information when the initial contact moves on or the telephone number changes. Nonetheless, it is likely that the contact or someone else at the agency may be able to provide you with project reports or other information relative to the agency's data. A digital copy of this table accompanies this report on disk (See Appendices A and B).

Quantity of Data Retrieved by Agency Code

This table displays the period-of-record; numbers of water quality stations, longer-term stations, and stations without data; total number of water quality observations; and the number of unique water quality parameters measured by each agency within the study area and park boundary. Using this table, a park can quickly determine which agencies collect the most data in and around the park and whether they have monitored recently. A digital copy of this table accompanies this report on disk (See Appendices A and B).

Station Period of Record Tabulation

The Station Period of Record Tabulation provides a quick overview of the names of all the stations within the study area where water quality has been monitored and data entered into STORET. It also furnishes the total number of observations taken at each station and the frequency of observations between certain dates: (1) 01/01/85 until the most recent date data were measured; (2) 01/01/75 - 12/31/84; and (3) prior to 01/01/75. The station identification number, the four character park abbreviation code followed by a four digit number, provides the means to jump from a particular station in the table to the statistical and graphical analyses for this station contained in the Station-By-Station Results section. The Station Period of Record Tabulation reveals which water

quality stations were situated within the park as defined by the park's GIS boundary. The Station Period of Record Tabulation also footnotes longer-term water quality stations. Longer-term stations are those that have at least 6 parameters with an average of one or more observations per year for those parameters during a period of record extending at least two years. Note that although a station may not be flagged as longer-term, it can still harbor much important data (albeit for only a few parameters or over a very long term with just a few observations). A digital copy of this table accompanies this report on disk (See Appendices A and B).

Parameter Period of Record Tabulation

The Parameter Period of Record Tabulation provides a complete listing of every water quality parameter ever measured in the study area and entered into STORET. This table is a summation of all the water quality observations for each parameter across all stations in the study area. Like the Station Period of Record Tabulation, the total number of observations for each parameter and the frequency of observations between: (1) 01/01/85 until the most recent date data were measured; (2) 01/01/75 - 12/31/84; and (3) prior to 01/01/75 are provided. This table is handy for quickly assessing whether particular parameters have been measured in the study area. The Parameter Period of Record Tabulation also shows how many in-park (and total) water quality stations contained data for each parameter. Some administrative parameters and parameters not suitable for statistical analysis within the context of this project (as discussed in the Screening Methodologies and Procedures section of the Methodology chapter) are listed in the Parameter Period of Record Tabulation, but not in the Station-By-Station Results section. A digital copy of this table accompanies this report on disk (See Appendices A and B).

Station/Parameter Period of Record Tabulation

The Station/Parameter Period of Record Tabulation combines the information found in the Station Period of Record Tabulation and the Parameter Period of Record Tabulation. This table provides a listing of all the stations where a particular water quality parameter was measured in the study area and the data entered into STORET. The table provides the start and end dates of the period of record of each parameter at each station; the number of years of measurement (computed from the start and end dates); whether the station/parameter combination occurred within the park boundary; the total number of observations for each parameter at each station, and whether a time series (T), annual (A), and/or seasonal (S) plot was generated for the station/parameter combination in the Station-By-Station Results section. This table is very useful when you need to determine at which locations within the study area (or park) particular parameters were monitored and how much data was collected there. Some administrative parameters and parameters not suitable for statistical analysis within the context of this project (as discussed in the Screening Methodologies and Procedures section of the Methodology chapter) are listed in the Station/Parameter Period of Record Tabulation, but not in the Station-By-Station Results section. A digital copy of this table accompanies this report on disk (See Appendices A and B).

Station-By-Station Results

Probably the most voluminous portion of the document is the Station-By-Station Results. Here the results of the water quality analyses for each station are presented in sequence. The results include the station inventory; parameter inventory; EPA water quality criteria analysis; and, as applicable, time series graphics and annual and seasonal tables and box-and-whiskers graphics. Each of these products are discussed below.

Station Inventory for Station

Each station's data commences with its Station Inventory. The Station Inventory provides the descriptive attributes about each water quality monitoring station contained in STORET. This includes a variety of locational information such as a verbal description, the Federal Information Processing codes for county and state, latitude and longitude, and other items; the station type (stream, spring, estuary, etc.); monitoring agency; creation date; indices to the River Reach File; whether the station lies within the park boundary; and several other attributes. This water quality station location data is also contained on disk(s) accompanying the report (See Appendices A and B).

Parameter Inventory for Station

Following the descriptive attributes about a station is the Parameter Inventory for the station. The Parameter Inventory provides a complete inventory and descriptive summary of all the water quality parameter data for the station. This table furnishes the parameter STORET code and name; the period of record for this parameter at this station; and the descriptive statistics defined in the Statistical Definitions in the previous chapter. Three different footnotes can appear on a parameter's descriptive statistics. Two asterisks (**) in the 10th, 25th, 75th, or 90th percentile columns indicates that there was insufficient data to compute these statistics for this parameter. Percentiles were not computed unless the parameter had at least 9 observations. Two number signs (##) next to the number of observations indicates that more than 50 percent of the observations entered into the computations as values that were taken to be half the detection limit. Caution should be employed in interpreting and using statistical results when more than half the values are set to half the detection limit. The letter "p" following a numeric STORET parameter code in the Parameter Inventory indicates that a time series plot was produced for this parameter at this station. Digital, reproducible copies of the Parameter Inventory tables are contained on the disk(s) accompanying this report.

Two downloaded parameter groups, pH and bacteriological, received special treatment whenever descriptive statistics were computed in the Parameter Inventory (as well as subsequent annual and seasonal tables). Whenever pH appears in a descriptive statistics table, the entry is increased to 3 entries: (1) the original pH entry; (2) pH computed from conversion to and from $\mu\text{eq/l H}^+$; and (3) $\mu\text{eq/l H}^+$. The reason for these conversions is that pH is actually the negative logarithm of the hydrogen ion concentration. To be technically correct in computing descriptive statistics, pH values must be converted to $\mu\text{eq/l H}^+$ (Kunkle and Wilson 1984). Once the descriptive statistics are computed using the pH values expressed as $\mu\text{eq/l H}^+$, the results can be converted back to pH. The three pH entries in the descriptive statistics table will all have the same STORET code.

Whenever a bacteriological parameter appears in a descriptive statistics table, the entry is increased to 3 entries: (1) the original bacteriological entry; (2) an entry computed using the log of each measured value; and (3) an entry that simply reports the geometric mean. The reason for converting to logs and displaying the geometric mean is convention. Bacteriological water quality standards typically reference the geometric mean rather than the arithmetic. The three bacteriological entries in the descriptive statistics tables will all have the same STORET code.

EPA Water Quality Criteria Analysis for Station

The EPA Water Quality Criteria Analysis table follows the Parameter Inventory. This table presents a comparison between the station's STORET water quality data and applicable national water quality criteria for freshwater and marine aquatic organisms; drinking water; and other concerns. Comparison against applicable State water quality criteria was not feasible given project resources. Appendix F provides the relevant national EPA water quality criteria values. In most cases, the EPA water quality criteria values are single sample concentrations that can be directly compared to single sample STORET entries. There are, however, two notable exceptions to this single sample/single value comparison: ammonia and fecal-indicator bacteria. For these two parameters, criteria are either derived from or depend on the results of other chemical characteristics of the water or require a time series statistical treatment of multiple samples to determine whether the criterion has been exceeded. The EPA ammonia criterion is pH and temperature dependent. To calculate the criterion for each ammonia sample value was beyond

the scope of this project. Consequently, ammonia criteria were not included in Appendix F or the EPA Water Quality Criteria Analyses. Un-ionized ammonia criteria can be determined from formula table values included in the EPA Silver Book (Environmental Protection Agency 1995).

For the purposes of this project, fecal-indicator bacteria data were flagged as exceeding criteria when their concentrations exceeded 200, 1000, 126, and 33 (fresh)/35 (salt) colony forming units or most probable number for single samples of fecal coliform, total coliform, E. coli, and enterococci, respectively. These values represent only approximations of the criteria for primary contact recreation waters where criteria are typically expressed in terms of a geometric mean computed with no less than 5 samples during a given month. When a fecal-indicator bacterial observation exceeds a criterion in the EPA Water Quality Criteria Analysis section, the reader should refer to the corresponding geometric mean calculations in the preceding Parameter Inventory. Long-term geometric means that exceed the respective water quality criteria for multiple samples are more indicative of chronic bacteriological problems than single sample values.

Water quality observations carrying non-detection or below-detection limit remark codes (K, T, and U) required special treatment in the EPA Water Quality Criteria Analysis. As with the statistics in the Parameter Inventory, half the detection limit was the value used in the EPA Water Quality Criteria Analysis. For certain observations, however, half the detection limit may exceed a water quality criterion. For those observations it would be inappropriate to classify them as exceeding a criterion since the actual value wasn't known. Thus, it was decided that any below detection limit or non-detect observations that exceed a water quality criterion using half the detection value would be excluded from the EPA Water Quality Criteria Analysis. If non-detect or below detection limit values are excluded from the EPA Water Quality Criteria Analysis for a particular parameter, the total observations for that parameter will be footnoted with an ampersand (&). This will also explain the difference between the total observations in the Parameter Inventory and the EPA Water Quality Criteria Analysis. Non-detect or below detection limit values are included in the EPA Water Quality Criteria Analysis, however, if half the detection limit doesn't exceed the parameter's criterion.

The EPA Water Quality Criteria Analysis for each station lists the parameter; the standard type and value; the total number of observations for the parameter at this station; the number of observations that exceeded the standard value; and the proportion of observations that exceeded the standard value. Water quality observations are considered as having exceeded a criterion regardless of whether the criterion represents a maximum acceptable value or a minimum acceptable value. The table also breaks down the water quality criteria analysis on a seasonal basis to allow the reader to discern whether parameter observations tend to exceed criteria during only certain seasons or year round. Although the EPA Water Quality Criteria Analysis table is a good starting point for assessing potential water quality problems at the station, the reader is strongly encouraged to read the caveat section in the Introduction concerning drawing conclusions about water quality problems from this table. Digital, reproducible copies of these tables accompany the report on disk (See Appendices A and B).

Time Series Plots for Station

Following the EPA Water Quality Criteria analysis will be any Time Series Plots for each parameter that met the time series plot screening criterion selected for the park unit. If a time series plot is generated for a particular parameter at a station, a "p" will appear next to the STORET parameter code in the Parameter Inventory. If no time series plots are present for the particular station, the data did not meet the time series screening criterion listed in the Overview section of the Water Quality Results chapter. The x-axis on these plots is the period of record, listing only the 2-digit calendar year for clarity (i.e. 1983 is presented as 83). The y-axis is the concentration of the selected parameter in its measurement units. In general, the units for a given parameter are given either on the y-axis or in the parameter description in the subtitle of the graph. Subtitle and/or y-axis parameter descriptions may be truncated on the plots so as to not exceed the maximum number of plotting characters. Y-axis values less than zero are sometimes shown for better representation of the entire plot. The station identification code, parameter description, and parameter STORET code are presented in the main title. The footnote provides a descriptive location name. Observations on the plot are represented as squares. Lines are drawn connecting each successive observation. As mentioned previously in the Statistical Definitions section of the Methodology chapter, the interconnecting line is drawn only for ease of reading and provides no indication of what the actual parameter

values were between the two observed measurements. Digital, reproducible copies of all time series plots accompany the report on disk (See Appendices A and B).

For time series plots of pH, the original pH values are plotted. For time series plots of bacteriological data, the log of the measured value is plotted. Hence, the y-axis of a time series plot for bacteriological parameters is log-linear.

Annual Analysis for Station

If more than 9 observations exist in each of at least 4 years for a particular parameter at a station, an Annual Analysis table will be generated. Entries will be made in the table for each parameter having more than 9 observations in each of at least 4 years. The Annual Analysis presents the same descriptive statistics as the Parameter Inventory table, except that it provides the statistics by year, rather than the entire period of record. Although some of the years may not contain 9 observations, these years still have an entry in the table. A parameter needs only to have 9 observations in any 4 years of its period of record to qualify for the Annual Analysis table. Like the Parameter Inventory, percentiles with fewer than 9 observations are not computed and entries computed with greater than 50 percent of the data values set to half the detection limit are flagged. Entries in the Annual Analysis table that also meet the annual analysis box-and-whisker plot screening criterion will be flagged with a "p" next to the STORET code. Digital, reproducible copies of these tables accompany the report on disk (See Appendices A and B).

Annual Box-and-Whiskers Plots for Station

Entries in the Annual Analysis table that meet the annual box-and-whisker plot screening criterion will generate Annual Box-and-Whiskers Plots. The interpretation of box-and-whiskers plots is explained in the Statistical Definitions section of the Methodology chapter. A box is generated for each year of the period of record, even if less than 9 observations were recorded in the year. The axis labeling and plot titling is the same as for the time series plots. Digital, reproducible copies of these graphics accompany the report on disk (See Appendices A and B).

For annual box-and-whiskers plots of pH, $\mu\text{eq/l H}^+$ are plotted. For annual box-and-whiskers plots of bacteriological data, the log of the measured value is plotted. Hence, the y-axis of an annual box-and-whiskers plot for bacteriological parameters is log-linear.

Seasonal Analysis for Station

As explained above, a park's hydrologic seasons for seasonal water quality analysis were determined using a process of hydrograph separation and other techniques. If a parameter has more than 9 observations in each of 2 seasons with a period of record of at least 6 years and observations in at least 3 of the 6 years, a Seasonal Analysis table will be generated for the station. The Seasonal Analysis presents the same descriptive statistics as the Parameter Inventory table, except that it provides the statistics by season, rather than the entire period of record. Although certain parameters for a season at a station may not contain 9 observations, these parameters can still have an entry in the table. A parameter needs only to have 9 observations in each of 2 seasons with a period of record of at least 6 years and observations in at least 3 of the 6 years to qualify for the Seasonal Analysis table. Consequently, some of the parameters could have fewer than 9 observations in a particular season but still generate a table entry. Like the Parameter Inventory and Annual Analysis, percentiles with fewer than 9 observations are not computed and entries computed with greater than 50 percent of the data values set to half the detection limit are flagged. Entries in the Seasonal Analysis table that also meet the seasonal analysis box-and-whisker plot screening criterion will be flagged with a "p" next to the STORET code. Digital, reproducible copies of these tables accompany the report on disk (See Appendices A and B).

Seasonal Box-and-Whiskers Plots for Station

Entries in the Seasonal Analysis table that meet the seasonal box-and-whisker plot screening criterion will generate Seasonal Box-and-Whiskers Plots. The interpretation of box-and-whiskers plots is explained in the Statistical Definitions section of the Methodology chapter. A box is generated for each season of the period of record, even if less than 9 observations were recorded in the season. On the x-axis, the seasons are labeled 1 through the number of seasons defined for the park through hydrograph separation. The actual calendar dates that correspond to these numerically labeled seasons exist in the Overview section and the Seasonal Analysis tables in the Water Quality Results chapter. The axis labeling and plot titling are the same as for the time series and annual box-and-whiskers plots. Digital, reproducible copies of these graphics accompany the report on disk (See Appendices A and B).

For seasonal box-and-whiskers plots of pH, $\mu\text{eq/l H}^+$ are plotted. For seasonal box-and-whiskers plots of bacteriological data, the log of the measured value is plotted. Hence, the y-axis of a seasonal box-and-whiskers plot for bacteriological parameters is log-linear.

EPA Water Quality Criteria Analysis for Entire Park Study Area

This table essentially summarizes all the individual station-by-station EPA water quality criteria analyses in the study area. (Refer to the EPA Water Quality Criteria Analysis for Station section above for more detailed information on the treatment of special cases in the EPA Water Quality Criteria Analysis for Entire Park Study Area.) This table presents a comparison between the study area's STORET water quality data and applicable national water quality criteria for freshwater and marine aquatic organisms; drinking water; and other concerns. Comparison against applicable State water quality criteria was not feasible given project resources. Appendix F provides the relevant national EPA water quality criteria values. The EPA Water Quality Criteria Analysis for the Entire Park Study Area lists the parameter; the standard type and value; the total number of observations for the parameter at this station; the number of observations that exceeded the standard value; and the proportion of observations that exceeded the standard value. Water quality observations are considered as having exceeded a criterion regardless of whether the criterion represents a maximum acceptable value or a minimum acceptable value. The table also breaks down the water quality criteria analysis on a seasonal basis to allow the reader to discern whether parameter observations tend to exceed criteria during only certain seasons or year round. Although the EPA Water Quality Criteria Analysis for the Entire Park Study Area is a good starting point for assessing potential water quality problems at the park, the reader is strongly encouraged to read the caveat section in the Introduction before drawing conclusions about water quality problems from this table. A digital, reproducible copy of this table accompanies the report on disk (See Appendices A and B).

NPS Servicewide Inventory and Monitoring Program

Level I Water Quality Inventory Data Evaluation and Analysis (IDEA)

One of the objectives of this Baseline Water Quality Data Inventory and Analysis project is to perform an IDEA - an Inventory Data Evaluation and Analysis - to determine the presence and/or absence of Servicewide Inventory and Monitoring Program "Level I" water quality parameter groups in the park's study area. The Strategic Plan for Conducting Baseline Natural Resource Inventories in the National Park Service (National Park Service 1993) identified the basic water quality parameters displayed in Table I as the parameters that all parks must have for "key" waterbodies (determined on the basis of size, uniqueness, threats, etc.) within park boundaries. Since these parameters can be measured in different ways and with different units, there are multiple STORET codes associated with each parameter; hence the concept of parameter groups. The Strategic Plan distinguishes between those parameter groups required for all parks and parameter groups required only on a case-by-case basis.

The IDEA basically compares the parameters listed in the Parameter Period of Record Tabulation and Station/Parameter Period of Record Tabulation with the "Level I" Servicewide Inventory and Monitoring water quality parameter groups, listed in Table I and in Appendix G, and notes, not only the presence or absence of each parameter group, but the total number of observations for each parameter present in the group; the number of

observations between certain time periods; and the total number of stations within the study area at which the parameter was measured. The total number of different (unique) stations measuring parameters for the group is in parentheses on each parameter group's summary line.

The first page of the IDEA lists the missing Servicewide Inventory and Monitoring Program "Level I" groups. If a parameter group appears on this list, no data for any of the parameters defining the group (See Appendix G) was retrieved for it within the study area. So-called non-priority parameter groups may appear in the missing list. Non-priority parameters are park-specific parameters (case-by-case) which may not be applicable to your park. Consequently, if you believe a particular parameter, not included in IDEA (See Appendix G), to be important for your park, you will have to consult the Parameter and Station/Parameter Period of Record Tabulations to determine the presence or absence of this parameter for the park. Although considered a "Level I" parameter, biological data, obtained through rapid bioassessment or other means, is not considered in this report which deals specifically with surface water chemistry. Following the Missing Level I Group list is the Present Level I Group list which displays the summary results for each Servicewide Inventory and Monitoring "Level I" water quality parameter group that was found.

Table I. Basic "Level I" Water Quality Parameters Identified as Required and Optional By the Servicewide Inventory and Monitoring Program for "Key" Park Waterbodies

<p><u>Required Parameter Groups:</u></p> <p>(1) Alkalinity</p> <p>(2) pH</p> <p>(3) Conductivity</p> <p>(4) Dissolved Oxygen</p> <p>(5) Rapid Bioassessment Baseline (EPA/State protocols, involving fish and macroinvertebrates)</p> <p>(6) Temperature</p> <p>(7) Flow</p> <p><u>Case-By-Case Parameters Groups:</u></p> <p>(8) Toxic Elements</p> <p>(9) Clarity/Turbidity</p> <p>(10) Nitrate/Nitrogen</p> <p>(11) Phosphate/Phosphorus</p> <p>(12) Chlorophyll</p> <p>(13) Sulfates</p> <p>(14) Bacteria</p>

The last page of the IDEA summarizes the information from the Missing and Present Level I Group lists. This page provides information on the temporal and spatial distributions of the data. Included in this table are the total number of observations for each parameter group; the number of observations since January 1, 1985; the percent of the total observations since January 1, 1985; the number of stations measuring each parameter group; the percent of the total number of stations with data measuring the parameter group; the number of observations per station with data; the period-of-record for this parameter group; and the average number of observations per year of the period-of-record.

In interpreting the results of the IDEA, the reader should first consult the Missing Level I Group list. For the parameter groups listed, there was no baseline water quality data within the study area entered in STORET. Consequently, these parameter groups could be a higher priority for data collection. It is important, however, to realize that data within these parameter groups may have been already collected but not entered into STORET. The resources for this project did not enable us to pursue thorough literature and file cabinet reviews to dredge up

every last iota of data. If data exists for certain Servicewide Inventory and Monitoring Program "Level I" water quality parameter groups in a park's file cabinet, it is the park's responsibility to factor that data into their IDEA. Consequently, the listing of a parameter group on the Missing "Level I" Group list is not a WRD endorsement to launch a study to collect these data. The IDEA is intended to simply note that no data exist for these parameter groups in STORET for the park. It is the park's responsibility to ascertain whether such data has already been collected by the park or other entities before embarking on a new study. In fact, in the future the WRD will require that any park study plan proposing to collect baseline water quality data show that they have consulted their Baseline Water Quality Data Inventory and Analysis report and searched in other locations (file cabinets, published literature, etc.) for the data they propose to collect. A similar interpretation springs from the Present "Level I" Group list. Insufficient data density in certain time periods for particular parameter groups is not necessarily cause for launching a new inventory and/or monitoring program. The park should still consult with other potential sources of data. Again, the IDEA is designed to provide only a quick check on data in STORET for the Servicewide Inventory and Monitoring Program "Level I" water quality parameter groups.

Water Quality Observations Outside STORET Edit Criteria for Park

STORET data entered after November 1983 were subjected to rudimentary edit/bounds checking for 190 common parameters (See the STORET Edit Criteria in Appendix C). None of the data entered into STORET prior to that time has been subjected to edit/bounds checking. Moreover, to maintain exact comparability with USGS WATSTORE data, WATSTORE data entered into STORET has never been subjected to the EPA edit/bounds checking. During the pilot test phase of this project, obviously incorrect data was identified from both USGS and other agency data in STORET. As a consequence, all data downloaded from STORET was filtered through the STORET edit criteria to identify parameter observation values that fall outside any edit criterion ranges. This section documents the station name, parameter, date, time, parameter value, agency, and STORET station name of every observation that fell outside the range of an edit criterion. Not all data falling outside an edit criterion are necessarily incorrect. Such data may represent unique or special conditions. Consequently, every observation falling outside a STORET edit criterion was scrutinized to determine, in our best professional judgement, whether the value was in the realm of possibility or obviously incorrect. Water quality observations that appeared to be obviously incorrect are marked with an "X" in the Disposition column of this table. These values were not retrieved or included in any of the inventory tables or graphs. Water quality values outside a STORET edit criterion but within the realm of possibility were retained and included in inventory tables and graphs. The Water Quality Observations Outside STORET Edit Criteria for Park table documents all values that were outside an edit criterion range. This documentation is also necessitated by the fact that agencies can override the STORET edit criteria for individual observations. Although the edit criteria eliminate some potentially "bad" data from the report, the probability of other incorrect data, for both the 190 parameters that are edit/bound checked and all the other STORET parameters that aren't error checked, is high. Readers should consult the Caveat section in the Introduction for guidelines on the use and interpretation of STORET data. The responsibility for correcting these observations rests with the collecting agency.

WATER QUALITY RESULTS

OVERVIEW FOR FOLS

Study Area Boundary Description

The study area includes the park and all areas within at least 3 miles upstream of the park unit boundary and at least 1 mile downstream.

	<u>Study Area</u>	<u>Park</u>
GIS Estimated Acreage:	75169	703
# STORET Stations:	4	0
# Stations With No Data:	0	0
# Stations With No Stat. Analysis:	0	0
# Longer Term Stations:	4	0
Date of STORET Retrieval:	01/25/99	01/25/99
Period of Record:	05/05/58-11/18/97	No Data in Park
# Parameters Measured:	177	0
# Water Quality Observations:	9030	0
# Industrial/Municipal Facilities:	2	0
# Drinking Water Intakes:	2	0
# Water Gages:	2	0
# Water Impoundments:	0	0
# Total Plots:	86	0
# Time Series:	29	0
# Annual:	24	0
# Seasonal:	33	0

Hydrologic Definition of Seasons:

1. July 1 - October 31
2. November 1 - March 14
3. March 15 - June 30

Time Series Plot Criteria:

To be included in the time series plots, a station/parameter combination must have at least 8 years and at least 32 observations.

Annual Analysis Criteria:

To be included in the annual box-and-whisker plots, a station/parameter combination must have at least 9 observations in each of at least 6 years.

To be included in the annual analysis tables, a station/parameter combination must have at least 9 observations in each of at least 4 years.


Seasonal Analysis Criteria:

To be included in the seasonal box-and-whisker plots, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 8 years and observations in at least 3 of the 8 years.

To be included in the seasonal analysis tables, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 6 years and observations in at least 3 of the 6 years.


Fort Larned National Historic Site

Regional Location Map




Fort Larned National Historic Site

Water Quality Monitoring Locations



Fort Larned National Historic Site

Dischargers, Drinking Intakes, Water Gages, & Water Impoundments



Industrial Facility Discharges, Drinking Water Intakes, Water Gages, and Water Impoundments Within the FOLS Study Area

Industrial Facility Discharges

<u>Site ID</u>	<u>Station/Facility Name</u>	<u>Address</u>	<u>City</u>	<u>Facility Receiving Water Name</u>
KS0037575	PAWNEE BEEF BUILDERS INC FEE		LARNED	..
KS0055239	LARNED CITY OF STP	LARNED	ARKANSAS RIVER

Drinking Water Intakes

<u>Site ID</u>	<u>Station/Facility Name</u>	<u>City</u>	<u>Population Served</u>	<u>Avg. Daily Production (Gal./Day)</u>
20498301550000P1	TREATMENT PLANT	LARNED	4993	
20498301550000P1I1	DEEP WELL	LARNED	4993	

Water Gages

<u>Site ID</u>	<u>Station Name</u>	<u>Site Type</u>	<u>Drainage Area (Square Miles)</u>	<u>Begin Year</u>	<u>End Year</u>
USGS07140500	ARKANSAS R AT LARNED, KS		31750.0	1923	1940
USGS07141200	PAWNEE R NR LARNED, KS	Stream	2148.00	1925	1997



Water Impoundments

<u>Site ID</u>	<u>Impoundment Name</u>	<u>Owner</u>	<u>Primary Purpose</u>	<u>Type of Dam</u>	<u>Downstream Hazard</u>	<u>Year Completed</u>
----------------	-------------------------	--------------	------------------------	--------------------	--------------------------	-----------------------

No water impoundments available for this study area.

REPRESENTATIVE MEAN ANNUAL HYDROGRAPH FOR SEASONAL ANALYSIS

FORT LARNED NATIONAL HISTORIC SITE
Pawnee River near Larned, KS
07141200, 65 year record



Representative mean annual hydrograph (top) and distribution of daily flows by month (bottom) for hydrologic season determination. Box and whiskers represent a five number summary; bottom whisker cap is 10th percentile, bottom of box is 25th percentile, internal line is median, top of box is 75th percentile, and top whisker is 90th percentile. Hydrologic seasons for Fort Larned National Historic Site are: Jul. 1 to Oct. 31, Nov. 1 to Mar. 14, and Mar. 15 to Jun. 30.

CONTACTS FOR AGENCY CODES RETRIEVED FOR FOLS

<u>AGENCY</u>	<u>PRIMARY CONTACT NAME</u>	<u>ORGANIZATION</u>	<u>PHONE NUMBER(S)</u>
21KAN001	BROWN, STEVE	KANSAS DEPT HEALTH & ENV	(785)296-5612 (785)296-5580
112WRD	BRIGGS, JOHN	US GEOLOGICAL SURVEY	(703)648-5624

QUANTITY OF DATA RETRIEVED FOR FOLS BY AGENCY CODE
WITHIN THE ENTIRE STUDY AREA (S.A.) AND JUST WITHIN THE PARK

Agency	Organization	Period of Record		Water Quality Stations		Longer Term ¹ Stations		No Data Stations		Water Quality Observations		Water Quality Parameters	
		Study Area	Park Only	S.A.	Park	S.A.	Park	S.A.	Park	S.A.	Park	S.A.	Park
21KAN001	KANSAS DEPT HEALTH & ENV	06/21/72-11/18/97	No Data in Park	3	0	3	0	0	0	4714	0	129	0
112WRD	US GEOLOGICAL SURVEY	05/05/58-06/07/95	No Data in Park	1	0	1	0	0	0	4316	0	75	0
Totals		05/05/58-11/18/97	No Data in Park	4	0	4	0	0	0	9030	0	177	0

¹Station With At Least 6 Parameters Having An Average of 1 Or More Observations Per Year During a Period of Record Extending At Least 2 Years.

Station Period of Record Tabulation From 05/05/58 To 11/18/97

Station Ident.	Location Description	In Park	Total Obs	01/01/85 to 11/18/97	01/01/75 to 12/31/84	Before 01/01/75
FOLS0001¹	PAWNEE RIVER AT LARNED	No	311	0	165	146
FOLS0002¹	PAWNEE RIVER AT LARNED	No	2127	0	2127	0
FOLS0003¹	PAWNEE RIVER NEAR LARNED	No	2276	2276	0	0
FOLS0004¹	PAWNEE R AT ROZEL, KS	No	4316	324	379	3613

¹Longer Term Station With At Least 6 Parameters Having An Average of 1 Or More Observations Per Year During a Period of Record Extending At Least 2 Years.

Parameter Period of Record Tabulation **From 05/05/58 To 11/18/97**

Parameter	Total	01/01/85 to	01/01/75 to	Before	Stations	
Code Name	Obs	11/18/97	12/31/84	01/01/75	Total	Park
00005	X-SEC. LOC., VERTICAL (PERCENT OF TOTAL DEPTH)	13	13	0	1	0
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	315	75	105	4	0
00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	52	38	11	1	0
00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	52	38	11	1	0
00049	SURFACE AREA IN SQUARE MILES	19	0	0	1	0
00060	FLOW, STREAM, MEAN DAILY CFS	184	0	33	3	0
00061	FLOW, STREAM, INSTANTANEOUS CFS	145	38	52	2	0
00063	SAMPLING POINTS, NUMBER OF IN A CROSS SECTION	1	0	0	1	0
00070	TURBIDITY, (JACKSON CANDLE UNITS)	27	0	6	2	0
00075	TURBIDITY, HELIGE (PPM AS SILICON DIOXIDE)	52	0	0	1	0
00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	103	36	67	3	0
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	297	72	101	4	0
00300	OXYGEN, DISSOLVED MG/L	116	37	72	3	0
00310	BOD, 5 DAY, 20 DEG C MG/L	114	36	71	3	0
00335	COD, .025N K2CR2O7 MG/L	66	0	66	1	0
00400	PH (STANDARD UNITS)	194	71	6	2	0
00403	PH, LAB, STANDARD UNITS SU	80	1	72	3	0
00405	CARBON DIOXIDE (MG/L AS CO2)	42	0	6	1	0
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	239	37	78	4	0
00440	BICARBONATE ION (MG/L AS HCO3)	183	0	59	3	0
00445	CARBONATE ION (MG/L AS CO3)	182	0	58	3	0
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	104	37	67	3	0
00547	RESIDUE, TOTAL NON-SETTLEABLE (MG/L)	19	0	19	1	0
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	108	37	68	3	0
00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	11	11	0	1	0
00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	60	18	6	2	0
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	66	19	47	2	0
00650	PHOSPHATE, TOTAL (MG/L AS PO4)	134	0	31	3	0
00665	PHOSPHORUS, TOTAL (MG/L AS P)	127	37	54	3	0
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	17	17	0	1	0
00900	HARDNESS, TOTAL (MG/L AS CACO3)	239	37	78	4	0
00901	HARDNESS, CARBONATE (MG/L AS CACO3)	46	0	46	1	0
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	195	0	78	3	0
00915	CALCIUM, DISSOLVED (MG/L AS CA)	137	0	13	2	0
00916	CALCIUM, TOTAL (MG/L AS CA)	102	37	65	2	0
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	137	0	13	2	0
00927	MAGNESIUM, TOTAL (MG/L AS MG)	102	37	65	2	0
00929	SODIUM, TOTAL (MG/L AS NA)	103	37	66	2	0
00930	SODIUM, DISSOLVED (MG/L AS NA)	123	0	6	1	0
00931	SODIUM ADSORPTION RATIO	123	0	6	1	0
00932	SODIUM, PERCENT	123	0	6	1	0
00933	SODIUM,PLUS POTASSIUM (MG/L)	2	0	0	1	0
00935	POTASSIUM, DISSOLVED (MG/L AS K)	121	0	6	1	0
00937	POTASSIUM, TOTAL MG/L AS K)	102	37	65	2	0
00940	CHLORIDE, TOTAL IN WATER MG/L	220	19	77	4	0
00941	CHLORIDE, DISSOLVED IN WATER MG/L	18	18	0	1	0
00945	SULFATE, TOTAL (MG/L AS SO4)	221	19	78	4	0
00946	SULFATE, DISSOLVED (MG/L AS SO4)	18	18	0	1	0
00950	FLUORIDE, DISSOLVED (MG/L AS F)	141	18	6	2	0
00951	FLUORIDE, TOTAL (MG/L AS F)	5	5	0	1	0
00955	SILICA, DISSOLVED (MG/L AS SI02)	173	8	48	3	0
00956	SILICA, TOTAL (MG/L AS SI02)	53	29	24	2	0
01000	ARSENIC, DISSOLVED (UG/L AS AS)	5	0	5	1	0
01002	ARSENIC, TOTAL (UG/L AS AS)	41	37	4	2	0
01007	BARIUM, TOTAL (UG/L AS BA)	41	37	4	2	0
01012	BERYLLIUM, TOTAL (UG/L AS BE)	37	37	0	1	0
01020	BORON, DISSOLVED (UG/L AS B)	123	0	6	1	0
01022	BORON, TOTAL (UG/L AS B)	108	37	60	3	0
01025	CADMIUM, DISSOLVED (UG/L AS CD)	6	0	6	1	0
01027	CADMIUM, TOTAL (UG/L AS CD)	41	37	4	2	0
01034	CHROMIUM, TOTAL (UG/L AS CR)	47	37	10	2	0
01037	COBALT, TOTAL (UG/L AS CO)	36	36	0	1	0
01040	COPPER, DISSOLVED (UG/L AS CU)	6	0	6	1	0
01042	COPPER, TOTAL (UG/L AS CU)	41	37	4	2	0
01045	IRON, TOTAL (UG/L AS FE)	53	37	4	3	0
01046	IRON, DISSOLVED (UG/L AS FE)	44	0	7	2	0
01049	LEAD, DISSOLVED (UG/L AS PB)	6	0	6	1	0
01051	LEAD, TOTAL (UG/L AS PB)	35	31	4	2	0
01055	MANGANESE, TOTAL (UG/L AS MN)	55	37	4	3	0
01056	MANGANESE, DISSOLVED (UG/L AS MN)	42	0	7	2	0
01059	THALLIUM, TOTAL (UG/L AS TL)	25	25	0	1	0

**Parameter Period of Record Tabulation
From 05/05/58 To 11/18/97**

Parameter Code	Name	Total Obs	01/01/85 to 11/18/97	01/01/75 to 12/31/84	Before 01/01/75	Stations	
						Total	Park
01062	MOLYBDENUM, TOTAL (UG/L AS MO)	36	36	0	0	1	0
01067	NICKEL, TOTAL (UG/L AS NI)	37	37	0	0	1	0
01075	SILVER, DISSOLVED (UG/L AS AG)	6	0	6	0	1	0
01077	SILVER, TOTAL (UG/L AS AG)	41	37	4	0	2	0
01087	VANADIUM, TOTAL (UG/L AS V)	36	36	0	0	1	0
01090	ZINC, DISSOLVED (UG/L AS ZN)	6	0	6	0	1	0
01092	ZINC, TOTAL (UG/L AS ZN)	41	37	4	0	2	0
01097	ANTIMONY, TOTAL (UG/L AS SB)	37	37	0	0	1	0
01105	ALUMINUM, TOTAL (UG/L AS AL)	37	37	0	0	1	0
01147	SELENIUM, TOTAL (UG/L AS SE)	35	31	4	0	2	0
01300	OIL-GREASE (SEVERITY)	8	8	0	0	1	0
01305	DETERGENT SUDS (SEVERITY)	8	8	0	0	1	0
01310	GAS BUBBLES (SEVERITY)	8	8	0	0	1	0
01315	SLUDGE, FLOATING (SEVERITY)	8	8	0	0	1	0
01320	GARBAGE, FLOATING (SEVERITY)	8	8	0	0	1	0
01325	ALGAE, FLOATING MATS (SEVERITY)	8	8	0	0	1	0
01330	ODOR, ATMOSPHERIC (SEVERITY)	8	8	0	0	1	0
01340	FISH, DEAD (SEVERITY)	8	8	0	0	1	0
01345	DEBRIS, FLOATING (SEVERITY)	8	8	0	0	1	0
01355	ICE COVER, FLOATING OR SOLID (SEVERITY)	7	7	0	0	1	0
31501	COLIFORM,TOT, MEMBRANE FILTER, IMMED.M-ENDO MED,35C	79	0	72	7	2	0
31616	FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	116	36	73	7	3	0
31673	FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	116	36	73	7	3	0
34259	DELTA BENZENE HEXACHLORIDE TOTWUG/L	5	5	0	0	1	0
34351	ENDOSULFAN SULFATE TOTWUG/L	5	5	0	0	1	0
34356	ENDOSULFAN, BETA TOTWUG/L	5	5	0	0	1	0
34361	ENDOSULFAN, ALPHA TOTWUG/L	5	5	0	0	1	0
34671	PCB - 1016 TOTWUG/L	20	20	0	0	1	0
39024	PROPAGINE, COULSON CONDUCTIVITY, WATER SAMPL(UG/L)	20	20	0	0	1	0
39033	ATRAZINE IN WHOLE WATER SAMPLE UG/L	25	20	5	0	2	0
39045	2,4,5-TP INCLUDES ACIDS & SALTS WATER SAMPL UG/L	24	20	4	0	2	0
39055	SIMAZINE IN WHOLE WATER (UG/L)	10	10	0	0	1	0
39300	P,P' DDT IN WHOLE WATER SAMPLE (UG/L)	9	5	4	0	2	0
39305	O,P' DDT IN WHOLE WATER SAMPLE (UG/L)	4	0	4	0	1	0
39310	P,P' DDD IN WHOLE WATER SAMPLE (UG/L)	5	5	0	0	1	0
39320	P,P' DDE IN WHOLE WATER SAMPLE (UG/L)	5	5	0	0	1	0
39330	ALDRIN IN WHOLE WATER SAMPLE (UG/L)	31	20	10	1	3	0
39337	ALPHA BENZENE HEXACHLORIDE IN WHOLE WATER SAMP	6	5	0	1	2	0
39338	BETA BENZENE HEXACHLORIDE IN WHOLE WATER SAMP	5	5	0	0	1	0
39340	GAMMA-BHC(LINDANE), WHOLE WATER, UG/L	10	10	0	0	1	0
39350	CHLORDANE(TECH MIX & METABS), WHOLE WATER, UG/L	30	20	10	0	3	0
39356	METOLACHLOR(DUAL) IN WHOLE WATER UG/L	21	20	1	0	2	0
39370	DDT IN WHOLE WATER SAMPLE (UG/L)	6	0	6	0	2	0
39380	DIELDRIN IN WHOLE WATER SAMPLE (UG/L)	30	20	10	0	3	0
39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	30	20	10	0	3	0
39400	TOXAPHENE IN WHOLE WATER SAMPLE (UG/L)	24	20	4	0	2	0
39410	HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L)	26	20	6	0	3	0
39420	HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L)	26	20	6	0	3	0
39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	30	20	10	0	3	0
39488	PCB - 1221 IN THE WHOLE WATER SAMPLE UG/L	20	20	0	0	1	0
39492	PCB - 1232 PCB SERIES WHOLE WATER SAMPLE UG/L	20	20	0	0	1	0
39496	PCB - 1242 PCB SERIES WHOLE WATER SAMPLE UG/L	20	20	0	0	1	0
39500	PCB - 1248 PCB SERIES WHOLE WATER SAMPLE UG/L	20	20	0	0	1	0
39504	PCB - 1254 PCB SERIES WHOLE WATER SAMPLE UG/L	20	20	0	0	1	0
39508	PCB - 1260 PCB SERIES WHOLE WATER SAMPLE UG/L	20	20	0	0	1	0
39516	PCBS IN WHOLE WATER SAMPLE (UG/L)	4	0	4	0	1	0
39700	HEXACHLOROBENZENE IN WHOLE WATER SAMPLE (UG/L)	10	10	0	0	1	0
39720	PICLORAM IN WHOLE WATER SAMPLE (UG/L)	20	20	0	0	1	0
39730	2,4-D IN WHOLE WATER SAMPLE (UG/L)	24	20	4	0	2	0
39740	2,4,5-T IN WHOLE WATER SAMPLE (UG/L)	23	20	3	0	2	0
39770	DACTHAL (DCPA) IN WHOLE WATER SAMPLE (UG/L)	23	20	3	0	2	0
39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	21	10	10	1	3	0
46373	DEETHYLATRAZINE, TOTAL, WATER UG/L	1	1	0	0	1	0
46374	DEISOPROPYLATRAZINE, TOTAL, WATER UG/L	1	1	0	0	1	0
49251	LEAD, DRY WEIGHT, TISSUE/BIOTA, RECV UG/G	3	3	0	0	1	0
49259	ACETOCHLOR, RECOVERABLE, WATER, UNFILTERED UG/L	5	5	0	0	1	0
70300	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), MG/L	123	0	6	117	1	0
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	148	37	51	60	3	0
70302	SOLIDS, DISSOLVED-TONS PER DAY	123	0	6	117	1	0
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	123	0	6	117	1	0
70326	SUS SED FALL DIA(NATIVEWATER)% FINER THAN .002MM	1	0	0	1	1	0

**Parameter Period of Record Tabulation
From 05/05/58 To 11/18/97**

Parameter Code	Name	Total Obs	01/01/85 to 11/18/97	01/01/75 to 12/31/84	Before 01/01/75	Stations	
						Total	Park
70327	SUS SED FALL DIA(NATIVEWATER)% FINER THAN .004MM	1	0	0	1	1	0
70329	SUS SED FALL DIA(NATIVEWATER)% FINER THAN .016MM	1	0	0	1	1	0
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	14	9	1	4	1	0
70332	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .125MM	1	0	0	1	1	0
70333	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .250MM	1	0	0	1	1	0
70334	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .500MM	1	0	0	1	1	0
70335	SUSPENDED SED SIEVE DIAMETER,% FINER THAN 1.00MM	1	0	0	1	1	0
70337	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .002MM	24	0	7	17	1	0
70338	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .004MM	29	4	8	17	1	0
70340	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .016MM	25	0	8	17	1	0
70342	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .062MM	21	0	8	13	1	0
70343	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .125MM	7	0	6	1	1	0
70344	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .250MM	2	0	1	1	1	0
70345	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .500MM	1	0	1	0	1	0
70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	1	0	1	0	1	0
71850	NITRATE NITROGEN,TOTAL (MG/L AS NO3)	11	0	0	11	1	0
71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	156	0	32	124	3	0
71890	MERCURY, DISSOLVED (UG/L AS HG)	5	0	5	0	1	0
71900	MERCURY, TOTAL (UG/L AS HG)	25	21	4	0	2	0
72000	ELEVATION OF LAND SURFACE DATUM (FT. ABOVE MSL)	19	0	0	19	1	0
74021	ALKALINITY, EXCESS - MG/L	46	0	46	0	1	0
77729	RAMROD WHOLE WATER,UG/L	23	20	3	0	2	0
77780	BLADEx 2-(4-CHLORO-6-ETHYLAMINO-S*WHOLE WATER,UG/L	20	20	0	0	1	0
77825	ALACHLOR WHOLE WATER,UG/L	23	20	3	0	2	0
77860	BUTACHLOR WHOLE WATER,UG/L	10	10	0	0	1	0
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	107	10	29	68	1	0
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	95	0	27	68	1	0
80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	1	0	0	1	1	0
80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	1	0	0	1	1	0
80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	1	0	0	1	1	0
80162	BED MATERIAL FALL DIAMETER, % FINER THAN 1.00MM	1	0	0	1	1	0
81405	CARBOFURAN (EURADAN) WHOLE WATER SAMPLE UG/L	5	5	0	0	1	0
81408	METRIBUZIN (SENCOR), WATER, WHOLE UG/L	23	20	3	0	2	0
82079	TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU	1	1	0	0	1	0
82298	BROMIDE DISSOLVED AS BR IN WATER UG/L	17	17	0	0	1	0

Station/Parameter Period of Record Tabulation
From 05/05/58 To 11/18/97

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
FOLS0003	No	00005	X-SEC. LOC., VERTICAL (PERCENT OF TOTAL DEPTH)	03/28/95-12/17/96	1	13	
FOLS0001	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	06/21/72-04/29/75	2	14	
FOLS0002	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/18/75-05/18/83	7	66	
FOLS0003	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	04/23/90-11/18/97	7	37	
FOLS0004	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	35	198	
FOLS0004	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	10/04/74-06/07/95	20	52	
FOLS0004	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	10/04/74-06/07/95	20	52	
FOLS0004	No	00049	SURFACE AREA IN SQUARE MILES	05/05/58-09/18/62	4	19	
FOLS0001	No	00060	FLOW, STREAM, MEAN DAILY CFS	06/21/72-04/29/75	2	14	
FOLS0002	No	00060	FLOW, STREAM, MEAN DAILY CFS	11/18/75-12/13/77	2	26	
FOLS0004	No	00060	FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	14	144	T,A,S
FOLS0002	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	10/12/76-12/13/77	1	15	
FOLS0004	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	37	130	
FOLS0004	No	00063	SAMPLING POINTS, NUMBER OF IN A CROSS SECTION	06/04/65-06/04/65	0	1	
FOLS0001	No	00070	TURBIDITY, (JACKSON CANDLE UNITS)	06/21/72-06/27/72	0	7	
FOLS0004	No	00070	TURBIDITY, (JACKSON CANDLE UNITS)	10/15/73-06/25/75	1	20	
FOLS0004	No	00075	TURBIDITY, HELIGE (PPM AS SILICON DIOXIDE)	02/10/65-09/06/73	8	52	T,S
FOLS0001	No	00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	04/23/75-04/29/75	0	7	
FOLS0002	No	00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	11/18/75-05/18/83	7	60	
FOLS0003	No	00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	06/25/90-11/18/97	7	36	
FOLS0001	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	06/21/72-04/29/75	2	14	
FOLS0002	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/18/75-05/18/83	7	66	
FOLS0003	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	04/23/90-11/18/97	7	37	
FOLS0004	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	33	180	T,A,S
FOLS0001	No	00300	OXYGEN, DISSOLVED MG/L	06/21/72-04/29/75	2	14	
FOLS0002	No	00300	OXYGEN, DISSOLVED MG/L	11/18/75-05/18/83	7	65	
FOLS0003	No	00300	OXYGEN, DISSOLVED MG/L	04/23/90-11/18/97	7	37	
FOLS0001	No	00310	BOD, 5 DAY, 20 DEG C MG/L	06/21/72-04/28/75	2	13	
FOLS0002	No	00310	BOD, 5 DAY, 20 DEG C MG/L	11/18/75-05/18/83	7	65	
FOLS0003	No	00310	BOD, 5 DAY, 20 DEG C MG/L	04/23/90-11/18/97	7	36	
FOLS0002	No	00335	COD, .025N K2CR2O7 MG/L	11/18/75-05/18/83	7	66	
FOLS0003	No	00400	PH (STANDARD UNITS)	04/23/90-11/18/97	7	36	
FOLS0004	No	00400	PH (STANDARD UNITS)	10/16/61-06/07/95	33	158	T,A,S
FOLS0001	No	00403	PH, LAB, STANDARD UNITS SU	06/21/72-04/29/75	2	14	
FOLS0002	No	00403	PH, LAB, STANDARD UNITS SU	11/18/75-05/18/83	7	65	
FOLS0003	No	00403	PH, LAB, STANDARD UNITS SU	08/27/96-08/27/96	0	1	
FOLS0004	No	00405	CARBON DIOXIDE (MG/L AS CO2)	11/09/71-06/25/75	3	42	
FOLS0001	No	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	06/21/72-04/29/75	2	14	
FOLS0002	No	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	7	65	
FOLS0003	No	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	04/23/90-11/18/97	7	37	
FOLS0004	No	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	13	123	T,A,S
FOLS0001	No	00440	BICARBONATE ION (MG/L AS HCO3)	06/21/72-04/29/75	2	14	
FOLS0002	No	00440	BICARBONATE ION (MG/L AS HCO3)	06/06/77-09/23/81	4	46	
FOLS0004	No	00440	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	13	123	T,A,S
FOLS0001	No	00445	CARBONATE ION (MG/L AS CO3)	06/21/72-04/29/75	2	14	
FOLS0002	No	00445	CARBONATE ION (MG/L AS CO3)	06/06/77-09/23/81	4	45	
FOLS0004	No	00445	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	13	123	T,A,S
FOLS0001	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	04/23/75-04/29/75	0	7	
FOLS0002	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/18/75-05/18/83	7	60	
FOLS0003	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	04/23/90-11/18/97	7	37	
FOLS0002	No	00547	RESIDUE, TOTAL NON-SETTLEABLE (MG/L)	11/18/75-12/13/77	2	19	
FOLS0001	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	06/21/72-04/29/75	2	6	
FOLS0002	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	11/18/75-05/18/83	7	65	
FOLS0003	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	04/23/90-11/18/97	7	37	
FOLS0003	No	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	02/27/96-11/18/97	1	11	
FOLS0003	No	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	03/28/95-11/18/97	2	18	
FOLS0004	No	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	11/09/71-06/25/75	3	42	
FOLS0002	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	06/06/77-05/18/83	5	47	
FOLS0003	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	04/23/90-10/18/94	4	19	
FOLS0001	No	00650	PHOSPHATE, TOTAL (MG/L AS PO4)	06/21/72-04/29/75	2	14	
FOLS0002	No	00650	PHOSPHATE, TOTAL (MG/L AS PO4)	11/18/75-04/12/77	1	18	
FOLS0004	No	00650	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	13	102	T,A,S
FOLS0002	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	05/10/77-05/18/83	6	48	
FOLS0003	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	04/23/90-11/18/97	7	37	
FOLS0004	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	11/09/71-06/25/75	3	42	
FOLS0003	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/28/95-09/16/97	2	17	
FOLS0001	No	00900	HARDNESS, TOTAL (MG/L AS CaCO3)	06/21/72-04/29/75	2	14	
FOLS0002	No	00900	HARDNESS, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	7	65	
FOLS0003	No	00900	HARDNESS, TOTAL (MG/L AS CaCO3)	04/23/90-11/18/97	7	37	
FOLS0004	No	00900	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	13	123	T,A,S
FOLS0002	No	00901	HARDNESS, CARBONATE (MG/L AS CaCO3)	06/06/77-05/18/83	5	46	
FOLS0001	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	04/23/75-04/29/75	0	7	

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 05/05/58 To 11/18/97

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
FOLS0002	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	11/18/75-05/18/83	7	65	
FOLS0004	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	13	123	T,A,S
FOLS0001	No	00915	CALCIUM, DISSOLVED (MG/L AS Ca)	06/21/72-04/29/75	2	14	
FOLS0004	No	00915	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	13	123	T,A,S
FOLS0002	No	00916	CALCIUM, TOTAL (MG/L AS Ca)	11/18/75-05/18/83	7	65	
FOLS0003	No	00916	CALCIUM, TOTAL (MG/L AS Ca)	04/23/90-11/18/97	7	37	
FOLS0001	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	06/21/72-04/29/75	2	14	
FOLS0004	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	13	123	T,A,S
FOLS0002	No	00927	MAGNESIUM, TOTAL (MG/L AS MG)	11/18/75-05/18/83	7	65	
FOLS0003	No	00927	MAGNESIUM, TOTAL (MG/L AS MG)	04/23/90-11/18/97	7	37	
FOLS0002	No	00929	SODIUM, TOTAL (MG/L AS Na)	11/18/75-05/18/83	7	66	
FOLS0003	No	00929	SODIUM, TOTAL (MG/L AS Na)	04/23/90-11/18/97	7	37	
FOLS0004	No	00930	SODIUM, DISSOLVED (MG/L AS Na)	10/16/61-06/25/75	13	123	T,A,S
FOLS0004	No	00931	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	13	123	T,A,S
FOLS0004	No	00932	SODIUM, PERCENT	10/16/61-06/25/75	13	123	T,A,S
FOLS0004	No	00933	SODIUM,PLUS POTASSIUM (MG/L)	10/16/61-11/13/61	0	2	
FOLS0004	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	13	121	T,A,S
FOLS0002	No	00937	POTASSIUM, TOTAL MG/L AS K	11/18/75-05/18/83	7	65	
FOLS0003	No	00937	POTASSIUM, TOTAL MG/L AS K	04/23/90-11/18/97	7	37	
FOLS0001	No	00940	CHLORIDE, TOTAL IN WATER MG/L	06/21/72-04/29/75	2	14	
FOLS0002	No	00940	CHLORIDE, TOTAL IN WATER MG/L	11/18/75-05/18/83	7	64	
FOLS0003	No	00940	CHLORIDE, TOTAL IN WATER MG/L	04/23/90-10/18/94	4	19	
FOLS0004	No	00940	CHLORIDE, TOTAL IN WATER MG/L	10/16/61-06/25/75	13	123	T,A,S
FOLS0003	No	00941	CHLORIDE, DISSOLVED IN WATER MG/L	03/28/95-11/18/97	2	18	
FOLS0001	No	00945	SULFATE, TOTAL (MG/L AS SO4)	06/21/72-04/29/75	2	14	
FOLS0002	No	00945	SULFATE, TOTAL (MG/L AS SO4)	11/18/75-05/18/83	7	65	
FOLS0003	No	00945	SULFATE, TOTAL (MG/L AS SO4)	04/23/90-10/18/94	4	19	
FOLS0004	No	00945	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	13	123	T,A,S
FOLS0003	No	00946	SULFATE, DISSOLVED (MG/L AS SO4)	03/28/95-11/18/97	2	18	
FOLS0003	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	03/28/95-11/18/97	2	18	
FOLS0004	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	13	123	T,A,S
FOLS0003	No	00951	FLUORIDE, TOTAL (MG/L AS F)	11/16/93-10/18/94	0	5	
FOLS0002	No	00955	SILICA, DISSOLVED (MG/L AS SiO2)	11/18/75-06/12/79	3	42	
FOLS0003	No	00955	SILICA, DISSOLVED (MG/L AS SiO2)	08/23/94-11/28/95	1	8	
FOLS0004	No	00955	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	13	123	T,A,S
FOLS0002	No	00956	SILICA, TOTAL (MG/L AS SiO2)	07/17/79-05/18/83	3	24	
FOLS0003	No	00956	SILICA, TOTAL (MG/L AS SiO2)	04/23/90-11/18/97	7	29	
FOLS0002	No	01000	ARSENIC, DISSOLVED (UG/L AS AS)	12/16/75-07/10/78	2	5	
FOLS0002	No	01002	ARSENIC, TOTAL (UG/L AS AS)	04/10/79-05/18/83	4	4	
FOLS0003	No	01002	ARSENIC, TOTAL (UG/L AS AS)	04/23/90-11/18/97	7	37	
FOLS0002	No	01007	BARIUM, TOTAL (UG/L AS Ba)	04/10/79-05/18/83	4	4	
FOLS0003	No	01007	BARIUM, TOTAL (UG/L AS Ba)	04/23/90-11/18/97	7	37	
FOLS0003	No	01012	BERYLLIUM, TOTAL (UG/L AS BE)	04/23/90-11/18/97	7	37	
FOLS0004	No	01020	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	13	123	T,A,S
FOLS0002	No	01022	BORON, TOTAL (UG/L AS B)	11/18/75-05/18/83	7	60	
FOLS0003	No	01022	BORON, TOTAL (UG/L AS B)	04/23/90-11/18/97	7	37	
FOLS0004	No	01022	BORON, TOTAL (UG/L AS B)	10/16/61-09/18/62	0	11	
FOLS0002	No	01025	CADMIUM, DISSOLVED (UG/L AS Cd)	12/16/75-07/10/78	2	6	
FOLS0002	No	01027	CADMIUM, TOTAL (UG/L AS Cd)	04/10/79-05/18/83	4	4	
FOLS0003	No	01027	CADMIUM, TOTAL (UG/L AS Cd)	04/23/90-11/18/97	7	37	
FOLS0002	No	01034	CHROMIUM, TOTAL (UG/L AS Cr)	12/16/75-05/18/83	7	10	
FOLS0003	No	01034	CHROMIUM, TOTAL (UG/L AS Cr)	04/23/90-11/18/97	7	37	
FOLS0003	No	01037	COBALT, TOTAL (UG/L AS Co)	06/25/90-11/18/97	7	36	
FOLS0002	No	01040	COPPER, DISSOLVED (UG/L AS Cu)	12/16/75-07/10/78	2	6	
FOLS0002	No	01042	COPPER, TOTAL (UG/L AS Cu)	04/10/79-05/18/83	4	4	
FOLS0003	No	01042	COPPER, TOTAL (UG/L AS Cu)	04/23/90-11/18/97	7	37	
FOLS0002	No	01045	IRON, TOTAL (UG/L AS Fe)	04/10/79-05/18/83	4	4	
FOLS0003	No	01045	IRON, TOTAL (UG/L AS Fe)	04/23/90-11/18/97	7	37	
FOLS0004	No	01045	IRON, TOTAL (UG/L AS Fe)	10/16/61-04/02/69	7	12	
FOLS0002	No	01046	IRON, DISSOLVED (UG/L AS Fe)	12/16/75-07/10/78	2	6	
FOLS0004	No	01046	IRON, DISSOLVED (UG/L AS Fe)	10/16/61-04/03/75	13	38	T,S
FOLS0002	No	01049	LEAD, DISSOLVED (UG/L AS Pb)	12/16/75-07/10/78	2	6	
FOLS0002	No	01051	LEAD, TOTAL (UG/L AS Pb)	04/10/79-05/18/83	4	4	
FOLS0003	No	01051	LEAD, TOTAL (UG/L AS Pb)	04/23/90-11/18/97	7	31	
FOLS0002	No	01055	MANGANESE, TOTAL (UG/L AS Mn)	04/10/79-05/18/83	4	4	
FOLS0003	No	01055	MANGANESE, TOTAL (UG/L AS Mn)	04/23/90-11/18/97	7	37	
FOLS0004	No	01055	MANGANESE, TOTAL (UG/L AS Mn)	10/16/61-04/02/69	7	14	
FOLS0002	No	01056	MANGANESE, DISSOLVED (UG/L AS Mn)	12/16/75-07/10/78	2	6	
FOLS0004	No	01056	MANGANESE, DISSOLVED (UG/L AS Mn)	10/16/61-04/03/75	13	36	T,S
FOLS0003	No	01059	THALLIUM, TOTAL (UG/L AS Tl)	04/23/90-11/28/95	5	25	
FOLS0003	No	01062	MOLYBDENUM, TOTAL (UG/L AS Mo)	06/25/90-11/18/97	7	36	
FOLS0003	No	01067	NICKEL, TOTAL (UG/L AS Ni)	04/23/90-11/18/97	7	37	

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 05/05/58 To 11/18/97

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
FOLS0002	No	01075	SILVER, DISSOLVED (UG/L AS AG)	12/16/75-07/10/78	2	6	
FOLS0002	No	01077	SILVER, TOTAL (UG/L AS AG)	04/10/79-05/18/83	4	4	
FOLS0003	No	01077	SILVER, TOTAL (UG/L AS AG)	04/23/90-11/18/97	7	37	
FOLS0003	No	01087	VANADIUM, TOTAL (UG/L AS V)	06/25/90-11/18/97	7	36	
FOLS0002	No	01090	ZINC, DISSOLVED (UG/L AS ZN)	12/16/75-07/10/78	2	6	
FOLS0002	No	01092	ZINC, TOTAL (UG/L AS ZN)	04/10/79-05/18/83	4	4	
FOLS0003	No	01092	ZINC, TOTAL (UG/L AS ZN)	04/23/90-11/18/97	7	37	
FOLS0003	No	01097	ANTIMONY, TOTAL (UG/L AS SB)	04/23/90-11/18/97	7	37	
FOLS0003	No	01105	ALUMINUM, TOTAL (UG/L AS AL)	04/23/90-11/18/97	7	37	
FOLS0002	No	01147	SELENIUM, TOTAL (UG/L AS SE)	04/10/79-05/18/83	4	4	
FOLS0003	No	01147	SELENIUM, TOTAL (UG/L AS SE)	04/23/90-11/18/97	7	31	
FOLS0004	No	01300	OIL-GREASE (SEVERITY)	04/17/87-03/09/93	5	8	
FOLS0004	No	01305	DETERGENT SUDS (SEVERITY)	04/17/87-03/09/93	5	8	
FOLS0004	No	01310	GAS BUBBLES (SEVERITY)	04/17/87-03/09/93	5	8	
FOLS0004	No	01315	SLUDGE, FLOATING (SEVERITY)	04/17/87-03/09/93	5	8	
FOLS0004	No	01320	GARBAGE, FLOATING (SEVERITY)	04/17/87-03/09/93	5	8	
FOLS0004	No	01325	ALGAE, FLOATING MATS (SEVERITY)	04/17/87-03/09/93	5	8	
FOLS0004	No	01330	ODOR, ATMOSPHERIC (SEVERITY)	04/17/87-03/09/93	5	8	
FOLS0004	No	01340	FISH, DEAD (SEVERITY)	04/17/87-03/09/93	5	8	
FOLS0004	No	01345	DEBRIS, FLOATING (SEVERITY)	04/17/87-03/09/93	5	8	
FOLS0004	No	01355	ICE COVER, FLOATING OR SOLID (SEVERITY)	04/17/87-03/09/93	5	7	
FOLS0001	No	31501	COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,35C	06/21/72-04/29/75	2	14	
FOLS0002	No	31501	COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,35C	11/18/75-09/23/81	5	65	
FOLS0001	No	31616	FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	06/21/72-04/29/75	2	14	
FOLS0002	No	31616	FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	11/18/75-05/18/83	7	66	
FOLS0003	No	31616	FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	04/23/90-11/18/97	7	36	
FOLS0001	No	31673	FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	06/21/72-04/29/75	2	14	
FOLS0002	No	31673	FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	11/18/75-05/18/83	7	66	
FOLS0003	No	31673	FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	04/23/90-11/18/97	7	36	
FOLS0003	No	34259	DELTA BENZENE HEXACHLORIDE TOTWUG/L	04/23/96-09/16/97	1	5	
FOLS0003	No	34351	ENDOSULFAN SULFATE TOTWUG/L	04/23/96-09/16/97	1	5	
FOLS0003	No	34356	ENDOSULFAN, BETA TOTWUG/L	04/23/96-09/16/97	1	5	
FOLS0003	No	34361	ENDOSULFAN, ALPHA TOTWUG/L	04/23/96-09/16/97	1	5	
FOLS0003	No	34671	PCB - 1016 TOTWUG/L	04/23/90-09/16/97	7	20	
FOLS0003	No	39024	PROPAGINE,COULSON CONDUCTIVITY,WATER SAMPL(UG/L)	04/23/90-09/16/97	7	20	
FOLS0002	No	39033	ATRAZINE IN WHOLE WATER SAMPLE UG/L	07/10/78-05/18/83	4	5	
FOLS0003	No	39033	ATRAZINE IN WHOLE WATER SAMPLE UG/L	04/23/90-09/16/97	7	20	
FOLS0002	No	39045	2,4,5-TP INCLUDES ACIDS & SALTS WATER SAMPL UG/L	02/13/79-05/18/83	4	4	
FOLS0003	No	39045	2,4,5-TP INCLUDES ACIDS & SALTS WATER SAMPL UG/L	04/23/90-09/16/97	7	20	
FOLS0003	No	39055	SIMAZINE IN WHOLE WATER (UG/L)	08/23/94-09/16/97	3	10	
FOLS0002	No	39300	P,P' DDT IN WHOLE WATER SAMPLE (UG/L)	02/13/79-05/18/83	4	4	
FOLS0003	No	39300	P,P' DDT IN WHOLE WATER SAMPLE (UG/L)	04/23/96-09/16/97	1	5	
FOLS0002	No	39305	O,P' DDT IN WHOLE WATER SAMPLE (UG/L)	02/13/79-05/18/83	4	4	
FOLS0003	No	39310	P,P' DDD IN WHOLE WATER SAMPLE (UG/L)	04/23/96-09/16/97	1	5	
FOLS0003	No	39320	P,P' DDE IN WHOLE WATER SAMPLE (UG/L)	04/23/96-09/16/97	1	5	
FOLS0001	No	39330	ALDRIN IN WHOLE WATER SAMPLE (UG/L)	06/27/72-04/29/75	2	2	
FOLS0002	No	39330	ALDRIN IN WHOLE WATER SAMPLE (UG/L)	01/27/76-05/18/83	7	9	
FOLS0003	No	39330	ALDRIN IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	7	20	
FOLS0001	No	39337	ALPHA BENZENE HEXACHLORIDE IN WHOLE WATER SAMP	06/27/72-06/27/72	0	1	
FOLS0003	No	39337	ALPHA BENZENE HEXACHLORIDE IN WHOLE WATER SAMP	04/23/96-09/16/97	1	5	
FOLS0003	No	39338	BETA BENZENE HEXACHLORIDE IN WHOLE WATER SAMP	04/23/96-09/16/97	1	5	
FOLS0003	No	39340	GAMMA-BHC(LINDANE),WHOLE WATER,UG/L	04/23/90-04/26/94	4	10	
FOLS0001	No	39350	CHLORDANE(TECH MIX & METABS),WHOLE WATER,UG/L	04/29/75-04/29/75	0	1	
FOLS0002	No	39350	CHLORDANE(TECH MIX & METABS),WHOLE WATER,UG/L	01/27/76-05/18/83	7	9	
FOLS0003	No	39350	CHLORDANE(TECH MIX & METABS),WHOLE WATER,UG/L	04/23/90-09/16/97	7	20	
FOLS0002	No	39356	METOLACHLOR(DUAL) IN WHOLE WATER UG/L	05/18/83-05/18/83	0	1	
FOLS0003	No	39356	METOLACHLOR(DUAL) IN WHOLE WATER UG/L	04/23/90-09/16/97	7	20	
FOLS0001	No	39370	DDT IN WHOLE WATER SAMPLE (UG/L)	04/29/75-04/29/75	0	1	
FOLS0002	No	39370	DDT IN WHOLE WATER SAMPLE (UG/L)	01/27/76-07/10/78	2	5	
FOLS0001	No	39380	DIELDRIN IN WHOLE WATER SAMPLE (UG/L)	04/29/75-04/29/75	0	1	
FOLS0002	No	39380	DIELDRIN IN WHOLE WATER SAMPLE (UG/L)	01/27/76-05/18/83	7	9	
FOLS0003	No	39380	DIELDRIN IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	7	20	
FOLS0001	No	39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	04/29/75-04/29/75	0	1	
FOLS0002	No	39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	01/27/76-05/18/83	7	9	
FOLS0003	No	39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	7	20	
FOLS0002	No	39400	TOXAPHENE IN WHOLE WATER SAMPLE (UG/L)	02/13/79-05/18/83	4	4	
FOLS0003	No	39400	TOXAPHENE IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	7	20	
FOLS0001	No	39410	HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L)	04/29/75-04/29/75	0	1	
FOLS0002	No	39410	HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L)	01/27/76-07/10/78	2	5	
FOLS0003	No	39410	HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	7	20	
FOLS0001	No	39420	HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L)	04/29/75-04/29/75	0	1	
FOLS0002	No	39420	HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L)	01/27/76-07/10/78	2	5	

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 05/05/58 To 11/18/97

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
FOLS0003	No	39420	HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	7	20	
FOLS0001	No	39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	04/29/75-04/29/75	0	1	
FOLS0002	No	39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	01/27/76-05/18/83	7	9	
FOLS0003	No	39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	7	20	
FOLS0003	No	39488	PCB - 1221 IN THE WHOLE WATER SAMPLE UG/L	04/23/90-09/16/97	7	20	
FOLS0003	No	39492	PCB - 1232 PCB SERIES WHOLE WATER SAMPLE UG/L	04/23/90-09/16/97	7	20	
FOLS0003	No	39496	PCB - 1242 PCB SERIES WHOLE WATER SAMPLE UG/L	04/23/90-09/16/97	7	20	
FOLS0003	No	39500	PCB - 1248 PCB SERIES WHOLE WATER SAMPLE UG/L	04/23/90-09/16/97	7	20	
FOLS0003	No	39504	PCB - 1254 PCB SERIES WHOLE WATER SAMPLE UG/L	04/23/90-09/16/97	7	20	
FOLS0003	No	39508	PCB - 1260 PCB SERIES WHOLE WATER SAMPLE UG/L	04/23/90-09/16/97	7	20	
FOLS0002	No	39516	PCBS IN WHOLE WATER SAMPLE (UG/L)	02/13/79-05/18/83	4	4	
FOLS0003	No	39700	HEXACHLORO BENZENE IN WHOLE WATER SAMPLE (UG/L)	08/23/94-09/16/97	3	10	
FOLS0003	No	39720	PICLORAM IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	7	20	
FOLS0002	No	39730	2,4-D IN WHOLE WATER SAMPLE (UG/L)	02/13/79-05/18/83	4	4	
FOLS0003	No	39730	2,4-D IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	7	20	
FOLS0002	No	39740	2,4,5-T IN WHOLE WATER SAMPLE (UG/L)	02/19/80-05/18/83	3	3	
FOLS0003	No	39740	2,4,5-T IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	7	20	
FOLS0002	No	39770	DACTHAL (DCPA) IN WHOLE WATER SAMPLE (UG/L)	02/19/80-05/18/83	3	3	
FOLS0003	No	39770	DACTHAL (DCPA) IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	7	20	
FOLS0001	No	39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	06/27/72-04/29/75	2	2	
FOLS0002	No	39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	01/27/76-05/18/83	7	9	
FOLS0003	No	39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	08/23/94-09/16/97	3	10	
FOLS0003	No	46373	DEETHYLATRAZINE, TOTAL, WATER UG/L	08/27/96-08/27/96	0	1	
FOLS0003	No	46374	DEISOPROPYLATRAZINE, TOTAL, WATER UG/L	08/27/96-08/27/96	0	1	
FOLS0003	No	49251	LEAD, DRY WEIGHT, TISSUE/BIOTA, RECV UG/G	04/23/96-08/27/96	0	3	
FOLS0003	No	49259	ACETOCHLOR, RECOVERABLE, WATER, UNFILTERED UG/L	04/23/96-09/16/97	1	5	
FOLS0004	No	70300	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), MG/L	10/16/61-06/25/75	13	123	T,A,S
FOLS0002	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	06/06/77-05/18/83	5	45	
FOLS0003	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	04/23/90-11/18/97	7	37	
FOLS0004	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	10/06/67-06/25/75	7	66	
FOLS0004	No	70302	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	13	123	T,A,S
FOLS0004	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	13	123	T,A,S
FOLS0004	No	70326	SUS SED FALL DIA(NATIVEWATER)% FINER THAN .002MM	05/13/64-05/13/64	0	1	
FOLS0004	No	70327	SUS SED FALL DIA(NATIVEWATER)% FINER THAN .004MM	05/13/64-05/13/64	0	1	
FOLS0004	No	70329	SUS SED FALL DIA(NATIVEWATER)% FINER THAN .016MM	05/13/64-05/13/64	0	1	
FOLS0004	No	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/28/58-07/20/93	34	14	
FOLS0004	No	70332	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .125MM	08/03/62-08/03/62	0	1	
FOLS0004	No	70333	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .250MM	08/03/62-08/03/62	0	1	
FOLS0004	No	70334	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .500MM	08/03/62-08/03/62	0	1	
FOLS0004	No	70335	SUSPENDED SED SIEVE DIAMETER,% FINER THAN 1.00MM	08/03/62-08/03/62	0	1	
FOLS0004	No	70337	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .002MM	07/28/58-06/16/81	22	24	S
FOLS0004	No	70338	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .004MM	07/28/58-06/29/90	31	29	S
FOLS0004	No	70340	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .016MM	07/28/58-06/16/81	22	25	S
FOLS0004	No	70342	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .062MM	07/28/58-06/16/81	22	21	S
FOLS0004	No	70343	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .125MM	10/16/62-06/16/81	18	7	
FOLS0004	No	70344	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .250MM	10/16/62-06/25/75	12	2	
FOLS0004	No	70345	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .500MM	06/25/75-06/25/75	0	1	
FOLS0002	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	12/13/77-12/13/77	0	1	
FOLS0004	No	71850	NITRATE NITROGEN, TOTAL (MG/L AS NO3)	10/16/61-09/18/62	0	11	
FOLS0001	No	71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	06/21/72-04/29/75	2	14	
FOLS0002	No	71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	11/18/75-05/10/77	1	19	
FOLS0004	No	71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	13	123	T,A,S
FOLS0002	No	71890	MERCURY, DISSOLVED (UG/L AS HG)	12/16/75-07/10/78	2	5	
FOLS0002	No	71900	MERCURY, TOTAL (UG/L AS HG)	04/10/79-05/18/83	4	4	
FOLS0003	No	71900	MERCURY, TOTAL (UG/L AS HG)	04/23/90-09/16/97	7	21	
FOLS0004	No	72000	ELEVATION OF LAND SURFACE DATUM (FT. ABOVE MSL)	05/05/58-09/18/62	4	19	
FOLS0002	No	74021	ALKALINITY, EXCESS - MG/L	06/06/77-05/18/83	5	46	
FOLS0002	No	77729	RAMROD WHOLE WATER,UG/L	02/19/80-05/18/83	3	3	
FOLS0003	No	77729	RAMROD WHOLE WATER,UG/L	04/23/90-09/16/97	7	20	
FOLS0003	No	77780	BLADEX 2-(4-CHLORO-6-ETHYLAMINO-S*WHOLE WATER,UG/L	04/23/90-09/16/97	7	20	
FOLS0002	No	77825	ALACHLOR WHOLE WATER,UG/L	02/19/80-05/18/83	3	3	
FOLS0003	No	77825	ALACHLOR WHOLE WATER,UG/L	04/23/90-09/16/97	7	20	
FOLS0003	No	77860	BUTACHLOR WHOLE WATER,UG/L	08/23/94-09/16/97	3	10	
FOLS0004	No	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	05/05/58-07/20/93	35	107	T,S
FOLS0004	No	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	05/05/58-12/07/81	23	95	S
FOLS0004	No	80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	06/04/65-06/04/65	0	1	
FOLS0004	No	80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	06/04/65-06/04/65	0	1	
FOLS0004	No	80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	06/04/65-06/04/65	0	1	
FOLS0004	No	80162	BED MATERIAL FALL DIAMETER, % FINER THAN 1.00MM	06/04/65-06/04/65	0	1	
FOLS0003	No	81405	CARBOFURAN (EURADAN) WHOLE WATER SAMPLE UG/L	04/23/96-09/16/97	1	5	
FOLS0002	No	81408	METRIBUZIN (SENCOR), WATER, WHOLE UG/L	02/19/80-05/18/83	3	3	
FOLS0003	No	81408	METRIBUZIN (SENCOR), WATER, WHOLE UG/L	04/23/90-09/16/97	7	20	

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 05/05/58 To 11/18/97

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
FOLS0003	No	82079	TURBIDITY, LAB NEPHELOMETRIC TURBIDITY UNITS, NTU	04/23/90-04/23/90	0	1	
FOLS0003	No	82298	BROMIDE DISSOLVED AS BR IN WATER UG/L	03/28/95-11/18/97	2	17	

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station-By-Station Results

Station Inventory for Station: FOLS0001

NPS Station ID: FOLS0001
 Location: PAWNEE RIVER AT LARNED
 Station Type: /TYPA/AMBNT/STREAM
 RMI-Indexes:
 RMI-Miles:
 HUC: 11030005
 Major Basin: ARKANSAS
 Minor Basin: UPPER ARKANSAS BASIN
 RF1 Index: 11030005001
 RF3 Index:

LAT/LON: 38.176670/ -99.116392

Depth of Water: 0
 Elevation: 0

RF1 Mile Point: 0.780
 RF3 Mile Point: 0.00

Agency: 21KAN001
 FIPS State/County: 20145 KANSAS/PAWNEE
 STORET Station ID(s): 002004 /PR-5
 Within Park Boundary: No

Date Created: 08/18/79

Aquifer:
 Water Body Id:
 ECO Region:
 Distance from RF1: 0.00
 Distance from RF3: 0.00

On/Off RF1: ON
 On/Off RF3:

Description:
 LOCATION: NE 1/4, NE 1/4, SEC. 6 T22S, R16W, PAWNEE CO. 1/2 MILE SOUTH AND 1 MILE WEST OF LARNED, 2 MILES ABOVE MOUTH.
 AND AT RIVER MILE 1.8 # SEGMENT UA-2. DRAINAGE AREA: 2,430 SQUARE MILES.#
 PERIOD OF RECORD: INTENSIVE SURVEYS - JUNE 1972 AND APRIL 1975.# REMARKS: DISCHARGE DETERMINATION 'INDIRECT METHODS'
 BIOLOGICAL SAMPLING AT THIS LOCATION ON JUNE 25, 1972 AND APRIL 27, 197 .#

Parameter Inventory for Station: FOLS0001

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	06/21/72-04/29/75	14	20.	19.429	24.	15.	8.418	2.901	15.5	16.	21.5	23.5
00060 FLOW, STREAM, MEAN DAILY CFS	06/21/72-04/29/75	14	8.5	23.571	101.	2.	975.341	31.23	2.	2.	44.75	83.5
00070 TURBIDITY, (JACKSON CANDLE UNITS)	06/21/72-06/27/72	7	220.	394.286	1000.	220.	83295.238	288.609	**	**	**	**
00076 TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	04/23/75-04/29/75	7	65.	52.143	65.	15.	490.476	22.147	**	**	**	**
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	06/21/72-04/29/75	14	695.	681.429	1210.	220.	174136.264	417.296	230.	250.	1110.	1165.
00300 OXYGEN, DISSOLVED MG/L	06/21/72-04/29/75	14	6.35	6.5	12.5	4.2	5.095	2.257	4.2	4.625	7.35	10.75
00310 BOD, 5 DAY, 20 DEG C MG/L	06/21/72-04/28/75	13	5.8	6.254	12.	0.8	8.854	2.976	1.8	4.55	8.5	11.2
00403 PH, LAB, STANDARD UNITS SU	06/21/72-04/29/75	14	7.65	7.636	8.	7.3	0.032	0.178	7.35	7.5	7.725	7.9
00403 CONVERTED PH, LAB, STANDARD UNITS	06/21/72-04/29/75	14	7.647	7.602	8.	7.3	0.033	0.181	7.35	7.5	7.725	7.9
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	06/21/72-04/29/75	14	0.023	0.025	0.05	0.01	0.	0.01	0.013	0.019	0.032	0.045
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	06/21/72-04/29/75	14	185.	183.857	254.	116.	3272.286	57.204	121.	130.	238.5	247.
00440 BICARBONATE ION (MG/L AS HCO3)	06/21/72-04/29/75	14	201.	215.	310.	142.	4014.	63.356	148.	159.	290.75	301.5
00445 CARBONATE ION (MG/L AS CO3)	06/21/72-04/29/75	14	0.	6.5	24.	0.	91.5	9.566	0.	0.	14.75	24.
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	04/23/75-04/29/75	7	50.	44.143	58.	20.	262.81	16.211	**	**	**	**
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	06/21/72-04/29/75	6	0.28	0.282	0.45	0.16	0.011	0.107	**	**	**	**
00650 PHOSPHATE, TOTAL (MG/L AS PO4)	06/21/72-04/29/75	14	1.5	1.328	2.6	0.52	0.53	0.728	0.52	0.575	1.925	2.4
00900 HARDNESS, TOTAL (MG/L AS CaCO3)	06/21/72-04/29/75	14	254.	255.143	420.	116.	11682.901	108.087	122.	155.	362.	396.
00902 HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	04/23/75-04/29/75	7	120.	121.714	218.	74.	2513.905	50.139	**	**	**	**
00915 CALCIUM, DISSOLVED (MG/L AS Ca)	06/21/72-04/29/75	14	72.	74.214	115.	40.	647.104	25.438	45.	50.	94.5	112.5
00925 MAGNESIUM, DISSOLVED (MG/L AS MG)	06/21/72-04/29/75	14	17.5	17.571	37.	3.	115.956	10.768	4.	7.	25.25	34.5
00940 CHLORIDE,TOTAL IN WATER MG/L	06/21/72-04/29/75	14	54.5	66.571	154.	11.	3393.187	58.251	11.5	12.75	130.	151.
00945 SULFATE, TOTAL (MG/L AS SO4)	06/21/72-04/29/75	14	81.5	98.929	303.	10.	9522.071	97.581	10.5	13.5	154.5	268.
31501 COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C	06/21/72-04/29/75	14	5650.	38565.714	180000.	90.	3858956503.297	62120.5	95.	1382.5	56750.	175000.
31501 LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3	06/21/72-04/29/75	14	3.703	3.718	5.255	1.954	1.303	1.142	1.977	2.97	4.748	5.243
31501 GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3	06/21/72-04/29/75	14	350.	423.214	1200.	5.	170052.335	412.374	7.5	87.5	650.	1200.
31616 FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	06/21/72-04/29/75	14	2.5	2.274	3.079	0.699	0.545	0.738	0.849	1.925	2.809	3.079
31616 LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	06/21/72-04/29/75	14	2.5	2.274	3.079	0.699	0.545	0.738	0.849	1.925	2.809	3.079
31616 GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	06/21/72-04/29/75	14	1050.	1679.286	5000.	70.	3031268.681	1741.054	95.	290.	2850.	5000.
31673 FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	06/21/72-04/29/75	14	1050.	1679.286	5000.	70.	3031268.681	1741.054	95.	290.	2850.	5000.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: FOLS0001

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
31673	LOG FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	06/21/72-04/29/75	14	2.952	2.908	3.699	1.845	0.377	0.614	1.962	2.462	3.455	3.699
31673	GM FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	GEOMETRIC MEAN =			809.969								
39330	ALDRIN IN WHOLE WATER SAMPLE (UG/L)	06/27/72-04/29/75	2 ##	0.128	0.128	0.25	0.005	0.03	0.173	**	**	**	**
39337	ALPHA BENZENE HEXACHLORIDE IN WHOLE WATER SAMP	06/27/72-06/27/72	1	0.02	0.02	0.02	0.02	0.	0.	**	**	**	**
39350	CHLORDANE(TECH MIX & METABS),WHOLE WATER,UG/L	04/29/75-04/29/75	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
39370	DDT IN WHOLE WATER SAMPLE (UG/L)	04/29/75-04/29/75	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
39380	DIELDRIN IN WHOLE WATER SAMPLE (UG/L)	04/29/75-04/29/75	1 ##	0.25	0.25	0.25	0.25	0.	0.	**	**	**	**
39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	04/29/75-04/29/75	1 ##	0.15	0.15	0.15	0.15	0.	0.	**	**	**	**
39410	HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L)	04/29/75-04/29/75	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
39420	HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L)	04/29/75-04/29/75	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	04/29/75-04/29/75	1 ##	25.	25.	25.	25.	0.	0.	**	**	**	**
39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	06/27/72-04/29/75	2 ##	2.505	2.505	5.	0.01	12.45	3.528	**	**	**	**
71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	06/21/72-04/29/75	14	3.8	3.171	5.7	0.3	3.151	1.775	0.35	1.625	4.2	5.5

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: FOLS0001

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----7/01-10/31-----			-----11/01-3/14-----			-----3/15-6/30-----			-----n/a-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00070	TURBIDITY, JACKSON CANDLE UNITS	Other-Hi Lim. 50.	7	7	1.00							7	7	1.00			
00076	TURBIDITY, HACH TURBIDIMETER	Other-Hi Lim. 50.	7	5	0.71							7	5	0.71			
00300	OXYGEN, DISSOLVED	Other-Lo Lim. 4.	14	0	0.00							14	0	0.00			
00403	PH, LAB	Fresh Chronic 9.	14	0	0.00							14	0	0.00			
		Other-Lo Lim. 6.5	14	0	0.00							14	0	0.00			
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute 860.	14	0	0.00							14	0	0.00			
		Drinking Water 250.	14	0	0.00							14	0	0.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water 250.	14	1	0.07							14	1	0.07			
31501	COLIFORM, TOTAL, MEMBRANE FILTER, IMMED.	Other-Hi Lim. 1000.	14	11	0.79							14	11	0.79			
31616	FECAL COLIFORM, MEMBRANE FILTER, BROTH	Other-Hi Lim. 200.	11 &	5	0.45							11	5	0.45			
39330	ALDRIN IN WHOLE WATER SAMPLE	Fresh Acute 3.	2	0	0.00							2	0	0.00			
39350	CHLORDANE(TECH MIX & METABS), WHOLE WATE	Fresh Acute 2.4	1	0	0.00							1	0	0.00			
		Drinking Water 2.	1	0	0.00							1	0	0.00			
39370	DDT IN WHOLE WATER SAMPLE	Fresh Acute 1.1	0 &	0	0.00												
39380	DIELDRIN IN WHOLE WATER SAMPLE	Fresh Acute 2.5	1	0	0.00							1	0	0.00			
39390	ENDRIN IN WHOLE WATER SAMPLE	Fresh Acute 0.18	1	0	0.00							1	0	0.00			
		Drinking Water 2.	1	0	0.00							1	0	0.00			
39410	HEPTACHLOR IN WHOLE WATER SAMPLE	Fresh Acute 0.52	1	0	0.00							1	0	0.00			
		Drinking Water 0.4	0 &	0	0.00												
39420	HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE	Fresh Acute 0.52	1	0	0.00							1	0	0.00			
		Drinking Water 0.2	0 &	0	0.00												
39480	METHOXYCHLOR IN WHOLE WATER SAMPLE	Drinking Water 40.	1	0	0.00							1	0	0.00			
39782	LINDANE IN WHOLE WATER SAMPLE	Fresh Acute 2.	1 &	0	0.00							1	0	0.00			
		Drinking Water 0.2	1 &	0	0.00							1	0	0.00			
71851	NITRATE NITROGEN, DISSOLVED (AS NO3)	Drinking Water 44.	14	0	0.00							14	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: FOLS0002

NPS Station ID: FOLS0002
 Location: PAWNEE RIVER AT LARNED
 Station Type: /TYPA/AMBNT/STREAM
 RMI-Indexes:
 RMI-Miles:
 HUC: 11030005
 Major Basin: ARKANSAS
 Minor Basin: UPPER ARKANSAS UNIT
 RF1 Index: 11030005001
 RF3 Index:

LAT/LON: 38.174448/ -99.117421

Depth of Water: 0
 Elevation: 0

RF1 Mile Point: 0.780
 RF3 Mile Point: 0.00

Agency: 21KAN001
 FIPS State/County: 20145 KANSAS/PAWNEE
 STORET Station ID(s): 000248
 Within Park Boundary: No

Date Created: 03/25/76

Aquifer:
 Water Body ID:
 ECO Region:
 Distance from RF1: 0.00
 Distance from RF3: 0.00

On/Off RF1: ON
 On/Off RF3:

Description:
 LOCATION: NE 1/4, NE 1/4, SEC. 06, T22S, R16W, PAWNEE COUNTY. AT LARDNER - ON COUNTY ROAD BRIDGE 1/2 MILE SOUTH, 1 MILE WEST OF LARDNER, AND AT RIVER MILE 1.8 # SEDGMENT UA-20.
 DRAINAGE AREA: APPROXIMATELY 2,430 SQUARE MILES OF WHICH A PORTION IS NON-CONTRIBUTING.#
 PERIOD OF RECORD: WATER QUALITY ANALYSES - STARTED OCTOBER 10, 1978 THROUGH SEPTEMBER 23, 1981.#
 REMARKS: DISCHARGE DETERMINATION - INDIRECT METHODS.#

Parameter Inventory for Station: FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/18/75-05/18/83	66	15.	15.439	30.	2.	71.819	8.475	4.	7.75	23.25	27.
00060 FLOW, STREAM, MEAN DAILY CFS	11/18/75-12/13/77	26	5.	5.66	13.	0.08	12.959	3.6	0.727	3.	9.	11.6
00061 FLOW, STREAM, INSTANTANEOUS CFS	10/12/76-12/13/77	15	8.	7.6	13.	3.	10.4	3.225	3.	5.	9.	13.
00076 TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	11/18/75-05/18/83	60	49.5	82.252	550.	4.2	8798.188	93.799	8.91	24.25	114.5	200.
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/18/75-05/18/83	66	890.	869.955	2410.	200.	169939.336	412.237	350.	545.	1062.5	1255.
00300 OXYGEN, DISSOLVED MG/L	11/18/75-05/18/83	65	8.1	9.872	32.4	3.2	35.174	5.931	4.74	6.15	11.85	16.52
00310 BOD, 5 DAY, 20 DEG C MG/L	11/18/75-05/18/83	65	5.5	5.749	14.	2.1	7.118	2.668	2.88	3.6	6.7	9.3
00335 COD, .025N K2CR2O7 MG/L	11/18/75-05/18/83	66	39.5	42.288	106.	13.	433.747	20.827	19.4	26.	53.25	71.9
00403 PH, LAB, STANDARD UNITS SU	11/18/75-05/18/83	65	7.9	7.851	8.3	7.1	0.083	0.289	7.46	7.65	8.05	8.2
00403 CONVERTED PH, LAB, STANDARD UNITS	11/18/75-05/18/83	65	7.9	7.751	8.3	7.1	0.094	0.306	7.46	7.65	8.05	8.2
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/18/75-05/18/83	65	0.013	0.018	0.079	0.005	0.	0.014	0.006	0.009	0.023	0.035
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	65	206.	200.662	304.	69.	3674.79	60.62	114.4	157.	246.	284.8
00440 BICARBONATE ION (MG/L AS HCO3)	06/06/77-09/23/81	46	239.5	229.587	371.	84.	5571.492	74.642	126.9	154.	290.	330.5
00445 CARBONATE ION (MG/L AS CO3)	06/06/77-09/23/81	45	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/18/75-05/18/83	60	79.	120.45	860.	6.	20708.286	143.904	16.1	30.	152.	255.6
00547 RESIDUE, TOTAL NON-SETTLEABLE (MG/L)	11/18/75-12/13/77	19	628.	586.947	827.	295.	23191.053	152.286	308.	495.	705.	748.
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	11/18/75-05/18/83	65	0.24	0.236	0.8	0.	0.025	0.158	0.042	0.11	0.315	0.434
00630 NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	06/06/77-05/18/83	47	0.6	0.6	1.6	0.	0.213	0.462	0.	0.1	0.9	1.24
00650 PHOSPHATE, TOTAL (MG/L AS PO4)	11/18/75-04/12/77	18	0.3	0.356	0.83	0.09	0.055	0.234	0.099	0.135	0.603	0.668
00665 PHOSPHORUS, TOTAL (MG/L AS P)	05/10/77-05/18/83	48	0.3	0.401	2.	0.02	0.116	0.341	0.099	0.19	0.528	0.871
00900 HARDNESS, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	65	329.	319.646	735.	83.	21417.545	146.347	132.	204.	404.	493.8
00901 HARDNESS, CARBONATE (MG/L AS CaCO3)	06/06/77-05/18/83	46	196.	187.065	304.	69.	3754.862	61.277	104.2	125.5	236.5	271.2
00902 HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	11/18/75-05/18/83	65	100.	119.262	491.	0.	10351.727	101.743	18.	44.	141.	260.2
00916 CALCIUM, TOTAL (MG/L AS Ca)	11/18/75-05/18/83	65	96.	98.108	222.	29.	1826.254	42.735	43.	65.	125.	149.4
00927 MAGNESIUM, TOTAL (MG/L AS MG)	11/18/75-05/18/83	65	20.	19.131	66.	2.	131.792	11.48	5.48	9.75	24.	30.4
00929 SODIUM, TOTAL (MG/L AS NA)	11/18/75-05/18/83	66	65.	58.838	170.	3.2	1293.528	35.966	11.7	26.5	78.5	107.2

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00937 POTASSIUM, TOTAL (MG/L AS K)	11/18/75-05/18/83	65	10.	9.665	15.	5.1	5.435	2.331	6.2	7.55	11.5	12.
00940 CHLORIDE, TOTAL IN WATER (MG/L)	11/18/75-05/18/83	64	43.5	43.656	120.	3.	572.229	23.921	15.	24.	54.75	75.
00945 SULFATE, TOTAL (MG/L AS SO4)	11/18/75-05/18/83	65	176.	189.369	740.	7.	21523.049	146.707	34.6	75.5	238.	381.6
00955 SILICA, DISSOLVED (MG/L AS SI02)	11/18/75-06/12/79	42	15.	14.386	30.	1.2	40.323	6.35	5.93	8.25	19.	21.7
00956 SILICA, TOTAL (MG/L AS SI02)	07/17/79-05/18/83	24	16.	16.25	39.	2.	72.891	8.538	5.	10.25	20.75	28.5
01000 ARSENIC, DISSOLVED (UG/L AS AS)	12/16/75-07/10/78	5	0.	2.	10.	0.	20.	4.472	**	**	**	**
01002 ARSENIC, TOTAL (UG/L AS AS)	04/10/79-05/18/83	4	5.	5.	10.	0.	33.333	5.774	**	**	**	**
01007 BARIUM, TOTAL (UG/L AS BA)	04/10/79-05/18/83	4	250.	225.	300.	100.	9166.667	95.743	**	**	**	**
01022 BORON, TOTAL (UG/L AS B)	11/18/75-05/18/83	60	175.	172.667	300.	20.	3962.26	62.946	71.	130.	220.	250.
01025 CADMIUM, DISSOLVED (UG/L AS CD)	12/16/75-07/10/78	6	0.	0.	0.	0.	0.	0.	**	**	**	**
01027 CADMIUM, TOTAL (UG/L AS CD)	04/10/79-05/18/83	4	1.5	3.25	10.	0.	20.917	4.573	**	**	**	**
01034 CHROMIUM, TOTAL (UG/L AS CR)	12/16/75-05/18/83	10	0.	1.	10.	0.	10.	3.162	0.	0.	0.	9.
01040 COPPER, DISSOLVED (UG/L AS CU)	12/16/75-07/10/78	6	15.	15.	30.	0.	110.	10.488	**	**	**	**
01042 COPPER, TOTAL (UG/L AS CU)	04/10/79-05/18/83	4	15.	20.	50.	0.	466.667	21.602	**	**	**	**
01045 IRON, TOTAL (UG/L AS FE)	04/10/79-05/18/83	4	105.	340.	1100.	50.	258733.333	508.658	**	**	**	**
01046 IRON, DISSOLVED (UG/L AS FE)	12/16/75-07/10/78	6	90.	321.667	1200.	0.	226416.667	475.833	**	**	**	**
01049 LEAD, DISSOLVED (UG/L AS PB)	12/16/75-07/10/78	6	15.	18.333	40.	0.	416.667	20.412	**	**	**	**
01051 LEAD, TOTAL (UG/L AS PB)	04/10/79-05/18/83	4	10.	17.5	50.	0.	491.667	22.174	**	**	**	**
01055 MANGANESE, TOTAL (UG/L AS MN)	04/10/79-05/18/83	4	10.	20.	50.	10.	400.	20.	**	**	**	**
01056 MANGANESE, DISSOLVED (UG/L AS MN)	12/16/75-07/10/78	6	0.	8.333	40.	0.	256.667	16.021	**	**	**	**
01075 SILVER, DISSOLVED (UG/L AS AG)	12/16/75-07/10/78	6	0.	0.	0.	0.	0.	0.	**	**	**	**
01077 SILVER, TOTAL (UG/L AS AG)	04/10/79-05/18/83	4	0.	2.5	10.	0.	25.	5.	**	**	**	**
01090 ZINC, DISSOLVED (UG/L AS ZN)	12/16/75-07/10/78	6	15.	20.	50.	10.	240.	15.492	**	**	**	**
01092 ZINC, TOTAL (UG/L AS ZN)	04/10/79-05/18/83	4	40.	52.5	120.	10.	2291.667	47.871	**	**	**	**
01147 SELENIUM, TOTAL (UG/L AS SE)	04/10/79-05/18/83	4	0.5	0.75	2.	0.	0.917	0.957	**	**	**	**
31501 COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,35C	11/18/75-09/23/81	65	500.	1966.231	36000.	5.	27132579.712	5208.894	50.	100.	1200.	3400.
31501 LOG COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,3	11/18/75-09/23/81	65	2.699	2.621	4.556	0.699	0.633	0.796	1.699	2.	3.078	3.527
31501 GM COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,3	GEOMETRIC MEAN =			417.524								
31616 FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	11/18/75-05/18/83	66	100.	226.667	2400.	5.	184424.103	429.446	50.	50.	200.	500.
31616 LOG FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	11/18/75-05/18/83	66	2.	1.99	3.38	0.699	0.299	0.547	1.699	1.699	2.301	2.699
31616 GM FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	GEOMETRIC MEAN =			97.723								
31673 FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	11/18/75-05/18/83	66	300.	1105.758	21000.	5.	8863436.34	2977.152	50.	100.	725.	2120.
31673 LOG FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	11/18/75-05/18/83	66	2.477	2.452	4.322	0.699	0.504	0.71	1.699	2.	2.86	3.325
31673 GM FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	GEOMETRIC MEAN =			283.351								
39033 ATRAZINE IN WHOLE WATER SAMPLE (UG/L)	07/10/78-05/18/83	5 ##	0.6	1.04	2.8	0.6	0.968	0.984	**	**	**	**
39045 2,4,5-TP INCLUDES ACIDS & SALTS WATER SAMPL (UG/L)	02/13/79-05/18/83	4 ##	0.1	0.1	0.1	0.1	0.	0.	**	**	**	**
39300 P,P' DDT IN WHOLE WATER SAMPLE (UG/L)	02/13/79-05/18/83	4 ##	0.05	0.05	0.05	0.05	0.	0.	**	**	**	**
39305 O,P' DDT IN WHOLE WATER SAMPLE (UG/L)	02/13/79-05/18/83	4 ##	0.05	0.05	0.05	0.05	0.	0.	**	**	**	**
39330 ALDRIN IN WHOLE WATER SAMPLE (UG/L)	01/27/76-05/18/83	9 ##	0.25	0.144	0.25	0.013	0.016	0.125	0.013	0.013	0.25	0.25
39350 CHLORDANE (TECH MIX & METABS), WHOLE WATER, (UG/L)	01/27/76-05/18/83	9 ##	0.5	0.312	0.5	0.06	0.05	0.224	0.06	0.06	0.5	0.5
39356 METOLACHLOR (DUAL) IN WHOLE WATER (UG/L)	05/18/83-05/18/83	1 ##	0.125	0.125	0.125	0.125	0.	0.	**	**	**	**
39370 DDT IN WHOLE WATER SAMPLE (UG/L)	01/27/76-07/10/78	5 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
39380 DIELDRIN IN WHOLE WATER SAMPLE (UG/L)	01/27/76-05/18/83	9 ##	0.25	0.15	0.25	0.025	0.014	0.119	0.025	0.025	0.25	0.25
39390 ENDRI IN WHOLE WATER SAMPLE (UG/L)	01/27/76-05/18/83	9 ##	0.15	0.106	0.15	0.05	0.003	0.053	0.05	0.05	0.15	0.15
39400 TOXAPHENE IN WHOLE WATER SAMPLE (UG/L)	02/13/79-05/18/83	4 ##	1.	1.	1.	1.	0.	0.	**	**	**	**
39410 HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L)	01/27/76-07/10/78	5 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
39420 HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L)	01/27/76-07/10/78	5 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
39480 METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	01/27/76-05/18/83	9 ##	25.	13.933	25.	0.1	172.225	13.123	0.1	0.1	25.	25.
39516 PCBS IN WHOLE WATER SAMPLE (UG/L)	02/13/79-05/18/83	4 ##	0.25	0.25	0.25	0.25	0.	0.	**	**	**	**
39730 2,4-D IN WHOLE WATER SAMPLE (UG/L)	02/13/79-05/18/83	4 ##	0.2	0.308	0.63	0.2	0.046	0.215	**	**	**	**
39740 2,4,5-T IN WHOLE WATER SAMPLE (UG/L)	02/19/80-05/18/83	3 ##	0.1	0.1	0.1	0.1	0.	0.	**	**	**	**
39770 DACTHAL (DCPA) IN WHOLE WATER SAMPLE (UG/L)	02/19/80-05/18/83	3 ##	0.025	0.025	0.025	0.025	0.	0.	**	**	**	**
39782 LINDANE IN WHOLE WATER SAMPLE (UG/L)	01/27/76-05/18/83	9 ##	5.	2.783	5.	0.013	6.91	2.629	0.013	0.013	5.	5.
70301 SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	06/06/77-05/18/83	45	499.	541.	1470.	126.	103904.682	322.342	199.8	258.	692.5	955.2
70507 PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	12/13/77-12/13/77	1	0.1	0.1	0.1	0.1	0.	0.	**	**	**	**
71851 NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	11/18/75-05/10/77	19	0.6	1.295	5.8	0.1	2.194	1.481	0.1	0.4	1.8	3.9
71890 MERCURY, DISSOLVED (UG/L AS HG)	12/16/75-07/10/78	5	0.	0.	0.	0.	0.	0.	**	**	**	**
71900 MERCURY, TOTAL (UG/L AS HG)	04/10/79-05/18/83	4	0.	0.	0.	0.	0.	0.	**	**	**	**
74021 ALKALINITY, EXCESS - MG/L	06/06/77-05/18/83	46	0.	0.391	15.	0.	5.043	2.246	0.	0.	0.	0.
77729 RAMROD WHOLE WATER, UG/L	02/19/80-05/18/83	3 ##	0.125	0.125	0.125	0.125	0.	0.	**	**	**	**
77825 ALACHLOR WHOLE WATER, UG/L	02/19/80-05/18/83	3 ##	0.125	0.125	0.125	0.125	0.	0.	**	**	**	**
81408 METRIBUZIN (SENCOR), WATER, WHOLE UG/L	02/19/80-05/18/83	3 ##	0.05	0.05	0.05	0.05	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: FOLS0002

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----7/01-10/31-----			-----11/01-3/14-----			-----3/15-6/30-----			-----n/a-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00076 TURBIDITY, HACH TURBIDIMETER	Other-Hi Lim.	50.	60	30	0.50	19	12	0.63	23	7	0.30	18	11	0.61			
00300 OXYGEN, DISSOLVED	Other-Lo Lim.	4.	65	2	0.03	23	2	0.09	23	0	0.00	19	0	0.00			
00403 PH, LAB	Fresh Chronic	9.	65	0	0.00	22	0	0.00	24	0	0.00	19	0	0.00			
	Other-Lo Lim.	6.5	65	0	0.00	22	0	0.00	24	0	0.00	19	0	0.00			
00630 NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	47	0	0.00	19	0	0.00	14	0	0.00	14	0	0.00			
00940 CHLORIDE, TOTAL IN WATER	Fresh Acute	860.	64	0	0.00	23	0	0.00	24	0	0.00	17	0	0.00			
	Drinking Water	250.	64	0	0.00	23	0	0.00	24	0	0.00	17	0	0.00			
00945 SULFATE, TOTAL (AS SO4)	Drinking Water	250.	65	15	0.23	23	8	0.35	24	2	0.08	18	5	0.28			
01000 ARSENIC, DISSOLVED	Fresh Acute	360.	5	0	0.00	2	0	0.00	3	0	0.00						
	Drinking Water	50.	5	0	0.00	2	0	0.00	3	0	0.00						
01002 ARSENIC, TOTAL	Fresh Acute	360.	4	0	0.00							4	0	0.00			
	Drinking Water	50.	4	0	0.00							4	0	0.00			
01007 BARIUM, TOTAL	Drinking Water	2000.	4	0	0.00							4	0	0.00			
01025 CADMIUM, DISSOLVED	Fresh Acute	3.9	6	0	0.00	3	0	0.00	3	0	0.00						
	Drinking Water	5.	6	0	0.00	3	0	0.00	3	0	0.00						
01027 CADMIUM, TOTAL	Fresh Acute	3.9	4	1	0.25							4	1	0.25			
	Drinking Water	5.	4	1	0.25							4	1	0.25			
01034 CHROMIUM, TOTAL	Drinking Water	100.	10	0	0.00	3	0	0.00	3	0	0.00	4	0	0.00			
01040 COPPER, DISSOLVED	Fresh Acute	18.	6	3	0.50	3	1	0.33	3	2	0.67						
	Drinking Water	1300.	6	0	0.00	3	0	0.00	3	0	0.00						
01042 COPPER, TOTAL	Fresh Acute	18.	4	2	0.50							4	2	0.50			
	Drinking Water	1300.	4	0	0.00							4	0	0.00			
01049 LEAD, DISSOLVED	Fresh Acute	82.	6	0	0.00	3	0	0.00	3	0	0.00						
	Drinking Water	15.	6	3	0.50	3	2	0.67	3	1	0.33						
01051 LEAD, TOTAL	Fresh Acute	82.	4	0	0.00							4	0	0.00			
	Drinking Water	15.	4	1	0.25							4	1	0.25			
01075 SILVER, DISSOLVED	Fresh Acute	4.1	6	0	0.00	3	0	0.00	3	0	0.00						
	Drinking Water	100.	6	0	0.00	3	0	0.00	3	0	0.00						
01077 SILVER, TOTAL	Fresh Acute	4.1	4	1	0.25							4	1	0.25			
	Drinking Water	100.	4	0	0.00							4	0	0.00			
01090 ZINC, DISSOLVED	Fresh Acute	120.	6	0	0.00	3	0	0.00	3	0	0.00						
	Drinking Water	5000.	6	0	0.00	3	0	0.00	3	0	0.00						
01092 ZINC, TOTAL	Fresh Acute	120.	4	1	0.25							4	1	0.25			
	Drinking Water	5000.	4	0	0.00							4	0	0.00			
01147 SELENIUM, TOTAL	Fresh Acute	20.	4	0	0.00							4	0	0.00			
	Drinking Water	50.	4	0	0.00							4	0	0.00			
31501 COLIFORM, TOTAL, MEMBRANE FILTER, IMMED.	Other-Hi Lim.	1000.	65	23	0.35	23	13	0.57	24	5	0.21	18	5	0.28			
31616 FECAL COLIFORM, MEMBRANE FILTER, BROTH	Other-Hi Lim.	200.	65 &	18	0.28	22	10	0.45	24	1	0.04	19	7	0.37			
39033 ATRAZINE IN WHOLE WATER SAMPLE	Drinking Water	3.	5	0	0.00	1	0	0.00	2	0	0.00	2	0	0.00			
39045 2,4,5-TP INCLUDES ACIDS & SALTS WATER SA	Drinking Water	50.	4	0	0.00				2	0	0.00	2	0	0.00			
39300 P,P' DDT IN WHOLE WATER SAMPLE	Fresh Acute	1.1	4	0	0.00				2	0	0.00	2	0	0.00			
39330 ALDRIN IN WHOLE WATER SAMPLE	Fresh Acute	3.	9	0	0.00	2	0	0.00	5	0	0.00	2	0	0.00			
39350 CHLORDANE(TECH MIX & METABS), WHOLE WATE	Fresh Acute	2.4	9	0	0.00	2	0	0.00	5	0	0.00	2	0	0.00			
	Drinking Water	2.	9	0	0.00	2	0	0.00	5	0	0.00	2	0	0.00			
39370 DDT IN WHOLE WATER SAMPLE	Fresh Acute	1.1	0 &	0	0.00												
39380 DIELDRLN IN WHOLE WATER SAMPLE	Fresh Acute	2.5	9	0	0.00	2	0	0.00	5	0	0.00	2	0	0.00			
39390 ENDRIN IN WHOLE WATER SAMPLE	Fresh Acute	0.18	9	0	0.00	2	0	0.00	5	0	0.00	2	0	0.00			
	Drinking Water	2.	9	0	0.00	2	0	0.00	5	0	0.00	2	0	0.00			
39400 TOXAPHENE IN WHOLE WATER SAMPLE	Fresh Acute	0.73	0 &	0	0.00												
	Drinking Water	3.	4	0	0.00				2	0	0.00	2	0	0.00			
39410 HEPTACHLOR IN WHOLE WATER SAMPLE	Fresh Acute	0.52	5	0	0.00	2	0	0.00	3	0	0.00						
	Drinking Water	0.4	0 &	0	0.00												
39420 HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE	Fresh Acute	0.52	5	0	0.00	2	0	0.00	3	0	0.00						
	Drinking Water	0.2	0 &	0	0.00												
39480 METHOXYCHLOR IN WHOLE WATER SAMPLE	Drinking Water	40.	9	0	0.00	2	0	0.00	5	0	0.00	2	0	0.00			
39730 2,4-D IN WHOLE WATER SAMPLE	Drinking Water	70.	4	0	0.00				2	0	0.00	2	0	0.00			
39782 LINDANE IN WHOLE WATER SAMPLE	Fresh Acute	2.	4 &	0	0.00				2	0	0.00	2	0	0.00			
	Drinking Water	0.2	4 &	0	0.00				2	0	0.00	2	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: FOLS0002

Parameter	Std. Type	Std. Value	Total			-----7/01-10/31-----			-----11/01-3/14-----			-----3/15-6/30-----			-----n/a-----		
			Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
71851	NITRATE NITROGEN, DISSOLVED (AS NO3)	44.	19	0	0.00	4	0	0.00	10	0	0.00	5	0	0.00			
71890	MERCURY, DISSOLVED	2.4	5	0	0.00	3	0	0.00	2	0	0.00						
	Drinking Water	2.	5	0	0.00	3	0	0.00	2	0	0.00						
71900	MERCURY, TOTAL	2.4	4	0	0.00							4	0	0.00			
	Drinking Water	2.	4	0	0.00							4	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Annual Analysis for 1975 - Station FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/18/75-05/18/83	2	8.5	8.5	13.	4.	40.5	6.364	**	**	**
00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	11/18/75-05/18/83	2	44.	44.	60.	28.	512.	22.627	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/18/75-05/18/83	2	990.	990.	1000.	980.	200.	14.142	**	**	**
00300	OXYGEN, DISSOLVED MG/L	11/18/75-05/18/83	2	9.6	9.6	11.3	7.9	5.78	2.404	**	**	**
00310	BOD, 5 DAY, 20 DEG C MG/L	11/18/75-05/18/83	2	3.9	3.9	4.3	3.5	0.32	0.566	**	**	**
00335	COD, .025N K2CR2O7 MG/L	11/18/75-05/18/83	2	19.	19.	22.	16.	18.	4.243	**	**	**
00403	PH, LAB, STANDARD UNITS SU	11/18/75-05/18/83	2	8.15	8.15	8.3	8.	0.045	0.212	**	**	**
00403	CONVERTED PH, LAB, STANDARD UNITS	11/18/75-05/18/83	2	8.125	8.125	8.3	8.	0.046	0.215	**	**	**
00403	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/18/75-05/18/83	2	0.008	0.008	0.01	0.005	0.	0.004	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	11/18/75-05/18/83	2	288.	288.	290.	286.	8.	2.828	**	**	**
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/18/75-05/18/83	2	55.5	55.5	80.	31.	1200.5	34.648	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	11/18/75-05/18/83	2	0.205	0.205	0.36	0.05	0.048	0.219	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	11/18/75-05/18/83	2	389.5	389.5	393.	386.	24.5	4.95	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	11/18/75-05/18/83	2	101.5	101.5	107.	96.	60.5	7.778	**	**	**
00916	CALCIUM, TOTAL (MG/L AS CA)	11/18/75-05/18/83	2	117.5	117.5	118.	117.	0.5	0.707	**	**	**
00927	MAGNESIUM, TOTAL (MG/L AS MG)	11/18/75-05/18/83	2	23.5	23.5	24.	23.	0.5	0.707	**	**	**
00929	SODIUM, TOTAL (MG/L AS NA)	11/18/75-05/18/83	2	68.5	68.5	72.	65.	24.5	4.95	**	**	**
00937	POTASSIUM, TOTAL (MG/L AS K)	11/18/75-05/18/83	2	9.9	9.9	12.	7.8	8.82	2.97	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	11/18/75-05/18/83	2	47.5	47.5	50.	45.	12.5	3.536	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	11/18/75-05/18/83	2	189.	189.	204.	174.	450.	21.213	**	**	**
01022	BORON, TOTAL (UG/L AS B)	11/18/75-05/18/83	2	205.	205.	210.	200.	50.	7.071	**	**	**
31501	COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C	11/18/75-09/23/81	2	30.	30.	50.	10.	800.	28.284	**	**	**
31501	LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3	11/18/75-09/23/81	2	1.349	1.349	1.699	1.	0.244	0.494	**	**	**
31501	GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3	GEOMETRIC MEAN =			22.361							
31616	FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	11/18/75-05/18/83	2 ##	27.5	27.5	50.	5.	1012.5	31.82	**	**	**
31616	LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	11/18/75-05/18/83	2 ##	1.199	1.199	1.699	0.699	0.5	0.707	**	**	**
31616	GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	GEOMETRIC MEAN =			15.811							
31673	FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	11/18/75-05/18/83	2 ##	57.5	57.5	110.	5.	5512.5	74.246	**	**	**
31673	LOG FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	11/18/75-05/18/83	2 ##	1.37	1.37	2.041	0.699	0.901	0.949	**	**	**
31673	GM FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	GEOMETRIC MEAN =			23.452							

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1976 - Station FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/18/75-05/18/83	12	17.	16.167	28.	5.	75.242	8.674	5.3	7.	25.5
00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	11/18/75-05/18/83	12	90.	104.5	200.	18.	5101.	71.421	18.3	36.25	180.
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/18/75-05/18/83	12	875.	848.333	1240.	480.	62633.333	250.267	483.	587.5	1067.5
00300	OXYGEN, DISSOLVED MG/L	11/18/75-05/18/83	12	9.45	12.125	32.4	6.9	53.127	7.289	6.9	7.25	14.25
00310	BOD, 5 DAY, 20 DEG C MG/L	11/18/75-05/18/83	12	6.4	6.95	12.	3.8	5.826	2.414	3.83	5.5	9.
00335	COD, .025N K2CR2O7 MG/L	11/18/75-05/18/83	12	34.	39.25	90.	18.	400.568	20.014	19.5	26.	51.
00403	PH, LAB, STANDARD UNITS SU	11/18/75-05/18/83	12	8.	7.917	8.3	7.3	0.096	0.31	7.36	7.7	8.2
00403	CONVERTED PH, LAB, STANDARD UNITS	11/18/75-05/18/83	12	8.	7.805	8.3	7.3	0.11	0.331	7.36	7.7	8.2
00403	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/18/75-05/18/83	12	0.01	0.016	0.05	0.005	0.	0.013	0.005	0.006	0.02
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	11/18/75-05/18/83	12	221.	211.333	292.	154.	2015.515	44.894	154.6	159.	236.
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/18/75-05/18/83	12	80.5	128.083	388.	16.	12981.902	113.938	17.2	38.5	219.
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	11/18/75-05/18/83	12	0.225	0.21	0.33	0.06	0.009	0.093	0.072	0.108	0.295
00900	HARDNESS, TOTAL (MG/L AS CACO3)	11/18/75-05/18/83	12	331.5	314.167	449.	180.	8253.061	90.846	186.	216.25	400.
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	11/18/75-05/18/83	12	95.	102.833	213.	26.	3450.515	58.741	31.4	48.75	156.5
00916	CALCIUM, TOTAL (MG/L AS CA)	11/18/75-05/18/83	12	95.	93.75	134.	59.	674.386	25.969	60.5	66.75	115.
00927	MAGNESIUM, TOTAL (MG/L AS MG)	11/18/75-05/18/83	12	20.5	19.55	28.	8.	48.968	6.998	8.54	12.1	25.25
00929	SODIUM, TOTAL (MG/L AS NA)	11/18/75-05/18/83	12	66.	60.917	93.	22.	653.902	25.571	22.3	33.	83.25
00937	POTASSIUM, TOTAL (MG/L AS K)	11/18/75-05/18/83	12	8.85	8.542	11.	6.	3.661	1.913	6.	6.275	10.
00940	CHLORIDE,TOTAL IN WATER MG/L	11/18/75-05/18/83	12	39.5	39.75	66.	17.	212.568	14.58	17.6	27.25	50.25
00945	SULFATE, TOTAL (MG/L AS SO4)	11/18/75-05/18/83	12	184.	181.25	326.	56.	7736.205	87.956	60.2	96.25	265.
01022	BORON, TOTAL (UG/L AS B)	11/18/75-05/18/83	12	175.	174.167	260.	110.	2699.242	51.954	113.	122.5	212.5

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1976 - Station FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
31501 COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,35C	11/18/75-09/23/81	12	550.	1629.167	10000.	50.	7783390.152	2789.873	50.	87.5	1900.	7900.
31501 LOG COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,	11/18/75-09/23/81	12	2.739	2.713	4.	1.699	0.561	0.749	1.699	1.849	3.277	3.843
31501 GM COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,3	GEOMETRIC MEAN =			516.446								
31616 FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	11/18/75-05/18/83	12	80.	134.167	500.	50.	19099.242	138.2	50.	50.	175.	440.
31616 LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	11/18/75-05/18/83	12	1.889	1.979	2.699	1.699	0.119	0.344	1.699	1.699	2.226	2.632
31616 GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	GEOMETRIC MEAN =			95.318								
31673 FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	11/18/75-05/18/83	12	300.	1079.167	8000.	50.	4956117.424	2226.234	65.	100.	850.	6080.
31673 LOG FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	11/18/75-05/18/83	12	2.452	2.549	3.903	1.699	0.393	0.627	1.789	2.	2.927	3.693
31673 GM FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	GEOMETRIC MEAN =			353.983								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1977 - Station FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/18/75-05/18/83	12	15.	16.417	29.	3.	86.265	9.288	3.6	6.75	25.	28.7
00076 TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	11/18/75-05/18/83	11	38.	61.091	270.	8.	5322.291	72.954	9.6	20.	70.	233.
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/18/75-05/18/83	12	895.	820.	1110.	280.	83872.727	289.608	286.	612.5	1035.	1104.
00300 OXYGEN, DISSOLVED MG/L	11/18/75-05/18/83	11	6.1	10.127	26.9	4.2	62.532	7.908	4.24	4.5	13.8	26.1
00310 BOD, 5 DAY, 20 DEG C MG/L	11/18/75-05/18/83	11	5.4	6.664	14.	3.6	13.891	3.727	3.6	4.5	6.3	14.
00335 COD, .025N K2CR2O7 MG/L	11/18/75-05/18/83	12	47.5	51.167	106.	18.	742.152	27.242	18.6	25.75	71.	100.
00403 PH, LAB, STANDARD UNITS SU	11/18/75-05/18/83	12	8.	7.933	8.2	7.6	0.048	0.219	7.63	7.7	8.1	8.2
00403 CONVERTED PH, LAB, STANDARD UNITS	11/18/75-05/18/83	12	8.	7.883	8.2	7.6	0.051	0.225	7.63	7.7	8.1	8.2
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/18/75-05/18/83	12	0.01	0.013	0.025	0.006	0.	0.007	0.006	0.008	0.02	0.024
00410 ALKALINITY, TOTAL (MG/L AS CACO3)	11/18/75-05/18/83	11	238.	216.364	302.	100.	4112.655	64.13	105.2	158.	254.	298.4
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/18/75-05/18/83	12	45.5	82.833	244.	17.	4970.697	70.503	20.3	31.5	143.5	217.6
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	11/18/75-05/18/83	12	0.225	0.214	0.43	0.06	0.012	0.109	0.06	0.123	0.283	0.394
00900 HARDNESS, TOTAL (MG/L AS CACO3)	11/18/75-05/18/83	11	347.	314.545	438.	123.	12488.473	111.752	124.8	210.	406.	437.
00902 HARDNESS, NON-CARBONATE (MG/L AS CACO3)	11/18/75-05/18/83	11	110.	98.455	179.	0.	2832.473	53.221	6.4	52.	136.	172.2
00916 CALCIUM, TOTAL (MG/L AS CA)	11/18/75-05/18/83	11	103.	96.273	131.	42.	1047.218	32.361	42.	66.	125.	130.6
00927 MAGNESIUM, TOTAL (MG/L AS MG)	11/18/75-05/18/83	11	22.	23.491	66.	4.4	245.931	15.682	5.72	15.	27.	58.2
00929 SODIUM, TOTAL (MG/L AS NA)	11/18/75-05/18/83	12	66.5	57.883	90.	8.6	658.563	25.662	11.42	40.25	76.75	87.
00937 POTASSIUM, TOTAL MG/L AS K)	11/18/75-05/18/83	12	9.15	8.908	12.	5.6	4.688	2.165	5.78	6.85	11.	11.7
00940 CHLORIDE,TOTAL IN WATER MG/L	11/18/75-05/18/83	11	44.	40.636	61.	14.	221.055	14.868	14.4	35.	52.	60.
00945 SULFATE, TOTAL (MG/L AS SO4)	11/18/75-05/18/83	11	180.	158.909	271.	19.	6180.491	78.616	27.2	86.	217.	264.6
01022 BORON, TOTAL (UG/L AS B)	11/18/75-05/18/83	12	200.	193.333	300.	50.	4042.424	63.58	68.	175.	220.	285.
31501 COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,35C	11/18/75-09/23/81	12	850.	3797.5	36000.	20.	103574620.455	10177.162	29.	100.	1700.	26070.
31501 LOG COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,	11/18/75-09/23/81	12	2.923	2.747	4.556	1.301	0.786	0.887	1.42	2.	3.228	4.228
31501 GM COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,3	GEOMETRIC MEAN =			558.488								
31616 FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	11/18/75-05/18/83	12	100.	358.75	2400.	5.	485055.114	696.459	18.5	50.	200.	1980.
31616 LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	11/18/75-05/18/83	12	2.	2.04	3.38	0.699	0.466	0.682	0.999	1.699	2.301	3.266
31616 GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	GEOMETRIC MEAN =			109.587								
31673 FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	11/18/75-05/18/83	12	300.	608.333	3800.	50.	1107196.97	1052.234	50.	50.	725.	2960.
31673 LOG FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	11/18/75-05/18/83	12	2.477	2.367	3.58	1.699	0.384	0.62	1.699	1.699	2.852	3.406
31673 GM FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	GEOMETRIC MEAN =			233.036								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1978 - Station FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/18/75-05/18/83	11	17.	14.273	27.	2.	83.018	9.111	2.	6.	23.	26.6
00076 TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	11/18/75-05/18/83	10	41.	52.09	130.	5.4	1980.97	44.508	5.71	8.875	89.	128.6
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/18/75-05/18/83	11	770.	721.818	1220.	300.	108696.364	329.691	302.	350.	1020.	1192.
00300 OXYGEN, DISSOLVED MG/L	11/18/75-05/18/83	11	8.1	10.255	30.8	3.7	53.147	7.29	4.18	6.1	12.2	27.2

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1978 - Station FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00310 BOD, 5 DAY, 20 DEG C MG/L	11/18/75-05/18/83	11	6.3	6.064	11.	2.1	8.389	2.896	2.4	3.6	7.2	11.
00335 COD, .025N K2CR2O7 MG/L	11/18/75-05/18/83	11	51.	52.273	98.	27.	331.418	18.205	28.6	42.	58.	90.4
00403 PH, LAB, STANDARD UNITS SU	11/18/75-05/18/83	11	8.	7.891	8.3	7.3	0.089	0.298	7.34	7.7	8.1	8.28
00403 CONVERTED PH, LAB, STANDARD UNITS	11/18/75-05/18/83	11	8.	7.788	8.3	7.3	0.101	0.317	7.34	7.7	8.1	8.28
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/18/75-05/18/83	11	0.01	0.016	0.05	0.005	0.	0.013	0.005	0.008	0.02	0.046
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	11	186.	189.273	290.	106.	4302.618	65.594	107.2	122.	238.	284.8
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/18/75-05/18/83	10	93.	111.3	272.	12.	9030.678	95.03	12.6	26.25	196.	266.8
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	11/18/75-05/18/83	11	0.3	0.369	0.8	0.16	0.038	0.195	0.172	0.23	0.54	0.758
00900 HARDNESS, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	11	286.	289.818	506.	128.	18823.764	137.2	128.8	144.	422.	490.
00902 HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	11/18/75-05/18/83	11	95.	100.545	268.	10.	6503.873	80.647	11.6	22.	136.	253.6
00916 CALCIUM, TOTAL (MG/L AS Ca)	11/18/75-05/18/83	11	81.	89.273	150.	43.	1607.018	40.088	43.	48.	128.	146.6
00927 MAGNESIUM, TOTAL (MG/L AS MG)	11/18/75-05/18/83	11	17.	16.318	32.	5.	87.226	9.339	5.18	6.	23.	30.6
00929 SODIUM, TOTAL (MG/L AS Na)	11/18/75-05/18/83	11	50.	53.118	110.	9.3	1184.054	34.41	9.64	16.	80.	106.
00937 POTASSIUM, TOTAL MG/L AS K)	11/18/75-05/18/83	11	11.	10.2	12.	6.7	4.258	2.063	6.8	7.3	12.	12.
00940 CHLORIDE, TOTAL IN WATER MG/L	11/18/75-05/18/83	11	39.	39.545	79.	10.	467.673	21.626	11.	20.	53.	76.
00945 SULFATE, TOTAL (MG/L AS SO4)	11/18/75-05/18/83	11	148.	163.273	374.	26.	13142.218	114.64	27.	45.	226.	359.6
01022 BORON, TOTAL (UG/L AS B)	11/18/75-05/18/83	11	200.	169.091	250.	20.	5989.091	77.389	30.	90.	230.	248.
31501 COLIFORM,TOT, MEMBRANE FILTER, IMMED.M-ENDO MED,35C	11/18/75-09/23/81	11	800.	2155.	16000.	5.	21774575.	4666.323	24.	200.	1100.	13400.
31501 LOG COLIFORM,TOT, MEMBRANE FILTER, IMMED.M-ENDO MED, GM COLIFORM,TOT, MEMBRANE FILTER, IMMED.M-ENDO MED,3	11/18/75-09/23/81	11	2.903	2.684	4.204	0.699	0.797	0.892	0.959	2.301	3.041	4.059
31616 FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	11/18/75-05/18/83	11	100.	136.818	400.	5.	19411.364	139.325	14.	50.	200.	400.
31616 LOG FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	11/18/75-05/18/83	11	2.	1.909	2.602	0.699	0.278	0.527	0.899	1.699	2.301	2.602
31616 GM FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	11/18/75-05/18/83	11		81.113								
31673 FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	11/18/75-05/18/83	11	300.	491.364	3000.	5.	720920.455	849.07	14.	100.	400.	2520.
31673 LOG FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	11/18/75-05/18/83	11	2.477	2.288	3.477	0.699	0.483	0.695	0.899	2.	2.602	3.337
31673 GM FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	11/18/75-05/18/83	11		193.916								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1979 - Station FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/18/75-05/18/83	11	14.	14.727	26.	3.	67.818	8.235	3.2	8.	23.	26.
00076 TURBIDITY, HACH TURBIDIMETER (FORMAZIN TURB UNIT)	11/18/75-05/18/83	11	45.	69.745	200.	5.2	3903.233	62.476	6.16	17.	120.	188.
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/18/75-05/18/83	11	580.	680.	1060.	350.	66500.	257.876	360.	420.	960.	1042.
00300 OXYGEN, DISSOLVED MG/L	11/18/75-05/18/83	11	8.1	8.409	14.9	3.2	11.837	3.44	3.4	5.9	11.3	14.28
00310 BOD, 5 DAY, 20 DEG C MG/L	11/18/75-05/18/83	11	6.	5.455	9.	2.1	6.009	2.451	2.22	3.	7.8	8.76
00335 COD, .025N K2CR2O7 MG/L	11/18/75-05/18/83	11	39.	37.273	71.	13.	287.218	16.948	13.6	25.	50.	66.8
00403 PH, LAB, STANDARD UNITS SU	11/18/75-05/18/83	11	7.8	7.8	8.2	7.4	0.056	0.237	7.42	7.6	8.	8.16
00403 CONVERTED PH, LAB, STANDARD UNITS	11/18/75-05/18/83	11	7.8	7.741	8.2	7.4	0.06	0.245	7.42	7.6	8.	8.16
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/18/75-05/18/83	11	0.016	0.018	0.04	0.006	0.	0.01	0.007	0.01	0.025	0.038
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	11	170.	173.818	280.	118.	2145.164	46.316	119.2	126.	198.	265.2
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/18/75-05/18/83	10	103.	143.1	548.	6.	25392.989	159.352	7.7	37.25	178.	518.8
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	11/18/75-05/18/83	10	0.315	0.339	0.63	0.19	0.015	0.124	0.195	0.263	0.383	0.612
00900 HARDNESS, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	11	216.	248.273	411.	136.	7957.418	89.204	138.4	152.	322.	395.
00902 HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	11/18/75-05/18/83	11	54.	74.455	137.	18.	2362.073	48.601	18.8	28.	131.	136.2
00916 CALCIUM, TOTAL (MG/L AS Ca)	11/18/75-05/18/83	11	72.	78.818	130.	45.	653.164	25.557	46.2	51.	96.	123.6
00927 MAGNESIUM, TOTAL (MG/L AS MG)	11/18/75-05/18/83	11	10.	12.527	21.	5.	43.54	6.598	5.16	6.	20.	21.
00929 SODIUM, TOTAL (MG/L AS Na)	11/18/75-05/18/83	11	30.	43.364	84.	12.	740.855	27.219	12.8	19.	71.	82.4
00937 POTASSIUM, TOTAL MG/L AS K)	11/18/75-05/18/83	10	9.8	9.89	13.	5.1	5.305	2.303	5.39	8.675	12.	12.9
00940 CHLORIDE, TOTAL IN WATER MG/L	11/18/75-05/18/83	10	29.5	34.2	61.	15.	261.289	16.164	15.2	19.25	49.5	60.3
00945 SULFATE, TOTAL (MG/L AS SO4)	11/18/75-05/18/83	11	89.	125.909	237.	37.	6225.691	78.903	38.4	60.	215.	232.8
01022 BORON, TOTAL (UG/L AS B)	11/18/75-05/18/83	11	140.	154.545	260.	50.	5327.273	72.988	52.	100.	250.	258.
31501 COLIFORM,TOT, MEMBRANE FILTER, IMMED.M-ENDO MED,35C	11/18/75-09/23/81	11	400.	1245.455	8000.	100.	5300727.273	2302.331	120.	200.	1000.	6800.
31501 LOG COLIFORM,TOT, MEMBRANE FILTER, IMMED.M-ENDO MED, GM COLIFORM,TOT, MEMBRANE FILTER, IMMED.M-ENDO MED,3	11/18/75-09/23/81	11	2.602	2.728	3.903	2.	0.273	0.522	2.06	2.301	3.	3.783
31616 FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	11/18/75-05/18/83	11	100.	150.909	500.	10.	19209.091	138.597	18.	100.	200.	460.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1979 - Station FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
31616 LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	11/18/75-05/18/83	11	2.	2.016	2.699	1.	0.189	0.435	1.14	2.	2.301	2.655
31616 GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	GEOMETRIC MEAN =			103.755								
31673 FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	11/18/75-05/18/83	11	300.	529.091	2000.	20.	421609.091	649.314	26.	50.	700.	1900.
31673 LOG FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	11/18/75-05/18/83	11	2.477	2.373	3.301	1.301	0.41	0.64	1.381	1.699	2.845	3.276
31673 GM FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	GEOMETRIC MEAN =			235.918								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1980 - Station FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/18/75-05/18/83	9	21.	16.778	30.	2.	107.694	10.378	2.	6.	26.	30.
00076 TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	11/18/75-05/18/83	7	40.	44.557	90.	8.9	760.14	27.571	**	**	**	**
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/18/75-05/18/83	9	1140.	1207.778	1930.	430.	308194.444	555.153	430.	680.	1725.	1930.
00300 OXYGEN, DISSOLVED MG/L	11/18/75-05/18/83	9	8.2	9.489	19.9	4.9	24.714	4.971	4.9	6.25	12.25	19.9
00310 BOD, 5 DAY, 20 DEG C MG/L	11/18/75-05/18/83	9	5.7	5.033	6.9	2.7	2.808	1.676	2.7	3.15	6.45	6.9
00335 COD, .025N K2CR2O7 MG/L	11/18/75-05/18/83	9	37.	37.333	66.	23.	160.5	12.669	23.	27.	40.5	66.
00403 PH, LAB, STANDARD UNITS SU	11/18/75-05/18/83	8	7.9	7.887	8.3	7.5	0.096	0.309	**	**	**	**
00403 CONVERTED PH, LAB, STANDARD UNITS	11/18/75-05/18/83	8	7.9	7.799	8.3	7.5	0.104	0.323	**	**	**	**
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/18/75-05/18/83	8	0.013	0.016	0.032	0.005	0.	0.01	**	**	**	**
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	9	226.	222.	304.	116.	3458.	58.805	116.	178.	269.	304.
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/18/75-05/18/83	9	54.	87.778	344.	9.	10700.694	103.444	9.	17.5	106.	344.
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	11/18/75-05/18/83	9	0.14	0.192	0.44	0.02	0.022	0.15	0.02	0.075	0.335	0.44
00900 HARDNESS, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	9	421.	460.889	735.	156.	47443.611	217.816	156.	256.	697.5	735.
00902 HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	11/18/75-05/18/83	9	195.	238.889	491.	40.	31187.611	176.6	40.	70.	413.5	491.
00916 CALCIUM, TOTAL (MG/L AS Ca)	11/18/75-05/18/83	9	131.	141.222	222.	51.	4042.944	63.584	51.	81.5	209.5	222.
00927 MAGNESIUM, TOTAL (MG/L AS MG)	11/18/75-05/18/83	9	23.	26.411	45.	7.	207.021	14.388	7.	12.85	42.	45.
00929 SODIUM, TOTAL (MG/L AS NA)	11/18/75-05/18/83	9	75.	86.778	170.	16.	3045.194	55.183	16.	38.5	138.	170.
00937 POTASSIUM, TOTAL MG/L AS K)	11/18/75-05/18/83	9	12.	11.567	15.	8.7	4.745	2.178	8.7	9.7	13.5	15.
00940 CHLORIDE, TOTAL IN WATER MG/L	11/18/75-05/18/83	9	76.	72.444	120.	24.	1115.028	33.392	24.	39.5	100.	120.
00945 SULFATE, TOTAL (MG/L AS SO4)	11/18/75-05/18/83	9	278.	342.889	740.	54.	69093.111	262.856	54.	103.5	605.5	740.
01022 BORON, TOTAL (UG/L AS B)	11/18/75-05/18/83	9	170.	176.667	250.	80.	2825.	53.151	80.	150.	230.	250.
31501 COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C	11/18/75-09/23/81	9	50.	701.111	4000.	10.	1654511.111	1286.278	10.	50.	850.	4000.
31501 LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C	11/18/75-09/23/81	9	1.699	2.205	3.602	1.	0.703	0.839	1.	1.699	2.923	3.602
31501 GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C	GEOMETRIC MEAN =			160.329								
31616 FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	11/18/75-05/18/83	9	100.	123.333	400.	50.	13025.	114.127	50.	50.	150.	400.
31616 LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	11/18/75-05/18/83	9	2.	1.975	2.602	1.699	0.096	0.31	1.699	1.699	2.151	2.602
31616 GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	GEOMETRIC MEAN =			94.482								
31673 FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	11/18/75-05/18/83	9	300.	455.556	1300.	100.	152777.778	390.868	100.	150.	700.	1300.
31673 LOG FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	11/18/75-05/18/83	9	2.477	2.517	3.114	2.	0.146	0.382	2.	2.151	2.841	3.114
31673 GM FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	GEOMETRIC MEAN =			328.811								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1981 - Station FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/18/75-05/18/83	8	16.5	16.	26.	6.	46.	6.782	**	**	**	**
00076 TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	11/18/75-05/18/83	6	112.95	181.85	550.	4.2	46384.223	215.37	**	**	**	**
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/18/75-05/18/83	8	883.	989.5	2410.	200.	465190.571	682.049	**	**	**	**
00300 OXYGEN, DISSOLVED MG/L	11/18/75-05/18/83	8	7.05	8.512	14.5	5.7	10.798	3.286	**	**	**	**
00310 BOD, 5 DAY, 20 DEG C MG/L	11/18/75-05/18/83	8	3.45	3.825	6.6	2.1	2.205	1.485	**	**	**	**
00335 COD, .025N K2CR2O7 MG/L	11/18/75-05/18/83	8	30.5	37.75	90.	13.	603.929	24.575	**	**	**	**
00403 PH, LAB, STANDARD UNITS SU	11/18/75-05/18/83	8	7.65	7.562	7.8	7.1	0.071	0.267	**	**	**	**
00403 CONVERTED PH, LAB, STANDARD UNITS	11/18/75-05/18/83	8	7.647	7.485	7.8	7.1	0.078	0.28	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1981 - Station FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/18/75-05/18/83	8	0.023	0.033	0.079	0.016	0.001	0.023	**	**	**	**
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	8	185.	168.	270.	69.	5459.143	73.886	**	**	**	**
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/18/75-05/18/83	4	67.	250.25	860.	7.	167274.917	408.993	**	**	**	**
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	11/18/75-05/18/83	8	0.055	0.081	0.24	0.	0.007	0.082	**	**	**	**
00900 HARDNESS, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	8	286.	275.375	491.	83.	29200.839	170.883	**	**	**	**
00902 HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	11/18/75-05/18/83	8	96.5	109.25	255.	0.	9575.929	97.857	**	**	**	**
00916 CALCIUM, TOTAL (MG/L AS Ca)	11/18/75-05/18/83	8	92.5	86.	149.	29.	2497.143	49.971	**	**	**	**
00927 MAGNESIUM, TOTAL (MG/L AS MG)	11/18/75-05/18/83	8	13.5	14.813	29.	2.	130.281	11.414	**	**	**	**
00929 SODIUM, TOTAL (MG/L AS Na)	11/18/75-05/18/83	8	41.	45.675	106.	3.2	1631.191	40.388	**	**	**	**
00937 POTASSIUM, TOTAL (MG/L AS K)	11/18/75-05/18/83	8	10.	9.613	13.	5.8	7.556	2.749	**	**	**	**
00940 CHLORIDE, TOTAL IN WATER MG/L	11/18/75-05/18/83	8	37.5	34.	70.	3.	717.429	26.785	**	**	**	**
00945 SULFATE, TOTAL (MG/L AS SO4)	11/18/75-05/18/83	8	149.	164.875	393.	7.	21411.268	146.326	**	**	**	**
01022 BORON, TOTAL (UG/L AS B)	11/18/75-05/18/83	2	130.	130.	190.	70.	7200.	84.853	**	**	**	**
31501 COLIFORM,TOT, MEMBRANE FILTER, IMMEDIATE, M-ENDO MED, 35C	11/18/75-09/23/81	8	650.	2363.75	14000.	60.	22382512.5	4731.016	**	**	**	**
31501 LOG COLIFORM,TOT, MEMBRANE FILTER, IMMEDIATE, M-ENDO MED,	11/18/75-09/23/81	8	2.812	2.843	4.146	1.778	0.501	0.708	**	**	**	**
31501 GM COLIFORM,TOT, MEMBRANE FILTER, IMMEDIATE, M-ENDO MED, 3	GEOMETRIC MEAN =			695.956								
31616 FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	11/18/75-05/18/83	8	100.	564.375	2000.	5.	628281.696	792.642	**	**	**	**
31616 LOG FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	11/18/75-05/18/83	8	2.	2.182	3.301	0.699	0.759	0.871	**	**	**	**
31616 GM FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	GEOMETRIC MEAN =			152.203								
31673 FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	11/18/75-05/18/83	8	900.	4361.25	21000.	10.	56217498.214	7497.833	**	**	**	**
31673 LOG FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	11/18/75-05/18/83	8	2.943	2.852	4.322	1.	1.161	1.078	**	**	**	**
31673 GM FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	GEOMETRIC MEAN =			711.904								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1983 - Station FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/18/75-05/18/83	1	13.	13.	13.	13.	0.	0.	**	**	**	**
00076 TURBIDITY, HACH TURBIDIMETER (FORMAZIN TURB UNIT)	11/18/75-05/18/83	1	230.	230.	230.	230.	0.	0.	**	**	**	**
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/18/75-05/18/83	1	1211.	1211.	1211.	1211.	0.	0.	**	**	**	**
00300 OXYGEN, DISSOLVED MG/L	11/18/75-05/18/83	1	6.8	6.8	6.8	6.8	0.	0.	**	**	**	**
00310 BOD, 5 DAY, 20 DEG C MG/L	11/18/75-05/18/83	1	6.6	6.6	6.6	6.6	0.	0.	**	**	**	**
00335 COD, .025N K2CR2O7 MG/L	11/18/75-05/18/83	1	45.	45.	45.	45.	0.	0.	**	**	**	**
00403 PH, LAB, STANDARD UNITS SU	11/18/75-05/18/83	1	7.6	7.6	7.6	7.6	0.	0.	**	**	**	**
00403 CONVERTED PH, LAB, STANDARD UNITS	11/18/75-05/18/83	1	7.6	7.6	7.6	7.6	0.	0.	**	**	**	**
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/18/75-05/18/83	1	0.025	0.025	0.025	0.025	0.	0.	**	**	**	**
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	1	215.	215.	215.	215.	0.	0.	**	**	**	**
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/18/75-05/18/83	1	250.	250.	250.	250.	0.	0.	**	**	**	**
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	11/18/75-05/18/83	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00900 HARDNESS, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	1	498.	498.	498.	498.	0.	0.	**	**	**	**
00902 HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	11/18/75-05/18/83	1	283.	283.	283.	283.	0.	0.	**	**	**	**
00916 CALCIUM, TOTAL (MG/L AS Ca)	11/18/75-05/18/83	1	150.	150.	150.	150.	0.	0.	**	**	**	**
00927 MAGNESIUM, TOTAL (MG/L AS MG)	11/18/75-05/18/83	1	30.	30.	30.	30.	0.	0.	**	**	**	**
00929 SODIUM, TOTAL (MG/L AS Na)	11/18/75-05/18/83	1	113.	113.	113.	113.	0.	0.	**	**	**	**
00937 POTASSIUM, TOTAL (MG/L AS K)	11/18/75-05/18/83	1	6.9	6.9	6.9	6.9	0.	0.	**	**	**	**
00940 CHLORIDE, TOTAL IN WATER MG/L	11/18/75-05/18/83	1	74.	74.	74.	74.	0.	0.	**	**	**	**
00945 SULFATE, TOTAL (MG/L AS SO4)	11/18/75-05/18/83	1	422.	422.	422.	422.	0.	0.	**	**	**	**
01022 BORON, TOTAL (UG/L AS B)	11/18/75-05/18/83	1	130.	130.	130.	130.	0.	0.	**	**	**	**
31616 FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	11/18/75-05/18/83	1	200.	200.	200.	200.	0.	0.	**	**	**	**
31616 LOG FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	11/18/75-05/18/83	1	2.301	2.301	2.301	2.301	0.	0.	**	**	**	**
31616 GM FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	GEOMETRIC MEAN =			200.								
31673 FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	11/18/75-05/18/83	1	2400.	2400.	2400.	2400.	0.	0.	**	**	**	**
31673 LOG FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	11/18/75-05/18/83	1	3.38	3.38	3.38	3.38	0.	0.	**	**	**	**
31673 GM FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	GEOMETRIC MEAN =			2400.								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #1: 7/01 to 10/31 - Station FOLS0002

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/18/75-05/18/83	23	24.	23.087	30.	14.	23.174	4.814	14.8	19.	27.	28.6
00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	11/18/75-05/18/83	19	85.	109.626	300.	10.	7344.298	85.699	17.	35.	180.	270.
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/18/75-05/18/83	23	890.	869.391	1930.	200.	235230.34	485.006	288.	490.	1140.	1724.
00300	OXYGEN, DISSOLVED MG/L	11/18/75-05/18/83	23	6.9	7.509	14.9	3.2	7.975	2.824	3.9	5.9	9.3	11.66
00310	BOD, 5 DAY, 20 DEG C MG/L	11/18/75-05/18/83	23	6.3	6.73	14.	2.1	11.592	3.405	3.12	3.9	9.	13.2
00335	COD, .025N K2CR2O7 MG/L	11/18/75-05/18/83	23	50.	52.696	106.	16.	567.858	23.83	23.4	34.	66.	90.
00403	PH, LAB, STANDARD UNITS SU	11/18/75-05/18/83	22	7.9	7.873	8.2	7.3	0.07	0.264	7.43	7.7	8.1	8.2
00403	CONVERTED PH, LAB, STANDARD UNITS	11/18/75-05/18/83	22	7.9	7.79	8.2	7.3	0.077	0.277	7.43	7.7	8.1	8.2
00403	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/18/75-05/18/83	22	0.013	0.016	0.05	0.006	0.	0.012	0.006	0.008	0.02	0.037
00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	23	198.	186.	264.	69.	2697.	51.933	108.8	156.	226.	246.4
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/18/75-05/18/83	20	153.	181.7	548.	23.	17652.642	132.863	25.5	81.5	250.	383.6
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	11/18/75-05/18/83	23	0.22	0.221	0.44	0.	0.016	0.125	0.036	0.11	0.32	0.402
00665	PHOSPHORUS, TOTAL (MG/L AS P)	05/10/77-05/18/83	19	0.41	0.454	1.	0.11	0.064	0.253	0.18	0.22	0.58	0.88
00900	HARDNESS, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	23	330.	330.696	735.	87.	31612.676	177.8	126.6	200.	422.	644.2
00902	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	11/18/75-05/18/83	23	121.	144.826	491.	0.	18345.514	135.446	13.2	42.	196.	406.6
00916	CALCIUM, TOTAL (MG/L AS Ca)	11/18/75-05/18/83	23	98.	101.826	222.	29.	2688.241	51.848	42.	64.	131.	193.2
00927	MAGNESIUM, TOTAL (MG/L AS Mg)	11/18/75-05/18/83	23	19.	21.23	66.	3.5	231.322	15.209	5.	9.8	28.	44.6
00929	SODIUM, TOTAL (MG/L AS Na)	11/18/75-05/18/83	23	54.	62.278	170.	5.5	2150.196	46.37	8.88	23.	90.	137.2
00937	POTASSIUM, TOTAL MG/L AS K)	11/18/75-05/18/83	23	11.	11.257	15.	8.	2.641	1.625	9.24	10.	12.	13.6
00940	CHLORIDE,TOTAL IN WATER MG/L	11/18/75-05/18/83	23	51.	48.	120.	10.	994.364	31.534	11.6	17.	65.	101.2
00945	SULFATE, TOTAL (MG/L AS SO4)	11/18/75-05/18/83	23	176.	220.174	740.	18.	38403.968	195.969	21.8	66.	302.	581.2
01022	BORON, TOTAL (UG/L AS B)	11/18/75-05/18/83	20	160.	155.	300.	20.	5594.737	74.798	50.	92.5	215.	249.
31616	FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	11/18/75-05/18/83	23	100.	341.304	2400.	50.	308784.585	555.684	50.	100.	400.	1160.
31616	LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	11/18/75-05/18/83	23	2.	2.233	3.38	1.699	0.22	0.47	1.699	2.	2.602	3.002
31616	GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	GEOMETRIC MEAN =			171.061								
31673	FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	11/18/75-05/18/83	23	300.	1363.043	21000.	50.	18538913.043	4305.684	50.	200.	700.	1720.
31673	LOG FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	11/18/75-05/18/83	23	2.477	2.552	4.322	1.699	0.344	0.587	1.699	2.301	2.845	3.226
31673	GM FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	GEOMETRIC MEAN =			356.535								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #2: 11/01 to 3/14 - Station FOLS0002

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/18/75-05/18/83	24	6.	6.542	13.	2.	12.085	3.476	2.	4.	9.5	12.5
00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	11/18/75-05/18/83	23	28.	42.096	200.	4.2	2387.831	48.865	5.28	8.9	50.	132.
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/18/75-05/18/83	24	910.	879.583	1630.	350.	77143.297	277.747	440.	770.	1035.	1145.
00300	OXYGEN, DISSOLVED MG/L	11/18/75-05/18/83	23	12.6	14.235	32.4	4.2	60.163	7.756	6.04	8.2	17.9	29.24
00310	BOD, 5 DAY, 20 DEG C MG/L	11/18/75-05/18/83	23	5.4	5.37	11.	2.7	5.014	2.239	2.82	3.5	6.8	8.82
00335	COD, .025N K2CR2O7 MG/L	11/18/75-05/18/83	24	26.5	35.5	98.	13.	435.565	20.87	14.5	20.5	46.5	66.5
00403	PH, LAB, STANDARD UNITS SU	11/18/75-05/18/83	24	7.9	7.883	8.3	7.3	0.093	0.305	7.45	7.625	8.175	8.3
00403	CONVERTED PH, LAB, STANDARD UNITS	11/18/75-05/18/83	24	7.9	7.782	8.3	7.3	0.103	0.322	7.45	7.625	8.175	8.3
00403	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/18/75-05/18/83	24	0.013	0.017	0.05	0.005	0.	0.012	0.005	0.007	0.024	0.036
00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	24	243.	232.833	304.	112.	3734.232	61.108	121.	179.5	285.5	297.
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/18/75-05/18/83	24	30.5	57.917	256.	6.	4580.254	67.678	8.	16.25	76.	192.
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	11/18/75-05/18/83	23	0.2	0.233	0.63	0.02	0.033	0.181	0.032	0.06	0.31	0.57
00665	PHOSPHORUS, TOTAL (MG/L AS P)	05/10/77-05/18/83	14	0.16	0.221	0.64	0.02	0.034	0.186	0.03	0.087	0.31	0.585
00900	HARDNESS, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	24	342.	342.208	676.	136.	14151.042	118.958	152.	273.75	405.	460.5
00902	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	11/18/75-05/18/83	24	98.5	109.375	372.	18.	4849.636	69.639	34.	78.5	129.75	174.5
00916	CALCIUM, TOTAL (MG/L AS Ca)	11/18/75-05/18/83	24	106.5	104.917	205.	45.	1244.167	35.273	50.5	79.75	125.	139.5
00927	MAGNESIUM, TOTAL (MG/L AS Mg)	11/18/75-05/18/83	24	22.	19.588	40.	5.8	63.009	7.938	6.3	15.25	23.	28.
00929	SODIUM, TOTAL (MG/L AS Na)	11/18/75-05/18/83	24	66.	60.	122.	12.	612.783	24.754	23.	44.75	74.75	82.5
00937	POTASSIUM, TOTAL MG/L AS K)	11/18/75-05/18/83	24	7.55	8.221	12.	5.1	4.722	2.173	5.8	6.275	10.	12.
00940	CHLORIDE,TOTAL IN WATER MG/L	11/18/75-05/18/83	24	44.5	42.75	90.	17.	217.674	14.754	20.5	35.5	49.5	55.5
00945	SULFATE, TOTAL (MG/L AS SO4)	11/18/75-05/18/83	24	182.5	180.375	535.	37.	9581.636	97.886	67.5	127.	216.5	259.5
01022	BORON, TOTAL (UG/L AS B)	11/18/75-05/18/83	24	220.	208.75	260.	110.	1889.674	43.47	135.	182.5	250.	260.
31616	FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	11/18/75-05/18/83	24 ###	50.	70.417	400.	5.	6078.08	77.962	5.	50.	100.	100.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #2: 11/01 to 3/14 - Station FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
31616 LOG FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	11/18/75-05/18/83	24 ##	1.699	1.632	2.602	0.699	0.254	0.504	0.699	1.699	2.	2.
31616 GM FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	GEOMETRIC MEAN =			42.846								
31673 FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	11/18/75-05/18/83	24	155.	863.333	8000.	5.	3212638.406	1792.383	12.5	50.	675.	3400.
31673 LOG FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	11/18/75-05/18/83	24	2.171	2.273	3.903	0.699	0.676	0.822	1.	1.699	2.828	3.528
31673 GM FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	GEOMETRIC MEAN =			187.664								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #3: 3/15 to 6/30 - Station FOLS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/18/75-05/18/83	19	17.	17.421	26.	6.	31.146	5.581	11.	13.	22.	26.
00076 TURBIDITY, HACH TURBIDIMETER (FORMAZIN TURB UNIT)	11/18/75-05/18/83	18	61.	104.667	550.	11.	16117.294	126.954	21.8	31.75	120.	262.
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/18/75-05/18/83	19	770.	858.474	2410.	350.	227330.93	476.792	400.	480.	1090.	1290.
00300 OXYGEN, DISSOLVED MG/L	11/18/75-05/18/83	19	7.1	7.453	12.2	4.4	4.145	2.036	5.3	5.9	8.4	11.8
00310 BOD, 5 DAY, 20 DEG C MG/L	11/18/75-05/18/83	19	5.4	5.021	7.8	2.1	3.036	1.742	2.1	3.6	6.6	7.5
00335 COD, .025N K2CR2O7 MG/L	11/18/75-05/18/83	19	40.	38.263	56.	23.	98.76	9.938	25.	30.	45.	55.
00403 PH, LAB, STANDARD UNITS SU	11/18/75-05/18/83	19	7.8	7.784	8.3	7.1	0.09	0.3	7.3	7.6	8.	8.2
00403 CONVERTED PH, LAB, STANDARD UNITS	11/18/75-05/18/83	19	7.8	7.676	8.3	7.1	0.103	0.32	7.3	7.6	8.	8.2
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/18/75-05/18/83	19	0.016	0.021	0.079	0.005	0.	0.018	0.006	0.01	0.025	0.05
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	18	182.	176.5	274.	92.	2921.912	54.055	97.4	123.5	216.25	256.
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/18/75-05/18/83	16	87.5	137.688	860.	24.	40493.829	201.231	28.2	39.5	127.	433.
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	11/18/75-05/18/83	19	0.27	0.258	0.8	0.	0.029	0.17	0.03	0.13	0.3	0.41
00665 PHOSPHORUS, TOTAL (MG/L AS P)	05/10/77-05/18/83	15	0.37	0.502	2.	0.16	0.229	0.478	0.172	0.25	0.46	1.46
00900 HARDNESS, TOTAL (MG/L AS CaCO3)	11/18/75-05/18/83	18	264.5	275.444	498.	83.	17622.144	132.748	106.4	154.	398.25	491.7
00902 HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	11/18/75-05/18/83	18	70.5	99.778	283.	0.	7244.536	85.115	15.3	25.	178.25	257.8
00916 CALCIUM, TOTAL (MG/L AS Ca)	11/18/75-05/18/83	18	77.5	84.278	150.	30.	1426.448	37.768	36.3	51.	117.	149.1
00927 MAGNESIUM, TOTAL (MG/L AS MG)	11/18/75-05/18/83	18	17.	15.839	30.	2.	93.82	9.686	3.8	6.5	24.75	29.1
00929 SODIUM, TOTAL (MG/L AS Na)	11/18/75-05/18/83	19	55.	53.205	113.	3.2	1209.641	34.78	5.7	16.	78.	106.
00937 POTASSIUM, TOTAL MG/L AS K)	11/18/75-05/18/83	18	9.65	9.556	13.	5.8	4.271	2.067	6.79	7.65	11.	12.1
00940 CHLORIDE, TOTAL IN WATER MG/L	11/18/75-05/18/83	17	38.	39.059	76.	3.	522.184	22.851	3.8	22.	56.5	74.4
00945 SULFATE, TOTAL (MG/L AS SO4)	11/18/75-05/18/83	18	145.	162.	422.	7.	16174.118	127.178	25.	51.75	274.	395.9
01022 BORON, TOTAL (UG/L AS B)	11/18/75-05/18/83	16	160.	140.625	210.	60.	2006.25	44.791	67.	112.5	170.	196.
31616 FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	11/18/75-05/18/83	19	100.	285.263	2000.	50.	227837.427	477.323	50.	60.	200.	1000.
31616 LOG FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	11/18/75-05/18/83	19	2.	2.148	3.301	1.699	0.213	0.462	1.699	1.778	2.301	3.
31616 GM FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	GEOMETRIC MEAN =			140.598								
31673 FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	11/18/75-05/18/83	19	300.	1100.526	10000.	10.	5080171.93	2253.924	50.	100.	1100.	2400.
31673 LOG FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	11/18/75-05/18/83	19	2.477	2.558	4.	1.	0.469	0.685	1.699	2.	3.041	3.38
31673 GM FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	GEOMETRIC MEAN =			361.058								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Station Inventory for Station: FOLS0003

NPS Station ID: FOLS0003
 Location: PAWNEE RIVER NEAR LARNED
 Station Type: /TYPA/AMBNT/STREAM
 RMI-Indexes:
 RMI-Miles:
 HUC: 11030005
 Major Basin: ARKANSAS RIVER
 Minor Basin: ARKANSAS UNIT
 RF1 Index: 11030005002
 RF3 Index:

LAT/LON: 38.182087/ -99.186920

Depth of Water: 0
 Elevation: 0

RF1 Mile Point: 1.870
 RF3 Mile Point: 0.00

Agency: 21KAN001
 FIPS State/County: 20145 KANSAS/PAWNEE
 STORET Station ID(s): 000585
 Within Park Boundary: No

Date Created: 09/08/90

Aquifer:
 Water Body Id:
 ECO Region:
 Distance from RF1: 0.00
 Distance from RF3: 0.00

On/Off RF1: ON
 On/Off RF3:

Description:
 LOCATION: SW1/4, NW1/4, SEC.34,T 21S, R17W, PAWNEE COUNTY. NEAR LARNED - ON COUNTY ROAD BRIDGE 5 MILES WEST, AND ON K-156
 HIGHWAY 1/2 MILE SOUTH OF LARNED.# PERIOD OF RECORD: WATER QUALITY ANALYSES STARTED APRIL 23, 1990
 AND TO CURRENT.# REMARKS: DISCHARGE DETERMINATION - INDIRECT METHODS.#

Parameter Inventory for Station: FOLS0003

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	04/23/90-11/18/97	37	13.	13.486	25.	1.	64.923	8.058	1.8	7.5	21.	24.2
00076 TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	06/25/90-11/18/97	36	43.	102.133	945.	5.	27069.357	164.528	7.7	14.225	137.5	212.
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	04/23/90-11/18/97	37	381.	532.297	1220.	187.	95457.937	308.963	240.4	331.5	690.5	1138.
00300 OXYGEN, DISSOLVED MG/L	04/23/90-11/18/97	37	6.7	6.78	13.1	0.05	5.877	2.424	3.66	5.55	8.05	9.92
00310 BOD, 5 DAY, 20 DEG C MG/L	04/23/90-11/18/97	36	4.3	4.681	13.4	1.3	4.792	2.189	2.18	3.45	5.4	7.31
00400 PH (STANDARD UNITS)	04/23/90-11/18/97	36	7.7	7.758	8.2	6.8	0.078	0.28	7.47	7.6	7.975	8.2
00400 CONVERTED PH (STANDARD UNITS)	04/23/90-11/18/97	36	7.7	7.648	8.2	6.8	0.091	0.302	7.47	7.6	7.975	8.2
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	04/23/90-11/18/97	36	0.02	0.022	0.158	0.006	0.001	0.025	0.006	0.011	0.025	0.034
00403 PH, LAB, STANDARD UNITS SU	08/27/96-08/27/96	1	7.2	7.2	7.2	7.2	0.	0.	**	**	**	**
00403 CONVERTED PH, LAB, STANDARD UNITS	08/27/96-08/27/96	1	7.2	7.2	7.2	7.2	0.	0.	**	**	**	**
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/27/96-08/27/96	1	0.063	0.063	0.063	0.063	0.	0.	**	**	**	**
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	04/23/90-11/18/97	37	150.	155.541	300.	43.	4497.811	67.066	72.6	100.5	207.	255.
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	04/23/90-11/18/97	37	48.	126.514	1670.	10.	75043.868	273.941	15.8	33.5	125.5	231.2
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	04/23/90-11/18/97	37	0.025	0.087	0.7	0.005	0.021	0.144	0.009	0.019	0.104	0.176
00613 NITRITE NITROGEN, DISSOLVED (MG/L AS N)	02/27/96-11/18/97	11 ##	0.025	0.035	0.14	0.025	0.001	0.035	0.025	0.025	0.025	0.117
00618 NITRATE NITROGEN, DISSOLVED (MG/L AS N)	03/28/95-11/18/97	18	0.075	0.309	1.01	0.005	0.139	0.373	0.019	0.028	0.685	1.001
00630 NITRITE PLUS NITRATE, TOTAL I DET. (MG/L AS N)	04/23/90-10/18/94	19	0.05	0.219	0.81	0.005	0.084	0.29	0.005	0.01	0.45	0.72
00665 PHOSPHORUS, TOTAL (MG/L AS P)	04/23/90-11/18/97	37	0.29	0.382	1.58	0.1	0.083	0.289	0.16	0.223	0.46	0.766
00671 PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/28/95-09/16/97	17	0.12	0.127	0.35	0.005	0.009	0.097	0.005	0.04	0.185	0.302
00900 HARDNESS, TOTAL (MG/L AS CaCO3)	04/23/90-11/18/97	37	167.	207.486	478.	78.	10400.035	101.981	116.	134.5	268.5	385.
00916 CALCIUM, TOTAL (MG/L AS Ca)	04/23/90-11/18/97	37	56.3	67.181	157.	23.4	1018.985	31.922	38.12	43.25	85.5	121.2
00927 MAGNESIUM, TOTAL (MG/L AS Mg)	04/23/90-11/18/97	37	7.3	9.684	26.7	4.7	32.485	5.7	4.88	5.8	11.2	20.06
00929 SODIUM, TOTAL (MG/L AS Na)	04/23/90-11/18/97	37	7.93	16.049	56.	1.64	258.154	16.067	3.154	5.925	23.2	45.566
00937 POTASSIUM, TOTAL MG/L AS K)	04/23/90-11/18/97	37	14.82	14.971	22.62	9.94	7.462	2.732	11.044	13.32	16.45	18.1
00940 CHLORIDE,TOTAL IN WATER MG/L	04/23/90-10/18/94	19	11.	21.842	88.	5.	746.363	27.32	7.	7.	18.	86.
00941 CHLORIDE, DISSOLVED IN WATER MG/L	03/28/95-11/18/97	18	17.	32.778	103.	4.	935.359	30.584	6.7	9.75	55.5	85.
00945 SULFATE, TOTAL (MG/L AS SO4)	04/23/90-10/18/94	19	18.	40.684	192.	7.	2743.45	52.378	10.	15.	39.	149.
00946 SULFATE, DISSOLVED (MG/L AS SO4)	03/28/95-11/18/97	18	24.	59.333	193.	8.9	3393.858	58.257	10.61	17.05	109.	157.
00950 FLUORIDE, DISSOLVED (MG/L AS F)	03/28/95-11/18/97	18	0.23	0.283	0.57	0.14	0.018	0.134	0.158	0.175	0.368	0.507
00951 FLUORIDE, TOTAL (MG/L AS F)	11/16/93-10/18/94	5	0.45	0.466	0.75	0.33	0.029	0.17	**	**	**	**
00955 SILICA, DISSOLVED (MG/L AS SiO2)	08/23/94-11/28/95	8	37.15	41.575	66.3	16.1	300.654	17.339	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: FOLS0003

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00956 SILICA, TOTAL (MG/L AS SI02)	04/23/90-11/18/97	29	29.6	37.928	125.	11.2	639.407	25.286	16.8	21.5	49.35	80.
01002 ARSENIC, TOTAL (UG/L AS AS)	04/23/90-11/18/97	37	5.	8.203	36.	1.	49.854	7.061	3.	4.	10.5	17.
01007 BARIUM, TOTAL (UG/L AS BA)	04/23/90-11/18/97	37	188.	199.919	548.	123.	5016.021	70.824	134.8	161.	227.	252.6
01012 BERYLLIUM, TOTAL (UG/L AS BE)	04/23/90-11/18/97	37 ##	0.5	0.757	3.	0.5	0.314	0.561	0.5	0.5	0.5	1.5
01022 BORON, TOTAL (UG/L AS B)	04/23/90-11/18/97	37	86.	94.081	244.	16.	1686.299	41.065	57.2	67.5	116.5	140.
01027 CADMIUM, TOTAL (UG/L AS CD)	04/23/90-11/18/97	37 ##	0.5	0.83	2.5	0.05	0.425	0.652	0.05	0.5	1.	1.7
01034 CHROMIUM, TOTAL (UG/L AS CR)	04/23/90-11/18/97	37	5.	6.405	47.	0.5	64.053	8.003	1.	3.	6.	15.2
01037 COBALT, TOTAL (UG/L AS CO)	06/25/90-11/18/97	36 ##	5.	4.667	15.	2.	4.571	2.138	2.	5.	5.	5.
01042 COPPER, TOTAL (UG/L AS CU)	04/23/90-11/18/97	37	12.	15.351	48.	4.	107.901	10.388	5.	7.	21.5	29.2
01045 IRON, TOTAL (UG/L AS FE)	04/23/90-11/18/97	37	2327.	3370.243	15200.	290.	10367874.634	3219.918	463.6	866.	5323.	7616.
01051 LEAD, TOTAL (UG/L AS PB)	04/23/90-11/18/97	31	4.	8.515	59.	0.45	146.435	12.101	0.5	2.	10.	24.6
01055 MANGANESE, TOTAL (UG/L AS MN)	04/23/90-11/18/97	37	145.	189.432	920.	55.	22538.308	150.128	70.8	100.5	235.5	311.2
01059 THALLIUM, TOTAL (UG/L AS TL)	04/23/90-11/28/95	25 ##	25.	20.1	30.	7.5	69.	8.307	7.5	10.	25.	27.
01062 MOLYBDENUM, TOTAL (UG/L AS MO)	06/25/90-11/18/97	36 ##	5.	6.417	54.	0.5	73.464	8.571	2.	3.125	5.	10.
01067 NICKEL, TOTAL (UG/L AS NI)	04/23/90-11/18/97	37	7.	10.716	38.	2.	88.244	9.394	3.	4.	17.5	25.
01077 SILVER, TOTAL (UG/L AS AG)	04/23/90-11/18/97	37 ##	2.	2.068	5.	0.5	3.405	1.845	0.5	0.5	3.75	5.
01087 VANADIUM, TOTAL (UG/L AS V)	06/25/90-11/18/97	36	12.	13.625	53.	2.5	82.948	9.108	5.7	7.	18.75	21.6
01092 ZINC, TOTAL (UG/L AS ZN)	04/23/90-11/18/97	37	31.	40.892	176.	15.	1039.099	32.235	16.	19.5	47.5	91.
01097 ANTIMONY, TOTAL (UG/L AS SB)	04/23/90-11/18/97	37 ##	25.	29.	152.	5.	712.556	26.694	5.	15.	25.	57.8
01105 ALUMINUM, TOTAL (UG/L AS AL)	04/23/90-11/18/97	37	3060.	4774.027	24000.	303.	24919528.749	4991.946	548.6	1160.	7768.	11770.
01147 SELENIUM, TOTAL (UG/L AS SE)	04/23/90-11/18/97	31 ##	1.	3.5	25.	0.5	40.	6.325	0.6	1.	3.	13.
31616 FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	04/23/90-11/18/97	36	65.	336.167	4500.	3.	652846.886	807.989	5.	20.	300.	730.
31616 LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	04/23/90-11/18/97	36	1.812	1.878	3.653	0.477	0.635	0.797	0.699	1.301	2.477	2.862
31616 GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	04/23/90-11/18/97	36		75.537								
31673 FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	04/23/90-11/18/97	36	200.	1304.528	13000.	10.	6626591.799	2574.217	24.9	50.	1200.	5040.
31673 LOG FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	04/23/90-11/18/97	36	2.301	2.402	4.114	1.	0.726	0.852	1.368	1.699	3.074	3.701
31673 GM FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR	04/23/90-11/18/97	36		252.11								
34259 DELTA BENZENE HEXACHLORIDE TOTWUG/L	04/23/96-09/16/97	5 ##	0.025	0.025	0.025	0.025	0.	0.	**	**	**	**
34351 ENDOSULFAN SULFATE TOTWUG/L	04/23/96-09/16/97	5 ##	0.05	0.05	0.05	0.05	0.	0.	**	**	**	**
34356 ENDOSULFAN, BETA TOTWUG/L	04/23/96-09/16/97	5 ##	0.01	0.01	0.01	0.01	0.	0.	**	**	**	**
34361 ENDOSULFAN, ALPHA TOTWUG/L	04/23/96-09/16/97	5 ##	0.01	0.01	0.01	0.01	0.	0.	**	**	**	**
34671 PCB - 1016 TOTWUG/L	04/23/90-09/16/97	20 ##	0.25	0.25	0.25	0.25	0.	0.	0.25	0.25	0.25	0.25
39024 PROPAGINE,COULSON CONDUCTIVITY,WATER SAMPL(UG/L)	04/23/90-09/16/97	20 ##	0.15	0.285	0.6	0.15	0.045	0.212	0.15	0.15	0.6	0.6
39033 ATRAZINE IN WHOLE WATER SAMPLE UG/L	04/23/90-09/16/97	20 ##	0.595	0.612	2.2	0.15	0.276	0.525	0.15	0.15	0.6	1.48
39045 2,4,5-TP INCLUDES ACIDS & SALTS WATER SAMPL UG/L	04/23/90-09/16/97	20 ##	0.2	0.2	0.2	0.2	0.	0.	0.2	0.2	0.2	0.2
39055 SIMAZINE IN WHOLE WATER (UG/L)	08/23/94-09/16/97	10 ##	0.15	0.15	0.15	0.15	0.	0.	0.15	0.15	0.15	0.15
39300 P,P' DDT IN WHOLE WATER SAMPLE (UG/L)	04/23/96-09/16/97	5 ##	0.05	0.05	0.05	0.05	0.	0.	**	**	**	**
39310 P,P' DDD IN WHOLE WATER SAMPLE (UG/L)	04/23/96-09/16/97	5 ##	0.02	0.02	0.02	0.02	0.	0.	**	**	**	**
39320 P,P' DDE IN WHOLE WATER SAMPLE (UG/L)	04/23/96-09/16/97	5 ##	0.01	0.01	0.01	0.01	0.	0.	**	**	**	**
39330 ALDRIN IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	20 ##	0.013	0.013	0.013	0.013	0.	0.	0.013	0.013	0.013	0.013
39337 ALPHA BENZENE HEXACHLORIDE IN WHOLE WATER SAMP	04/23/96-09/16/97	5 ##	0.013	0.013	0.013	0.013	0.	0.	**	**	**	**
39338 BETA BENZENE HEXACHLORIDE IN WHOLE WATER SAMP	04/23/96-09/16/97	5 ##	0.025	0.025	0.025	0.025	0.	0.	**	**	**	**
39340 GAMMA-BHC(LINDANE),WHOLE WATER,UG/L	04/23/90-04/26/94	10 ##	0.013	0.014	0.025	0.013	0.	0.004	0.013	0.013	0.013	0.024
39350 CHLORDANE(TECH MIX & METABS),WHOLE WATER,UG/L	04/23/90-09/16/97	20 ##	0.1	0.1	0.1	0.1	0.	0.	0.1	0.1	0.1	0.1
39356 METOLACHLOR(DUAL) IN WHOLE WATER UG/L	04/23/90-09/16/97	20 ##	0.125	0.179	1.2	0.125	0.058	0.24	0.125	0.125	0.125	0.125
39380 DIELDRIN IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	20 ##	0.025	0.025	0.025	0.025	0.	0.	0.025	0.025	0.025	0.025
39390 ENDRIN IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	20 ##	0.05	0.05	0.05	0.05	0.	0.	0.05	0.05	0.05	0.05
39400 TOXAPHENE IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	20 ##	1.	1.	1.	1.	0.	0.	1.	1.	1.	1.
39410 HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	20 ##	0.01	0.01	0.01	0.01	0.	0.	0.01	0.01	0.01	0.01
39420 HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	20 ##	0.01	0.01	0.01	0.01	0.	0.	0.01	0.01	0.01	0.01
39480 METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	20 ##	0.1	0.1	0.1	0.1	0.	0.	0.1	0.1	0.1	0.1
39488 PCB - 1221 IN THE WHOLE WATER SAMPLE UG/L	04/23/90-09/16/97	20 ##	1.25	1.063	1.25	0.5	0.111	0.333	0.5	0.688	1.25	1.25
39492 PCB - 1232 PCB SERIES WHOLE WATER SAMPLE UG/L	04/23/90-09/16/97	20 ##	0.25	0.25	0.25	0.25	0.	0.	0.25	0.25	0.25	0.25
39496 PCB - 1242 PCB SERIES WHOLE WATER SAMPLE UG/L	04/23/90-09/16/97	20 ##	0.25	0.25	0.25	0.25	0.	0.	0.25	0.25	0.25	0.25
39500 PCB - 1248 PCB SERIES WHOLE WATER SAMPLE UG/L	04/23/90-09/16/97	20 ##	0.25	0.25	0.25	0.25	0.	0.	0.25	0.25	0.25	0.25
39504 PCB - 1254 PCB SERIES WHOLE WATER SAMPLE UG/L	04/23/90-09/16/97	20 ##	0.25	0.25	0.25	0.25	0.	0.	0.25	0.25	0.25	0.25
39508 PCB - 1260 PCB SERIES WHOLE WATER SAMPLE UG/L	04/23/90-09/16/97	20 ##	0.25	0.25	0.25	0.25	0.	0.	0.25	0.25	0.25	0.25
39700 HEXACHLOROBENZENE IN WHOLE WATER SAMPLE (UG/L)	08/23/94-09/16/97	10 ##	0.05	0.05	0.05	0.05	0.	0.	0.05	0.05	0.05	0.05
39720 PICLORAM IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	20 ##	0.4	0.4	0.4	0.4	0.	0.	0.4	0.4	0.4	0.4
39730 2,4-D IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	20 ##	0.4	1.005	12.5	0.4	7.32	2.706	0.4	0.4	0.4	0.4
39740 2,4,5-T IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	20 ##	0.2	0.2	0.2	0.2	0.	0.	0.2	0.2	0.2	0.2
39770 DACTHAL (DCPA) IN WHOLE WATER SAMPLE (UG/L)	04/23/90-09/16/97	20 ##	0.025	0.025	0.025	0.025	0.	0.	0.025	0.025	0.025	0.025
39782 LINDANE IN WHOLE WATER SAMPLE (UG/L)	08/23/94-09/16/97	10 ##	0.013	0.013	0.013	0.013	0.	0.	0.013	0.013	0.013	0.013

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: FOLS0003

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
46373	DEETHYLATRAZINE, TOTAL, WATER UG/L	08/27/96-08/27/96	1	0.52	0.52	0.52	0.52	0.	0.	**	**	**
46374	DEISOPROPYLATRAZINE, TOTAL, WATER UG/L	08/27/96-08/27/96	1 ##	0.15	0.15	0.15	0.15	0.	0.	**	**	**
49251	LEAD, DRY WEIGHT, TISSUE/BIOTA, RECV UG/G	04/23/96-08/27/96	3 ##	0.05	0.05	0.05	0.05	0.	0.	**	**	**
49259	ACETOCHLOR, RECOVERABLE, WATER, UNFILTERED UG/L	04/23/96-09/16/97	5 ##	0.05	0.05	0.05	0.05	0.	0.	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	04/23/90-11/18/97	37	255.	319.27	687.	172.	23849.98	154.434	181.4	213.5	375.5
71900	MERCURY, TOTAL (UG/L AS HG)	04/23/90-09/16/97	21 ##	0.25	0.314	1.1	0.25	0.038	0.195	0.25	0.25	0.25
77729	RAMROD WHOLE WATER,UG/L	04/23/90-09/16/97	20 ##	0.125	0.125	0.125	0.125	0.	0.	0.125	0.125	0.125
77780	BLADEX 2-(4-CHLORO-6-ETHYLAMINO-S*WHOLE WATER,UG/L	04/23/90-09/16/97	20 ##	0.25	0.25	0.25	0.25	0.	0.	0.25	0.25	0.25
77825	ALACHLOR WHOLE WATER,UG/L	04/23/90-09/16/97	20 ##	0.05	0.078	0.17	0.05	0.002	0.041	0.05	0.05	0.125
77860	BUTACHLOR WHOLE WATER,UG/L	08/23/94-09/16/97	10 ##	0.25	0.25	0.25	0.25	0.	0.	0.25	0.25	0.25
81405	CARBOFURAN (EURADAN) WHOLE WATER SAMPLE UG/L	04/23/96-09/16/97	5 ##	0.25	0.25	0.25	0.25	0.	0.	**	**	**
81408	METRIBUZIN (SENCOR), WATER, WHOLE UG/L	04/23/90-09/16/97	20 ##	0.05	0.05	0.05	0.05	0.	0.	0.05	0.05	0.05
82079	TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU	04/23/90-04/23/90	1	53.	53.	53.	53.	0.	0.	**	**	**
82298	BROMIDE DISSOLVED AS BR IN WATER UG/L	03/28/95-11/18/97	17	0.09	0.131	0.38	0.005	0.013	0.114	0.033	0.045	0.235

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: FOLS0003

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/31	11/01-3/14	3/15-6/30	n/a
			Obs			Obs	Obs	Obs	Obs
00076	TURBIDITY, HACH TURBIDIMETER	Other-Hi Lim.	50.	36	17	0.47	14	9	0.64
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	36 &	3	0.08	14	2	0.14
00400	PH	Fresh Chronic	9.	36	0	0.00	13	0	0.00
		Other-Lo Lim.	6.5	36	0	0.00	13	0	0.00
00403	PH, LAB	Fresh Chronic	9.	1	0	0.00	1	0	0.00
		Other-Lo Lim.	6.5	1	0	0.00	1	0	0.00
00613	NITRITE NITROGEN, DISSOLVED AS N	Drinking Water	1.	11	0	0.00	4	0	0.00
00618	NITRATE NITROGEN, DISSOLVED AS N	Drinking Water	10.	18	0	0.00	6	0	0.00
00630	NITRITE PLUS NITRATE, TOTAL I DET.	Drinking Water	10.	19	0	0.00	8	0	0.00
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	19	0	0.00	8	0	0.00
		Drinking Water	250.	19	0	0.00	8	0	0.00
00941	CHLORIDE, DISSOLVED IN WATER	Fresh Acute	860.	18	0	0.00	6	0	0.00
		Drinking Water	250.	18	0	0.00	6	0	0.00
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	19	0	0.00	8	0	0.00
00946	SULFATE, DISSOLVED (AS SO4)	Drinking Water	250.	18	0	0.00	6	0	0.00
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	18	0	0.00	6	0	0.00
00951	FLUORIDE, TOTAL AS F	Drinking Water	4.	5	0	0.00	2	0	0.00
01002	ARSENIC, TOTAL	Fresh Acute	360.	37	0	0.00	14	0	0.00
		Drinking Water	50.	37	0	0.00	14	0	0.00
01007	BARIUM, TOTAL	Drinking Water	2000.	37	0	0.00	14	0	0.00
01012	BERYLLIUM, TOTAL	Fresh Acute	130.	37	0	0.00	14	0	0.00
		Drinking Water	4.	37	0	0.00	14	0	0.00
01027	CADMIUM, TOTAL	Fresh Acute	3.9	37	0	0.00	14	0	0.00
		Drinking Water	5.	37	0	0.00	14	0	0.00
01034	CHROMIUM, TOTAL	Drinking Water	100.	37	0	0.00	14	0	0.00
01042	COPPER, TOTAL	Fresh Acute	18.	37	12	0.32	14	4	0.29
		Drinking Water	1300.	37	0	0.00	14	0	0.00
01051	LEAD, TOTAL	Fresh Acute	82.	31	0	0.00	12	0	0.00
		Drinking Water	15.	30 &	3	0.10	12	2	0.17
01059	THALLIUM, TOTAL	Fresh Acute	1400.	25	0	0.00	10	0	0.00
		Drinking Water	2.	2 &	2	1.00	1	1	1.00
01067	NICKEL, TOTAL	Fresh Acute	1400.	37	0	0.00	14	0	0.00
		Drinking Water	100.	37	0	0.00	14	0	0.00
01077	SILVER, TOTAL	Fresh Acute	4.1	28 &	0	0.00	10	0	0.00
		Drinking Water	100.	37	0	0.00	14	0	0.00
01092	ZINC, TOTAL	Fresh Acute	120.	37	1	0.03	14	1	0.07
		Drinking Water	5000.	37	0	0.00	14	0	0.00
01097	ANTIMONY, TOTAL	Fresh Acute	88.	37	1	0.03	14	0	0.00
		Drinking Water	6.	10 &	6	0.60	4	2	0.50

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: FOLS0003

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----7/01-10/31-----			-----11/01-3/14-----			-----3/15-6/30-----			-----n/a-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
01147 SELENIUM, TOTAL	Fresh Acute	20.	29 &	0	0.00	11	0	0.00	7	0	0.00	11	0	0.00			
	Drinking Water	50.	31	0	0.00	12	0	0.00	7	0	0.00	12	0	0.00			
31616 FECAL COLIFORM, MEMBRANE FILTER, BROTH	Other-Hi Lim.	200.	36	14	0.39	14	7	0.50	7	1	0.14	15	6	0.40			
34356 ENDOSULFAN, BETA, TOTAL	Fresh Acute	0.22	5	0	0.00	2	0	0.00				3	0	0.00			
34361 ENDOSULFAN, ALPHA, TOTAL	Fresh Acute	0.22	5	0	0.00	2	0	0.00				3	0	0.00			
39033 ATRAZINE IN WHOLE WATER SAMPLE	Drinking Water	3.	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
39045 2,4,5-TP INCLUDES ACIDS & SALTS WATER SA	Drinking Water	50.	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
39055 SIMAZINE IN WHOLE WATER	Drinking Water	4.	10	0	0.00	4	0	0.00	2	0	0.00	4	0	0.00			
39300 P,P' DDT IN WHOLE WATER SAMPLE	Fresh Acute	1.1	5	0	0.00	2	0	0.00				3	0	0.00			
39310 P,P' DDD IN WHOLE WATER SAMPLE	Fresh Acute	0.6	5	0	0.00	2	0	0.00				3	0	0.00			
39320 P,P' DDE IN WHOLE WATER SAMPLE	Fresh Acute	1050.	5	0	0.00	2	0	0.00				3	0	0.00			
39330 ALDRIN IN WHOLE WATER SAMPLE	Fresh Acute	3.	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
39340 GAMMA-BHC(LINDANE), WHOLE WATER	Fresh Acute	2.	10	0	0.00	3	0	0.00	2	0	0.00	5	0	0.00			
	Drinking Water	0.2	10	0	0.00	3	0	0.00	2	0	0.00	5	0	0.00			
39350 CHLORDANE(TECH MIX & METABS), WHOLE WATE	Fresh Acute	2.4	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
	Drinking Water	2.	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
39380 DIELDRIN IN WHOLE WATER SAMPLE	Fresh Acute	2.5	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
39390 ENDRIN IN WHOLE WATER SAMPLE	Fresh Acute	0.18	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
	Drinking Water	2.	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
39400 TOXAPHENE IN WHOLE WATER SAMPLE	Fresh Acute	0.73	0 &	0	0.00												
	Drinking Water	3.	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
39410 HEPTACHLOR IN WHOLE WATER SAMPLE	Fresh Acute	0.52	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
	Drinking Water	0.4	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
39420 HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE	Fresh Acute	0.52	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
	Drinking Water	0.2	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
39480 METHOXYCHLOR IN WHOLE WATER SAMPLE	Drinking Water	40.	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
39700 HEXACHLOROBENZENE IN WHOLE WATER SAMPLE	Fresh Acute	6.	10	0	0.00	4	0	0.00	2	0	0.00	4	0	0.00			
	Drinking Water	1.	10	0	0.00	4	0	0.00	2	0	0.00	4	0	0.00			
39720 PICLORAM IN WHOLE WATER SAMPLE	Drinking Water	500.	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
39730 2,4-D IN WHOLE WATER SAMPLE	Drinking Water	70.	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00			
39782 LINDANE IN WHOLE WATER SAMPLE	Fresh Acute	2.	10	0	0.00	4	0	0.00	2	0	0.00	4	0	0.00			
	Drinking Water	0.2	10	0	0.00	4	0	0.00	2	0	0.00	4	0	0.00			
71900 MERCURY, TOTAL	Fresh Acute	2.4	21	0	0.00	7	0	0.00	5	0	0.00	9	0	0.00			
	Drinking Water	2.	21	0	0.00	7	0	0.00	5	0	0.00	9	0	0.00			
81405 CARBOFURAN (EURADAN) WHOLE WATER SAMPLE	Drinking Water	40.	5	0	0.00	2	0	0.00				3	0	0.00			
82079 TURBIDITY, LAB	Other-Hi Lim.	50.	1	1	1.00							1	1	1.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: FOLS0004

NPS Station ID: FOLS0004
 Location: PAWNEE R AT ROZEL, KS
 Station Type: /TYPA/AMBNT/STREAM
 RMI-Indexes:
 RMI-Miles:
 HUC: 11030005
 Major Basin:
 Minor Basin:
 RF1 Index: 11030005
 RF3 Index:
 Description:

LAT/LON: 38.200004/ -99.347227

Depth of Water: 0
 Elevation: 0

RF1 Mile Point: 0.000
 RF3 Mile Point: 0.00

Agency: 112WRD
 FIPS State/County: 20145 KANSAS/PAWNEE
 STORET Station ID(s): 07141200
 Within Park Boundary: No

Date Created: / /

Aquifer:
 Water Body ID:
 ECO Region:
 Distance from RF1: 0.00
 Distance from RF3: 0.00

On/Off RF1:
 On/Off RF3:

Parameter Inventory for Station: FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	198	17.6	15.961	30.	71.587	8.461	3.5	7.95	23.	26.
00060p	FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	144	6.	389.69	15800.	0.01	2818010.846	1678.693	0.1	0.75	49.75
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	130	34.5	819.486	15800.	0.01	4235792.077	2058.104	0.72	4.	660.75
00070	TURBIDITY, (JACKSON CANDLE UNITS)	10/15/73-06/25/75	20	70.	367.35	2600.	2.	566916.029	752.938	3.4	9.75	172.5
00075p	TURBIDITY, HELLOGE (PPM AS SILICON DIOXIDE)	02/10/65-09/06/73	52	150.	641.019	4200.	7.	1260907.509	1122.901	18.	40.	395.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	180	380.	487.967	1860.	110.	82218.066	286.737	220.	262.5	720.
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	158	7.6	7.651	8.6	6.8	0.119	0.345	7.2	7.4	7.9
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	158	7.6	7.529	8.6	6.8	0.134	0.367	7.2	7.4	7.9
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	158	0.025	0.03	0.158	0.003	0.001	0.023	0.006	0.013	0.04
00405	CARBON DIOXIDE (MG/L AS CO2)	11/09/71-06/25/75	42	9.8	11.421	25.	1.2	34.238	5.851	5.58	7.6	13.5
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	123	166.	196.626	377.	76.	6847.22	82.748	108.	122.	276.
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	123	202.	239.033	460.	93.	10122.409	100.61	132.	150.	334.
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	123	0.	0.618	26.	0.	13.861	3.723	0.	0.	0.
00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	11/09/71-06/25/75	42	0.29	0.46	2.1	0.02	0.236	0.486	0.09	0.133	0.698
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	102	0.54	0.66	3.3	0.1	0.241	0.491	0.3	0.38	0.745
00665	PHOSPHORUS, TOTAL (MG/L AS P)	11/09/71-06/25/75	42	0.18	0.215	0.75	0.04	0.017	0.132	0.103	0.12	0.28
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	123	180.	217.618	460.	68.	10849.107	104.159	110.	124.	310.
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	123	8.	21.967	150.	0.	909.442	30.157	0.	0.	31.
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	123	61.	70.715	140.	24.	951.156	30.841	37.	44.	96.
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	123	7.6	9.808	26.	1.3	47.027	6.858	2.8	4.1	15.
00930p	SODIUM, DISSOLVED (MG/L AS NA)	10/16/61-06/25/75	123	13.	20.294	60.	1.2	252.702	15.897	4.	6.	35.
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	123	0.5	0.543	1.3	0.	0.112	0.335	0.2	0.2	0.9
00932p	SODIUM, PERCENT	10/16/61-06/25/75	123	13.	13.707	27.	1.	34.34	5.86	6.	9.	18.
00933	SODIUM,PLUS POTASSIUM (MG/L)	10/16/61-11/13/61	2	32.	32.	35.	29.	18.	4.243	**	**	**
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	121	12.	11.455	20.	5.5	5.513	2.348	8.5	10.	13.
00940p	CHLORIDE,TOTAL IN WATER MG/L	10/16/61-06/25/75	123	16.	22.374	86.	1.	332.302	18.229	4.	8.	36.
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	123	28.	40.317	150.	3.	1136.431	33.711	8.	14.	62.
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	123	0.4	0.454	1.	0.1	0.024	0.154	0.3	0.4	0.5
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	123	16.	16.421	31.	8.2	20.412	4.518	11.	13.	20.
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	123	130.	131.789	410.	10.	3554.152	59.617	60.	80.	160.
01022	BORON, TOTAL (UG/L AS B)	10/16/61-09/18/62	11	160.	163.636	410.	70.	8605.455	92.766	70.	120.	190.
01045	IRON, TOTAL (UG/L AS FE)	10/16/61-04/02/69	12	70.	232.5	1800.	10.	251147.727	501.146	10.	17.5	205.
01046p	IRON, DISSOLVED (UG/L AS FE)	10/16/61-04/03/75	38	60.	96.579	620.	10.	12574.467	112.136	19.	30.	110.
01055	MANGANESE, TOTAL (UG/L AS MN)	10/16/61-04/02/69	14	0.	23.571	200.	0.	3132.418	55.968	0.	0.	15.
01056p	MANGANESE, DISSOLVED (UG/L AS MN)	10/16/61-04/03/75	36	0.	35.833	290.	0.	5890.714	76.751	0.	0.	5.
70300p	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	10/16/61-06/25/75	123	275.	322.179	700.	107.	22977.492	151.583	166.6	187.	450.
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	10/06/67-06/25/75	66	220.	302.697	683.	123.	23771.476	154.18	154.7	175.75	439.25
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	123	4.58	118.036	2310.	0.01	125870.631	354.783	0.094	0.66	27.2

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	123	0.37	0.438	0.95	0.15	0.043	0.206	0.224	0.25	0.61	0.76
70326	SUS SED FALL DIA(NATIVEWATER)% FINER THAN .002MM	05/13/64-05/13/64	1	8.	8.	8.	8.	0.	0.	**	**	**	**
70327	SUS SED FALL DIA(NATIVEWATER)% FINER THAN .004MM	05/13/64-05/13/64	1	26.	26.	26.	26.	0.	0.	**	**	**	**
70329	SUS SED FALL DIA(NATIVEWATER)% FINER THAN .016MM	05/13/64-05/13/64	1	98.	98.	98.	98.	0.	0.	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/28/58-07/20/93	14	100.	96.286	100.	70.	69.451	8.334	78.5	96.75	100.	100.
70332	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .125MM	08/03/62-08/03/62	1	88.	88.	88.	88.	0.	0.	**	**	**	**
70333	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .250MM	08/03/62-08/03/62	1	90.	90.	90.	90.	0.	0.	**	**	**	**
70334	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .500MM	08/03/62-08/03/62	1	98.	98.	98.	98.	0.	0.	**	**	**	**
70335	SUSPENDED SED SIEVE DIAMETER,% FINER THAN 1.00MM	08/03/62-08/03/62	1	100.	100.	100.	100.	0.	0.	**	**	**	**
70337	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .002MM	07/28/58-06/16/81	24	72.5	71.375	89.	19.	229.723	15.157	52.	66.5	81.75	86.5
70338	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .004MM	07/28/58-06/29/90	29	85.	81.138	96.	8.	392.623	19.815	71.	79.5	92.	95.
70340	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .016MM	07/28/58-06/16/81	25	96.	88.52	99.	0.	544.343	23.331	60.2	91.	97.	99.
70342	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .062MM	07/28/58-06/16/81	21	100.	99.333	100.	96.	1.333	1.155	97.2	99.	100.	100.
70343	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .125MM	10/16/62-06/16/81	7	100.	99.286	100.	97.	1.571	1.254	**	**	**	**
70344	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .250MM	10/16/62-06/25/75	2	99.5	99.5	100.	99.	0.5	0.707	**	**	**	**
70345	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .500MM	06/25/75-06/25/75	1	100.	100.	100.	100.	0.	0.	**	**	**	**
71850	NITRATE NITROGEN,TOTAL (MG/L AS NO3)	10/16/61-09/18/62	11	0.5	2.391	7.1	0.4	8.195	2.863	0.4	0.4	6.6	7.
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	123	1.8	2.447	9.5	0.	4.311	2.076	0.4	0.8	3.8	5.3
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	05/05/58-07/20/93	107	359.	1058.822	5340.	17.	1519197.6	1232.557	82.2	176.	1760.	2940.
80155p	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	05/05/58-12/07/81	95	20.	4104.151	61000.	0.01	93597668.073	9674.589	0.156	1.4	3230.	11440.
80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	06/04/65-06/04/65	1	84.	84.	84.	84.	0.	0.	**	**	**	**
80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	06/04/65-06/04/65	1	90.	90.	90.	90.	0.	0.	**	**	**	**
80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	06/04/65-06/04/65	1	95.	95.	95.	95.	0.	0.	**	**	**	**
80162	BED MATERIAL FALL DIAMETER, % FINER THAN 1.00MM	06/04/65-06/04/65	1	100.	100.	100.	100.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: FOLS0004


Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----7/01-10/31-----			-----11/01-3/14-----			-----3/15-6/30-----			-----n/a-----		
			Obs			Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00070	TURBIDITY, JACKSON CANDLE UNITS	Other-Hi Lim.	50.	20	11	0.55	4	1.00	9	2	0.22	7	5	0.71			
00400	PH	Fresh Chronic	9.	158	0	0.00	54	0	0.00	45	0	0.00	59	0	0.00		
		Other-Lo Lim.	6.5	158	0	0.00	54	0	0.00	45	0	0.00	59	0	0.00		
00618	NITRATE NITROGEN, DISSOLVED AS N	Drinking Water	10.	42	0	0.00	11	0	0.00	17	0	0.00	14	0	0.00		
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	123	0	0.00	38	0	0.00	41	0	0.00	44	0	0.00		
		Drinking Water	250.	123	0	0.00	38	0	0.00	41	0	0.00	44	0	0.00		
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	123	0	0.00	38	0	0.00	41	0	0.00	44	0	0.00		
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	123	0	0.00	38	0	0.00	41	0	0.00	44	0	0.00		
71850	NITRATE NITROGEN, TOTAL (AS NO3)	Drinking Water	44.	11	0	0.00	4	0	0.00	4	0	0.00	3	0	0.00		
71851	NITRATE NITROGEN, DISSOLVED (AS NO3)	Drinking Water	44.	123	0	0.00	38	0	0.00	41	0	0.00	44	0	0.00		

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station: FOLS0004 Parameter Code: 00060

FLOW, STREAM, MEAN DAILY

(X 1000)




PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00075

TURBIDITY, HELIGE (PPM AS SILICON DIOX

(X 1000)




PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00095

(X 1000)


SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00400


PH (STANDARD UNITS)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00410


ALKALINITY, TOTAL (MG/L AS CaCO3)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00440


BICARBONATE ION (MG/L AS HCO_3)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00445


CARBONATE ION (MG/L AS CO3)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00650


PHOSPHATE, TOTAL (MG/L AS P04)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00900


HARDNESS, TOTAL (MG/L AS CaCO3)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00902


HARDNESS, NON-CARBONATE (MG/L AS CaCO3)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00915


CALCIUM, DISSOLVED (MG/L AS CA)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00925


MAGNESIUM, DISSOLVED (MG/L AS MG)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00930


SODIUM, DISSOLVED (MG/L AS NA)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00931


SODIUM ADSORPTION RATIO



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00932


SODIUM, PERCENT



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00935


POTASSIUM, DISSOLVED (MG/L AS K)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00940


CHLORIDE, TOTAL IN WATER



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00945


SULFATE, TOTAL (MG/L AS SO4)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00950


FLUORIDE, DISSOLVED (MG/L AS F)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00955


SILICA, DISSOLVED (MG/L AS SI02)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 01020


BORON, DISSOLVED (UG/L AS B)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 01046


IRON, DISSOLVED (UG/L AS FE)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 01056


MANGANESE, DISSOLVED (UG/L AS MN)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 70300


RESIDUE, TOTAL FILTRABLE (DRIED AT 180C)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 70302


SOLIDS, DISSOLVED-TONS PER DAY



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 70303


SOLIDS, DISSOLVED-TONS PER ACRE-FT



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 71851

NITRATE NITROGEN, DISSOLVED (MG/L AS NO




PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 80154

SUSP. SEDIMENT CONCENTRATION-EVAP. AT 1

(X 1000)




PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 80155

SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)

(X 10000)



PAWNEE R AT ROZEL, KS

Annual Analysis for 1958 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00060p FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	3	10500.	8880.667	15800.	342.	61704121.333	7855.197	**	**	**	**
00061 FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	3	10500.	8880.667	15800.	342.	61704121.333	7855.197	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1959 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	1	18.9	18.9	18.9	18.9	0.	0.	**	**	**	**
00060p FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	2	662.	662.	990.	334.	215168.	463.862	**	**	**	**
00061 FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	2	662.	662.	990.	334.	215168.	463.862	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1960 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	1	25.6	25.6	25.6	25.6	0.	0.	**	**	**	**
00060p FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	1	9.	9.	9.	9.	0.	0.	**	**	**	**
00061 FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	1	9.	9.	9.	9.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1961 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00060p FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	3	5.	4.667	5.	4.	0.333	0.577	**	**	**	**
00061 FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	3	5.	4.667	5.	4.	0.333	0.577	**	**	**	**
00095p SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	3	750.	750.	780.	720.	900.	30.	**	**	**	**
00400p PH (STANDARD UNITS)	10/16/61-06/07/95	3	8.2	8.	8.3	7.5	0.19	0.436	**	**	**	**
00400p CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	3	8.2	7.844	8.3	7.5	0.226	0.476	**	**	**	**
00400p MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	3	0.006	0.014	0.032	0.005	0.	0.015	**	**	**	**
00410p ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	3	296.	300.667	317.	289.	212.333	14.572	**	**	**	**
00440p BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	3	361.	349.	386.	300.	1957.	44.238	**	**	**	**
00445p CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	3	0.	8.667	26.	0.	225.333	15.011	**	**	**	**
00900p HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	3	320.	324.	338.	314.	156.	12.49	**	**	**	**
00902p HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	3	22.	23.667	31.	18.	44.333	6.658	**	**	**	**
00915p CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	3	110.	110.	114.	106.	16.	4.	**	**	**	**
00925p MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	3	12.	12.	13.	11.	1.	1.	**	**	**	**
00930p SODIUM, DISSOLVED (MG/L AS Na)	10/16/61-06/25/75	3	29.	30.667	35.	28.	14.333	3.786	**	**	**	**
00931p SODIUM ADSORPTION RATIO	10/16/61-06/25/75	3	0.7	0.733	0.8	0.7	0.003	0.058	**	**	**	**
00932p SODIUM, PERCENT	10/16/61-06/25/75	3	17.	16.667	18.	15.	2.333	1.528	**	**	**	**
00935p POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	1	11.	11.	11.	11.	0.	0.	**	**	**	**
00940p CHLORIDE, TOTAL IN WATER MG/L	10/16/61-06/25/75	3	23.	23.333	25.	22.	2.333	1.528	**	**	**	**
00945p SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	3	61.	56.667	62.	47.	70.333	8.386	**	**	**	**
00950p FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	3	0.3	0.333	0.4	0.3	0.003	0.058	**	**	**	**
00955p SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	3	22.	22.333	23.	22.	0.333	0.577	**	**	**	**
01020p BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	3	190.	253.333	410.	160.	18633.333	136.504	**	**	**	**
70300p RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), MG/L	10/16/61-06/25/75	3	443.	438.667	444.	429.	70.333	8.386	**	**	**	**
70302p SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	3	5.63	5.573	6.46	4.63	0.84	0.916	**	**	**	**
70303p SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	3	0.6	0.593	0.6	0.58	0.	0.012	**	**	**	**
71851p NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	3	0.4	0.4	0.4	0.4	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1962 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	2	9.45	9.45	11.1	7.8	5.445	2.333	**	**	**	**
00060p	FLOW, STREAM, MEAN DAILY CFS	15	21.	627.933	4950.	7.	2446053.352	1563.986	7.6	20.	132.	4350.
00061	FLOW, STREAM, INSTANTANEOUS CFS	10	156.	1439.6	4950.	7.	4885144.044	2210.236	7.1	9.5	4200.	4950.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11	790.	635.455	940.	230.	85007.273	291.56	240.	280.	900.	932.
00400p	PH (STANDARD UNITS)	11	7.8	7.755	8.	7.4	0.049	0.221	7.42	7.6	8.	8.
00400p	CONVERTED PH (STANDARD UNITS)	11	7.8	7.703	8.	7.4	0.052	0.227	7.42	7.6	8.	8.
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11	0.016	0.02	0.04	0.01	0.	0.01	0.01	0.01	0.025	0.038
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	11	278.	246.273	350.	108.	11028.218	105.015	108.8	118.	346.	349.8
00440p	BICARBONATE ION (MG/L AS HCO3)	11	339.	300.273	427.	132.	16363.818	127.921	133.	144.	422.	426.6
00445p	CARBONATE ION (MG/L AS CO3)	11	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	10	0.7	0.65	1.	0.4	0.047	0.217	0.4	0.4	0.825	0.99
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	11	320.	277.182	418.	104.	16561.764	128.693	107.2	120.	394.	415.6
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	11	42.	31.545	72.	0.	589.873	24.287	0.4	6.	46.	68.8
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	11	100.	87.727	128.	37.	1516.218	38.939	37.	41.	123.	127.6
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	11	16.	14.1	25.	2.8	61.3	7.829	3.1	6.3	21.	24.2
00930p	SODIUM, DISSOLVED (MG/L AS Na)	11	30.	23.709	47.	1.7	268.681	16.391	1.94	6.	37.	45.6
00931p	SODIUM ADSORPTION RATIO	11	0.7	0.555	1.	0.1	0.105	0.324	0.1	0.2	0.8	0.98
00932p	SODIUM, PERCENT	11	15.	12.727	20.	3.	31.018	5.569	3.4	7.	17.	19.6
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	11	12.	11.545	14.	8.	3.873	1.968	8.2	10.	13.	14.
00940p	CHLORIDE, TOTAL IN WATER MG/L	11	29.	23.818	41.	4.	216.164	14.703	4.4	7.	37.	40.8
00945p	SULFATE, TOTAL (MG/L AS SO4)	11	69.	52.909	91.	3.	1230.491	35.078	4.4	15.	81.	90.6
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	11	0.4	0.4	0.5	0.1	0.018	0.134	0.12	0.4	0.5	0.5
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	11	20.	18.818	25.	12.	22.164	4.708	12.2	13.	23.	24.8
01020p	BORON, DISSOLVED (UG/L AS B)	11	160.	147.273	210.	70.	2601.818	51.008	70.	120.	210.	210.
70300p	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), MG/L	11	458.	392.091	586.	147.	32788.891	181.077	151.8	176.	561.	582.4
70302p	SOLIDS, DISSOLVED-TONS PER DAY	11	31.8	379.677	1970.	7.55	584708.271	764.662	8.14	15.8	83.1	1952.
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	11	0.62	0.532	0.8	0.2	0.061	0.246	0.206	0.24	0.76	0.794
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	11	1.	2.445	7.1	0.4	7.989	2.826	0.4	0.4	6.6	7.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1963 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	15	21.7	16.787	27.2	0.	109.231	10.451	0.	6.7	25.	26.9
00060p	FLOW, STREAM, MEAN DAILY CFS	32	11.	111.431	1080.	0.4	84671.734	290.984	2.	3.25	29.5	614.3
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11	550.	618.182	960.	280.	78176.364	279.6	286.	320.	900.	954.
00400p	PH (STANDARD UNITS)	11	7.7	7.791	8.6	7.4	0.107	0.327	7.42	7.6	8.	8.48
00400p	CONVERTED PH (STANDARD UNITS)	11	7.7	7.707	8.6	7.4	0.115	0.339	7.42	7.6	8.	8.48
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11	0.02	0.02	0.04	0.003	0.	0.011	0.004	0.01	0.025	0.038
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	11	221.	225.909	336.	122.	7991.291	89.394	123.2	140.	312.	333.6
00440p	BICARBONATE ION (MG/L AS HCO3)	11	217.	270.818	410.	149.	12199.164	110.45	150.4	171.	381.	407.
00445p	CARBONATE ION (MG/L AS CO3)	11	0.	2.364	26.	0.	61.455	7.839	0.	0.	0.	20.8
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	9	0.6	0.522	0.7	0.1	0.039	0.199	0.1	0.4	0.65	0.7
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	11	220.	262.364	396.	120.	13482.255	116.113	122.8	148.	382.	394.8
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	11	44.	37.273	78.	0.	969.018	31.129	0.	8.	70.	76.8
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	11	75.	80.364	119.	41.	1019.455	31.929	41.6	51.	113.	118.2
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	11	13.	15.027	26.	4.3	83.53	9.139	4.46	5.9	25.	25.8
00930p	SODIUM, DISSOLVED (MG/L AS Na)	11	23.	25.391	48.	2.8	332.569	18.236	3.2	8.2	42.	48.
00931p	SODIUM ADSORPTION RATIO	11	0.7	0.627	1.1	0.1	0.14	0.374	0.12	0.3	0.9	1.1
00932p	SODIUM, PERCENT	11	18.	14.364	21.	4.	35.255	5.938	4.6	9.	19.	20.8
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	11	12.	11.964	17.	8.7	5.393	2.322	8.82	9.6	13.	16.2
00940p	CHLORIDE, TOTAL IN WATER MG/L	11	18.	25.636	47.	5.	334.455	18.288	5.2	7.	44.	47.
00945p	SULFATE, TOTAL (MG/L AS SO4)	11	80.	58.455	101.	7.	1561.473	39.515	7.4	19.	97.	100.2
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	11	0.5	0.518	0.7	0.3	0.016	0.125	0.3	0.5	0.6	0.68
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	11	15.	15.818	23.	11.	11.364	3.371	11.4	13.	17.	22.4
01020p	BORON, DISSOLVED (UG/L AS B)	11	150.	138.182	210.	80.	1976.364	44.456	80.	100.	180.	204.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1963 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
70300p	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	10/16/61-06/25/75	11	336.	380.	592.	177.	28241.4	168.052	180.4	216.	548.	585.6
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	11	10.3	63.045	566.	0.31	27974.25	167.255	0.42	2.57	28.1	459.64
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	11	0.46	0.517	0.81	0.24	0.053	0.23	0.244	0.29	0.75	0.8
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	11	2.4	2.464	5.8	0.5	2.573	1.604	0.54	1.1	3.5	5.48

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1964 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	5	5.	8.12	22.8	0.	94.752	9.734	**	**	**	**
00060p	FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	15	3.	213.667	1030.	0.2	163333.357	404.145	0.62	2.	226.	1024.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	7	680.	574.286	800.	190.	51695.238	227.366	**	**	**	**
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	7	7.6	7.686	8.1	7.4	0.071	0.267	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	7	7.6	7.625	8.1	7.4	0.076	0.275	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	7	0.025	0.024	0.04	0.008	0.	0.012	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	7	276.	249.857	336.	108.	8222.143	90.676	**	**	**	**
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	7	337.	304.714	410.	132.	12208.571	110.492	**	**	**	**
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	7	0.	0.	0.	0.	0.	0.	**	**	**	**
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	7	284.	255.429	357.	98.	10348.619	101.728	**	**	**	**
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	7	4.	7.857	22.	0.	95.476	9.771	**	**	**	**
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	7	99.	85.	115.	36.	1045.667	32.337	**	**	**	**
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	7	9.	10.543	17.	2.	29.196	5.403	**	**	**	**
00930p	SODIUM, DISSOLVED (MG/L AS Na)	10/16/61-06/25/75	7	24.	24.1	41.	6.7	202.203	14.22	**	**	**	**
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	7	0.6	0.629	1.	0.3	0.076	0.275	**	**	**	**
00932p	SODIUM, PERCENT	10/16/61-06/25/75	7	13.	15.	22.	11.	17.333	4.163	**	**	**	**
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	7	13.	12.386	15.	6.7	7.508	2.74	**	**	**	**
00940p	CHLORIDE,TOTAL IN WATER MG/L	10/16/61-06/25/75	7	24.	24.429	44.	1.	260.619	16.144	**	**	**	**
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	7	29.	33.571	58.	5.	460.286	21.454	**	**	**	**
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	7	0.3	0.343	0.4	0.3	0.003	0.053	**	**	**	**
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	7	17.	16.543	25.	9.8	23.73	4.871	**	**	**	**
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	7	160.	147.143	190.	70.	1757.143	41.918	**	**	**	**
70300p	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	10/16/61-06/25/75	7	440.	365.714	511.	131.	20833.571	144.338	**	**	**	**
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	7	3.17	53.696	361.1	0.14	18377.255	135.563	**	**	**	**
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	7	0.6	0.497	0.69	0.18	0.038	0.194	**	**	**	**
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	7	0.8	2.257	4.4	0.4	3.796	1.948	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1965 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	19	14.9	15.511	26.6	0.	80.741	8.986	0.5	7.2	22.8	26.1
00060p	FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	20	2.3	152.34	995.	0.1	104797.689	323.725	0.1	0.1	147.25	959.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	10	370.	437.	720.	220.	37778.889	194.368	223.	280.	652.5	720.
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	10	7.7	7.68	8.	7.4	0.024	0.155	7.42	7.6	7.725	7.98
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	10	7.7	7.656	8.	7.4	0.025	0.157	7.42	7.6	7.725	7.98
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	10	0.02	0.022	0.04	0.01	0.	0.008	0.011	0.019	0.025	0.038
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	10	168.	189.8	298.	116.	5054.622	71.096	116.8	131.5	263.	297.8
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	10	205.	231.5	364.	142.	7540.056	86.833	142.9	160.	320.5	363.7
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	10	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	2	0.35	0.35	0.4	0.3	0.005	0.071	**	**	**	**
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	10	160.	183.4	286.	104.	5456.933	73.871	105.2	116.	270.5	285.8
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	10	0.	2.4	14.	0.	22.933	4.789	0.	0.	3.5	13.4
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	10	59.	61.8	96.	37.	522.178	22.851	37.	41.5	83.25	95.7

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1965 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	10	5.3	7.07	16.	1.3	25.756	5.075	1.38	2.625	11.5	15.7
00930p	SODIUM, DISSOLVED (MG/L AS NA)	10/16/61-06/25/75	10	12.	18.12	38.	5.1	173.244	13.162	5.38	8.425	35.	38.
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	10	0.45	0.55	1.	0.2	0.092	0.303	0.21	0.3	0.925	1.
00932p	SODIUM, PERCENT	10/16/61-06/25/75	10	13.	14.8	23.	9.	24.844	4.984	9.	11.25	20.25	22.8
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	10	13.	12.35	16.	6.5	7.781	2.789	6.85	10.75	14.25	15.9
00940p	CHLORIDE, TOTAL IN WATER MG/L	10/16/61-06/25/75	10	11.	16.7	39.	4.	179.789	13.409	4.	6.25	32.25	38.7
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	10	18.5	22.2	51.	8.	170.844	13.071	8.1	12.	30.	49.2
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	10	0.3	0.35	0.5	0.3	0.005	0.071	0.3	0.3	0.4	0.49
00955p	SILICA, DISSOLVED (MG/L AS SI02)	10/16/61-06/25/75	10	15.	14.9	19.	11.	6.544	2.558	11.1	12.75	16.5	18.9
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	10	180.	170.	300.	80.	4511.111	67.165	80.	110.	200.	293.
70300p	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), MG/L	10/16/61-06/25/75	10	236.	279.1	458.	169.	12847.878	113.348	169.1	188.75	399.5	456.5
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	10	2.15	55.323	454.	0.07	20342.674	142.628	0.073	0.115	25.135	417.28
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	10	0.32	0.379	0.62	0.23	0.023	0.152	0.23	0.26	0.54	0.618
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	10	2.1	2.21	4.2	0.	1.965	1.402	0.11	1.175	3.6	4.2

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1966 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	8	24.7	20.163	28.8	3.3	104.571	10.226	**	**	**	**
00060p	FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	9	0.3	1.588	11.	0.01	12.852	3.585	0.01	0.01	1.25	11.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	9	530.	472.222	630.	250.	18144.444	134.701	250.	345.	585.	630.
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	9	7.6	7.611	8.3	7.2	0.101	0.318	7.2	7.4	7.75	8.3
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	9	7.6	7.527	8.3	7.2	0.109	0.33	7.2	7.4	7.75	8.3
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	9	0.025	0.03	0.063	0.005	0.	0.018	0.005	0.018	0.041	0.063
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	9	212.	190.222	242.	90.	2758.444	52.521	90.	147.	234.	242.
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	9	259.	232.	295.	110.	4105.	64.07	110.	179.	285.5	295.
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	9	0.	2.111	19.	0.	40.111	6.333	0.	0.	0.	19.
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	9	0.4	0.478	0.7	0.3	0.019	0.139	0.3	0.4	0.6	0.7
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	9	224.	201.111	257.	108.	2842.861	53.318	108.	151.	243.	257.
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	9	6.	7.333	18.	0.	40.25	6.344	0.	1.5	12.5	18.
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	9	70.	66.333	85.	37.	246.5	15.7	37.	53.5	79.5	85.
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	9	11.	8.711	14.	2.9	15.549	3.943	2.9	4.75	11.5	14.
00930p	SODIUM, DISSOLVED (MG/L AS NA)	10/16/61-06/25/75	9	22.	20.389	42.	4.9	146.926	12.121	4.9	10.3	28.5	42.
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	9	0.6	0.6	1.2	0.2	0.103	0.32	0.2	0.35	0.8	1.2
00932p	SODIUM, PERCENT	10/16/61-06/25/75	9	15.	15.778	27.	8.	37.944	6.16	8.	11.5	20.	27.
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	9	12.	11.633	14.	9.7	2.635	1.623	9.7	10.	13.	14.
00940p	CHLORIDE,TOTAL IN WATER MG/L	10/16/61-06/25/75	9	21.	19.	35.	3.	116.5	10.794	3.	9.5	28.	35.
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	9	32.	33.778	57.	12.	190.444	13.8	12.	26.	43.5	57.
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	9	0.4	0.344	0.4	0.2	0.005	0.073	0.2	0.3	0.4	0.4
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	9	15.	15.111	18.	10.	6.361	2.522	10.	14.	17.5	18.
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	9	130.	123.333	150.	70.	1025.	32.016	70.	90.	150.	150.
70300p	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	10/16/61-06/25/75	9	340.	297.111	398.	160.	6207.361	78.787	160.	227.5	352.	398.
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	9	1.46	2.073	4.79	0.05	4.363	2.089	0.05	0.075	4.385	4.79
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	9	0.46	0.404	0.54	0.22	0.011	0.107	0.22	0.31	0.48	0.54
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	9	2.7	3.022	5.3	1.1	2.477	1.574	1.1	1.35	4.45	5.3

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1967 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	8	20.75	18.375	24.9	6.	36.614	6.051	**	**	**	**
00060p	FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	8	140.5	746.294	3030.	0.02	1269470.172	1126.708	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1967 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	8	300.	346.25	560.	160.	18969.643	137.73	**	**	**	**
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	8	7.45	7.475	7.7	7.3	0.016	0.128	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	8	7.447	7.459	7.7	7.3	0.017	0.129	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	8	0.036	0.035	0.05	0.02	0.	0.01	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	8	139.	153.75	236.	76.	2891.929	53.777	**	**	**	**
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	8	170.	187.75	288.	93.	4307.357	65.63	**	**	**	**
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	8	0.	0.	0.	0.	0.	0.	**	**	**	**
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	8	0.6	0.588	1.	0.3	0.064	0.253	**	**	**	**
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	8	140.	150.	224.	68.	2793.143	52.85	**	**	**	**
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	8	0.	0.875	7.	0.	6.125	2.475	**	**	**	**
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	8	47.	53.25	80.	24.	336.214	18.336	**	**	**	**
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	8	2.7	4.175	7.8	2.	6.714	2.591	**	**	**	**
00930p	SODIUM, DISSOLVED (MG/L AS Na)	10/16/61-06/25/75	8	7.25	12.1	26.	2.1	101.629	10.081	**	**	**	**
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	8	0.3	0.413	0.8	0.1	0.093	0.304	**	**	**	**
00932p	SODIUM, PERCENT	10/16/61-06/25/75	8	8.5	11.5	23.	3.	52.	7.211	**	**	**	**
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	8	11.	10.863	14.	7.4	4.866	2.206	**	**	**	**
00940p	CHLORIDE,TOTAL IN WATER MG/L	10/16/61-06/25/75	8	6.5	10.5	22.	1.	80.286	8.96	**	**	**	**
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	8	17.	18.125	37.	3.	160.125	12.654	**	**	**	**
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	8	0.45	0.425	0.5	0.2	0.011	0.104	**	**	**	**
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	8	12.5	11.925	14.	8.6	5.336	2.31	**	**	**	**
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	8	150.	157.5	260.	100.	2107.143	45.904	**	**	**	**
70300p	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	10/16/61-06/25/75	8	213.	228.25	340.	107.	6458.786	80.367	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	10/06/67-06/25/75	2	333.5	333.5	339.	328.	60.5	7.778	**	**	**	**
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	8	70.75	303.52	904.1	0.03	159867.78	399.835	**	**	**	**
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	8	0.29	0.31	0.46	0.15	0.012	0.109	**	**	**	**
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	8	2.4	2.925	5.3	0.9	2.731	1.652	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1968 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	8	17.	14.5	24.	1.	84.571	9.196	**	**	**	**
00060p	FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	9	0.06	12.903	56.	0.01	597.693	24.448	0.01	0.015	29.	56.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	7	600.	482.857	710.	260.	41990.476	204.916	**	**	**	**
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	7	7.6	7.557	8.2	6.8	0.19	0.435	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	7	7.6	7.357	8.2	6.8	0.236	0.486	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	7	0.025	0.044	0.158	0.006	0.003	0.052	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	7	268.	208.	288.	112.	7342.667	85.689	**	**	**	**
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	7	327.	253.857	351.	137.	10880.81	104.311	**	**	**	**
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	7	0.	0.	0.	0.	0.	0.	**	**	**	**
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	7	0.3	0.457	0.9	0.2	0.074	0.271	**	**	**	**
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	7	264.	210.286	288.	116.	7085.905	84.178	**	**	**	**
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	7	0.	2.857	12.	0.	25.143	5.014	**	**	**	**
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	7	91.	70.	93.	41.	719.667	26.827	**	**	**	**
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	7	9.	8.657	15.	3.3	20.686	4.548	**	**	**	**
00930p	SODIUM, DISSOLVED (MG/L AS Na)	10/16/61-06/25/75	7	25.	19.886	41.	4.2	216.758	14.723	**	**	**	**
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	7	0.6	0.529	1.	0.2	0.109	0.33	**	**	**	**
00932p	SODIUM, PERCENT	10/16/61-06/25/75	7	15.	13.714	22.	7.	36.571	6.047	**	**	**	**
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	7	12.	12.286	16.	10.	4.571	2.138	**	**	**	**
00940p	CHLORIDE,TOTAL IN WATER MG/L	10/16/61-06/25/75	7	23.	18.714	36.	2.	183.905	13.561	**	**	**	**
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	7	34.	29.	46.	12.	173.667	13.178	**	**	**	**
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	7	0.4	0.429	0.5	0.4	0.002	0.049	**	**	**	**
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	7	18.	17.029	21.	9.2	16.472	4.059	**	**	**	**
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	7	140.	150.	230.	80.	2533.333	50.332	**	**	**	**
70300p	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	10/16/61-06/25/75	7	384.	308.571	449.	174.	15419.952	124.177	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	10/06/67-06/25/75	7	385.	304.143	431.	170.	14824.81	121.757	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1968 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
70302p SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	7	0.03	3.927	26.6	0.01	100.038	10.002	**	**	**	**
70303p SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	7	0.52	0.42	0.61	0.24	0.028	0.168	**	**	**	**
71851p NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	7	1.5	2.929	8.	0.4	7.762	2.786	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1969 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	9	18.	16.111	27.	7.	47.111	6.864	7.	9.5	21.5	27.
00060p	FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	9	2.	201.448	916.	0.03	108659.965	329.636	0.03	0.5	444.	916.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	9	280.	296.667	490.	220.	6375.	79.844	220.	250.	320.	490.
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	9	7.3	7.344	7.6	7.2	0.025	0.159	7.2	7.2	7.5	7.6
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	9	7.3	7.321	7.6	7.2	0.026	0.161	7.2	7.2	7.5	7.6
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	9	0.05	0.048	0.063	0.025	0.	0.015	0.025	0.032	0.063	0.063
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	9	117.	128.333	184.	96.	831.5	28.836	96.	105.	152.	184.
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	9	142.	156.333	224.	117.	1227.25	35.032	117.	128.	185.	224.
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	9	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	9	0.69	1.274	3.3	0.2	1.368	1.17	0.2	0.395	2.5	3.3
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	9	120.	131.111	200.	92.	1075.111	32.789	92.	108.	152.	200.
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	9	4.	4.667	16.	0.	38.	6.164	0.	0.	9.	16.
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	9	42.	45.778	67.	34.	107.194	10.353	34.	38.	52.5	67.
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	9	3.9	4.089	8.	1.7	3.779	1.944	1.7	2.55	5.15	8.
00930p	SODIUM, DISSOLVED (MG/L AS Na)	10/16/61-06/25/75	9	6.	7.333	21.	4.	27.75	5.268	4.	4.5	7.25	21.
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	9	0.2	0.256	0.6	0.2	0.018	0.133	0.2	0.2	0.25	0.6
00932p	SODIUM, PERCENT	10/16/61-06/25/75	9	9.	9.333	17.	5.	12.5	3.536	5.	7.	11.	17.
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	9	12.	11.011	14.	5.5	7.501	2.739	5.5	9.3	13.	14.
00940p	CHLORIDE,TOTAL IN WATER MG/L	10/16/61-06/25/75	9	7.	8.	22.	1.	35.	5.916	1.	4.5	9.5	22.
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	9	10.	14.778	37.	5.	105.444	10.269	5.	7.5	21.5	37.
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	9	0.4	0.422	0.5	0.3	0.004	0.067	0.3	0.4	0.5	0.5
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	9	12.	12.444	18.	8.2	9.238	3.039	8.2	9.9	14.5	18.
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	9	90.	88.889	120.	40.	961.111	31.002	40.	60.	115.	120.
70300p	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	10/16/61-06/25/75	9	179.	190.556	294.	146.	1858.278	43.108	146.	165.5	204.5	294.
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	10/06/67-06/25/75	9	167.	185.111	293.	144.	2085.111	45.663	144.	155.	202.5	293.
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	9	0.83	97.474	443.	0.02	25441.501	159.504	0.02	0.29	215.	443.
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	9	0.24	0.258	0.4	0.2	0.003	0.058	0.2	0.225	0.275	0.4
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	9	2.	3.011	5.3	0.2	3.886	1.971	0.2	1.6	5.3	5.3

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1970 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	2	24.5	24.5	26.5	22.5	8.	2.828	**	**	**	**
00060p	FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	2	0.4	0.4	0.5	0.3	0.02	0.141	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	2	525.	525.	720.	330.	76050.	275.772	**	**	**	**
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	2	7.4	7.4	7.4	7.4	0.	0.	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	2	7.4	7.4	7.4	7.4	0.	0.	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	2	0.04	0.04	0.04	0.04	0.	0.	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	2	210.	210.	276.	144.	8712.	93.338	**	**	**	**
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	2	256.5	256.5	337.	176.	12960.5	113.844	**	**	**	**
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	2	0.	0.	0.	0.	0.	0.	**	**	**	**
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	2	0.42	0.42	0.52	0.32	0.02	0.141	**	**	**	**
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	2	216.	216.	288.	144.	10368.	101.823	**	**	**	**
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	2	6.	6.	12.	0.	72.	8.485	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1970 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00915p	CALCIUM, DISSOLVED (MG/L AS CA)	10/16/61-06/25/75	2	68.5	68.5	91.	46.	1012.5	31.82	**	**	**	**
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	2	11.	11.	15.	7.	32.	5.657	**	**	**	**
00930p	SODIUM, DISSOLVED (MG/L AS NA)	10/16/61-06/25/75	2	23.25	23.25	40.	6.5	561.125	23.688	**	**	**	**
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	2	0.6	0.6	1.	0.2	0.32	0.566	**	**	**	**
00932p	SODIUM, PERCENT	10/16/61-06/25/75	2	15.	15.	22.	8.	98.	9.899	**	**	**	**
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	2	17.5	17.5	20.	15.	12.5	3.536	**	**	**	**
00940p	CHLORIDE,TOTAL IN WATER MG/L	10/16/61-06/25/75	2	25.	25.	42.	8.	578.	24.042	**	**	**	**
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	2	35.5	35.5	53.	18.	612.5	24.749	**	**	**	**
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	2	0.6	0.6	0.7	0.5	0.02	0.141	**	**	**	**
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	2	17.	17.	20.	14.	18.	4.243	**	**	**	**
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	2	120.	120.	180.	60.	7200.	84.853	**	**	**	**
70300p	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	10/16/61-06/25/75	2	334.	334.	450.	218.	26912.	164.049	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	10/06/67-06/25/75	2	326.5	326.5	443.	210.	27144.5	164.756	**	**	**	**
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	2	0.4	0.4	0.62	0.18	0.097	0.311	**	**	**	**
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	2	0.455	0.455	0.61	0.3	0.048	0.219	**	**	**	**
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	2	1.75	1.75	2.	1.5	0.125	0.354	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1971 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	9	16.5	16.778	25.	5.	53.132	7.289	5.	10.75	23.	25.
00060p	FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	9	9.	17.967	52.	0.7	348.535	18.669	0.7	2.	32.5	52.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	6	290.	280.	330.	220.	1520.	38.987	**	**	**	**
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	6	7.3	7.3	7.5	7.	0.028	0.167	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	6	7.3	7.271	7.5	7.	0.029	0.17	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	6	0.05	0.054	0.1	0.032	0.001	0.024	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	6	112.	111.667	130.	94.	146.267	12.094	**	**	**	**
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	6	137.	136.5	159.	115.	221.1	14.869	**	**	**	**
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	6	0.	0.	0.	0.	0.	0.	**	**	**	**
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	6	0.75	0.728	1.	0.38	0.072	0.269	**	**	**	**
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	6	120.	119.333	140.	96.	274.667	16.573	**	**	**	**
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	6	2.	8.	28.	0.	132.8	11.524	**	**	**	**
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	6	39.5	40.167	46.	35.	22.967	4.792	**	**	**	**
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	6	4.1	4.3	6.6	2.1	2.712	1.647	**	**	**	**
00930p	SODIUM, DISSOLVED (MG/L AS Na)	10/16/61-06/25/75	6	5.75	6.5	9.5	3.5	6.3	2.51	**	**	**	**
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	6	0.2	0.267	0.4	0.2	0.011	0.103	**	**	**	**
00932p	SODIUM, PERCENT	10/16/61-06/25/75	6	8.5	9.5	14.	7.	8.3	2.881	**	**	**	**
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	6	11.5	10.983	13.	8.4	4.402	2.098	**	**	**	**
00940p	CHLORIDE,TOTAL IN WATER MG/L	10/16/61-06/25/75	6	9.	9.167	15.	4.	17.367	4.167	**	**	**	**
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	6	13.5	15.833	35.	8.	101.367	10.068	**	**	**	**
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	6	0.4	0.417	0.5	0.4	0.002	0.041	**	**	**	**
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	6	22.	19.5	24.	13.	22.3	4.722	**	**	**	**
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	6	60.	60.	110.	10.	1160.	34.059	**	**	**	**
70300p	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	10/16/61-06/25/75	6	181.5	183.833	217.	160.	534.967	23.129	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	10/06/67-06/25/75	6	180.	178.	220.	145.	814.	28.531	**	**	**	**
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	6	8.635	10.597	22.5	0.52	98.342	9.917	**	**	**	**
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	6	0.245	0.252	0.3	0.22	0.001	0.033	**	**	**	**
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	6	3.7	3.667	8.	0.4	7.319	2.705	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1972 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	9	20.	15.722	25.5	0.	104.382	10.217	0.	3.75	23.75	25.5
00060p	FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	7	5.	116.214	738.	0.2	75523.801	274.816	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	2	0.65	0.65	0.7	0.6	0.005	0.071	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	9	290.	347.778	730.	260.	23769.444	154.173	260.	260.	380.	730.
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	9	7.4	7.544	8.4	7.	0.155	0.394	7.	7.35	7.75	8.4
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	9	7.4	7.422	8.4	7.	0.172	0.415	7.	7.35	7.75	8.4
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	9	0.04	0.038	0.1	0.004	0.001	0.027	0.004	0.018	0.045	0.1
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	9	128.	145.778	284.	110.	3090.444	55.592	110.	112.	160.	284.
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	9	156.	177.556	350.	134.	4758.778	68.984	134.	137.	191.5	350.
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	9	0.	0.556	5.	0.	2.778	1.667	0.	0.	0.	5.
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	9	0.76	0.706	1.1	0.12	0.112	0.335	0.12	0.41	0.99	1.1
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	9	120.	152.222	310.	120.	3919.444	62.605	120.	120.	165.	310.
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	9	4.	6.889	26.	0.	72.111	8.492	0.	0.	11.	26.
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	9	44.	51.444	100.	38.	397.778	19.944	38.	39.	57.5	100.
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	9	5.1	5.6	14.	3.2	10.745	3.278	3.2	3.65	5.55	14.
00930p	SODIUM, DISSOLVED (MG/L AS Na)	10/16/61-06/25/75	9	6.	8.8	30.	1.2	72.81	8.533	1.2	4.	10.5	30.
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	9	0.2	0.289	0.7	0.	0.041	0.203	0.	0.2	0.4	0.7
00932p	SODIUM, PERCENT	10/16/61-06/25/75	9	9.	9.444	17.	1.	24.778	4.978	1.	6.	13.5	17.
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	9	12.	11.667	16.	8.4	6.108	2.471	8.4	9.3	13.5	16.
00940p	CHLORIDE, TOTAL IN WATER MG/L	10/16/61-06/25/75	9	10.	12.111	31.	7.	56.611	7.524	7.	7.5	13.5	31.
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	9	14.	19.667	62.	7.	282.75	16.815	7.	11.	21.5	62.
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	9	0.4	0.444	0.5	0.4	0.003	0.053	0.4	0.4	0.5	0.5
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	9	20.	18.889	28.	12.	28.111	5.302	12.	14.	22.5	28.
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	9	80.	80.	170.	30.	1850.	43.012	30.	40.	100.	170.
70300p	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), MG/L	10/16/61-06/25/75	9	204.	232.667	464.	164.	8942.25	94.563	164.	174.5	258.5	464.
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	10/06/67-06/25/75	9	189.	222.333	447.	161.	8267.75	90.927	161.	168.5	245.5	447.
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	9	1.46	43.812	357.	0.09	13853.216	117.7	0.09	0.33	15.705	357.
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	9	0.28	0.316	0.63	0.22	0.017	0.129	0.22	0.235	0.35	0.63
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	9	3.3	3.033	5.3	0.4	2.81	1.676	0.4	1.65	4.65	5.3

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1973 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	21	8.	9.881	21.5	2.	28.948	5.38	3.6	6.5	13.25	19.9
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	23	175.	963.913	6100.	2.	2379429.174	1542.54	4.	15.	1400.	3642.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	14	480.	510.	970.	200.	67661.538	260.118	225.	265.	762.5	910.
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	14	7.4	7.45	7.8	7.2	0.052	0.228	7.2	7.2	7.625	7.8
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	14	7.4	7.399	7.8	7.2	0.055	0.234	7.2	7.2	7.625	7.8
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	14	0.04	0.04	0.063	0.016	0.	0.019	0.016	0.024	0.063	0.063
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	14	141.	175.286	330.	84.	6823.758	82.606	92.	100.	240.5	314.
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	14	170.	213.571	400.	100.	10070.879	100.354	110.	127.5	295.	380.
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	14	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	14	0.69	0.883	2.3	0.32	0.309	0.556	0.33	0.51	1.2	1.95
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	14	190.	212.714	390.	88.	11475.451	107.124	94.	117.5	297.5	385.
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	14	27.	36.357	96.	0.	972.555	31.186	2.	12.	53.75	96.
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	14	64.	68.429	120.	28.	957.187	30.938	31.5	43.25	91.	120.
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	14	7.55	9.314	21.	2.8	40.477	6.362	2.9	3.2	15.25	19.5
00930p	SODIUM, DISSOLVED (MG/L AS Na)	10/16/61-06/25/75	14	17.5	19.914	42.	2.	227.372	15.079	2.9	5.125	36.	41.
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	14	0.55	0.543	0.9	0.1	0.104	0.323	0.15	0.2	0.9	0.9
00932p	SODIUM, PERCENT	10/16/61-06/25/75	14	15.5	13.929	21.	4.	35.302	5.942	5.	8.25	19.	21.
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	14	11.	11.043	14.	8.6	2.98	1.726	8.8	9.75	13.	13.5
00940p	CHLORIDE, TOTAL IN WATER MG/L	10/16/61-06/25/75	14	23.	26.571	58.	3.	330.571	18.182	5.5	9.	46.	53.
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	14	48.5	49.429	110.	6.	1329.341	36.46	9.	13.75	78.25	110.
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	14	0.4	0.486	0.8	0.3	0.031	0.175	0.3	0.3	0.625	0.75
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	14	17.	18.071	31.	11.	26.533	5.151	12.	14.5	21.	27.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1973 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	14	115.	118.571	180.	80.	1120.879	33.48	80.	87.5	142.5	175.
70300p	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), MG/L	10/16/61-06/25/75	14	311.	328.714	592.	140.	24620.374	156.909	152.	192.75	474.75	575.5
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	10/06/67-06/25/75	14	301.5	313.929	572.	123.	23917.61	154.653	138.5	179.	454.	556.
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	14	20.75	261.452	2310.	2.25	388897.126	623.616	2.935	7.845	157.5	1540.5
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	14	0.425	0.446	0.81	0.19	0.046	0.215	0.205	0.258	0.645	0.785
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	14	1.5	2.7	9.5	0.4	9.288	3.048	0.45	0.575	3.7	9.4

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1974 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	11	10.	11.636	23.	1.	64.855	8.053	1.	5.	19.5	22.9
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	11	5.	29.555	260.	0.5	5880.843	76.687	0.52	1.	14.	212.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	11	770.	681.818	1000.	280.	79356.364	281.703	300.	380.	960.	998.
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	11	7.6	7.564	7.9	7.2	0.075	0.273	7.2	7.3	7.8	7.9
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	11	7.6	7.488	7.9	7.2	0.081	0.284	7.2	7.3	7.8	7.9
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	11	0.025	0.033	0.063	0.013	0.	0.02	0.013	0.016	0.05	0.063
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	11	250.	226.455	320.	131.	5608.873	74.892	131.	148.	310.	318.
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	11	310.	277.273	390.	160.	8481.818	92.097	160.	180.	380.	388.
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	11	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	11	0.46	0.499	0.87	0.36	0.024	0.156	0.36	0.38	0.58	0.828
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	11	340.	291.818	430.	130.	14656.364	121.063	134.	160.	400.	426.
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	11	76.	63.091	150.	0.	2454.691	49.545	1.6	18.	100.	142.
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	11	110.	91.636	140.	43.	1298.655	36.037	44.4	51.	120.	136.
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	11	17.	15.064	24.	5.	56.493	7.516	5.22	7.6	22.	23.8
00930p	SODIUM, DISSOLVED (MG/L AS Na)	10/16/61-06/25/75	11	32.	30.291	57.	4.2	363.371	19.062	5.56	12.	45.	56.4
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	11	0.8	0.727	1.2	0.2	0.118	0.344	0.24	0.4	1.	1.2
00932p	SODIUM, PERCENT	10/16/61-06/25/75	11	16.	16.182	23.	6.	24.764	4.976	7.	14.	20.	22.8
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	11	10.	9.909	12.	7.2	2.435	1.56	7.36	8.6	11.	12.
00940p	CHLORIDE, TOTAL IN WATER MG/L	10/16/61-06/25/75	11	50.	41.636	86.	7.	701.055	26.477	8.8	16.	63.	82.
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	11	88.	73.	150.	7.	2447.	49.467	9.4	27.	120.	144.
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	11	0.6	0.573	0.8	0.3	0.026	0.162	0.32	0.4	0.7	0.8
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	11	16.	16.636	25.	12.	12.055	3.472	12.4	14.	19.	23.8
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	11	150.	131.818	260.	10.	4596.364	67.796	20.	80.	170.	244.
70300p	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), MG/L	10/16/61-06/25/75	11	490.	433.818	644.	180.	34136.564	184.761	190.8	237.	606.	643.2
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	10/06/67-06/25/75	11	478.	418.091	628.	166.	33157.891	182.093	176.8	225.	594.	624.8
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	11	8.18	47.805	449.	0.34	17754.482	133.246	0.378	0.92	17.4	362.9
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	11	0.67	0.59	0.88	0.24	0.064	0.253	0.256	0.32	0.82	0.878
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	11	0.9	1.545	3.3	0.6	1.127	1.061	0.6	0.6	2.5	3.24

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1975 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	6	13.25	13.25	23.	3.	100.175	10.009	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	8	2.5	314.125	1220.	1.	313056.411	559.514	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	6	775.	761.667	1080.	350.	55576.667	235.747	**	**	**	**
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	6	7.9	7.783	8.	7.1	0.118	0.343	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	6	7.9	7.631	8.	7.1	0.146	0.382	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	6	0.013	0.023	0.079	0.01	0.001	0.028	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	6	246.	257.	377.	156.	5137.6	71.677	**	**	**	**
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	6	300.	313.333	460.	190.	7666.667	87.56	**	**	**	**
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	6	0.	0.	0.	0.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1975 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	6	0.36	0.398	0.6	0.22	0.019	0.138	**	**	**	**
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	6	310.	311.667	460.	160.	9096.667	95.376	**	**	**	**
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	6	61.5	55.833	78.	4.	701.767	26.491	**	**	**	**
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	6	93.5	95.667	140.	56.	717.867	26.793	**	**	**	**
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	6	18.	17.	24.	5.	41.2	6.419	**	**	**	**
00930p	SODIUM, DISSOLVED (MG/L AS Na)	10/16/61-06/25/75	6	45.5	42.	60.	8.	326.	18.055	**	**	**	**
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	6	1.1	1.	1.3	0.3	0.128	0.358	**	**	**	**
00932p	SODIUM, PERCENT	10/16/61-06/25/75	6	23.	21.	26.	9.	37.6	6.132	**	**	**	**
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	6	10.5	10.	12.	7.2	4.336	2.082	**	**	**	**
00940p	CHLORIDE, TOTAL IN WATER MG/L	10/16/61-06/25/75	6	54.	49.667	68.	10.	412.267	20.304	**	**	**	**
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	6	90.5	80.667	120.	20.	1120.667	33.476	**	**	**	**
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	6	0.85	0.783	1.	0.3	0.062	0.248	**	**	**	**
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	6	13.	14.567	26.	9.4	36.647	6.054	**	**	**	**
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	6	160.	155.	230.	60.	3150.	56.125	**	**	**	**
70300p	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), MG/L	10/16/61-06/25/75	6	480.	475.667	700.	210.	24912.667	157.837	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	10/06/67-06/25/75	6	464.	466.667	683.	219.	22226.267	149.085	**	**	**	**
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	6	2.92	117.692	692.	1.52	79160.43	281.355	**	**	**	**
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	6	0.655	0.648	0.95	0.29	0.045	0.213	**	**	**	**
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	6	0.35	0.35	0.6	0.1	0.035	0.187	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1976 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	7	17.5	16.571	21.5	8.	22.536	4.747	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	7	30.	199.217	762.	0.02	97847.647	312.806	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	7	320.	351.429	500.	200.	13539.286	116.358	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1977 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	3	20.5	21.333	24.5	19.	8.083	2.843	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	3	1.	326.433	978.	0.3	318404.463	564.273	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	3	240.	238.333	260.	215.	508.333	22.546	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1978 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	2	22.75	22.75	26.	19.5	21.125	4.596	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	3	300.	273.333	509.	11.	62534.333	250.069	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	3	235.	231.667	240.	220.	108.333	10.408	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1979 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	7	11.	12.929	24.5	2.	74.952	8.658	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	8	122.5	1395.15	6360.	0.2	5559713.551	2357.904	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	8	250.	308.75	800.	110.	46526.786	215.701	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1980 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	1	5.	5.	5.	5.	0.	0.	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	2	449.	449.	895.	3.	397832.	630.739	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	1	740.	740.	740.	740.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1981 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	2	12.25	12.25	19.5	5.	105.125	10.253	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	2	590.45	590.45	1180.	0.9	695138.405	833.75	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1982 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	2	18.5	18.5	26.	11.	112.5	10.607	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	2	32.5	32.5	63.	2.	1860.5	43.134	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1983 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	2	19.5	19.5	23.	16.	24.5	4.95	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	2	88.	88.	174.	2.	14792.	121.622	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1985 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	2	23.75	23.75	24.	23.5	0.125	0.354	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	2	4.005	4.005	8.	0.01	31.92	5.65	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	1	243.	243.	243.	243.	0.	0.	**	**	**	**
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	1	7.5	7.5	7.5	7.5	0.	0.	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	1	7.5	7.5	7.5	7.5	0.	0.	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	1	0.032	0.032	0.032	0.032	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1986 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	3	26.	22.667	26.	16.	33.333	5.774	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	3	170.	126.333	198.	11.	10172.333	100.858	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	3	232.	774.	1860.	230.	884548.	940.504	**	**	**	**
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	3	7.3	7.2	7.4	6.9	0.07	0.265	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	3	7.3	7.143	7.4	6.9	0.075	0.274	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	3	0.05	0.072	0.126	0.04	0.002	0.047	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1987 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	5	17.	17.4	7.	52.3	7.232	**	**	**	**	
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	5	4.	207.428	966.	0.04	180632.284	425.009	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	5	510.	709.2	1290.	356.	181653.2	426.208	**	**	**	**
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	5	8.	7.76	8.1	7.2	0.183	0.428	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	5	8.	7.589	8.1	7.2	0.22	0.469	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	5	0.01	0.026	0.063	0.008	0.001	0.025	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1988 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	2	8.5	8.5	15.	2.	84.5	9.192	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	2	2.	2.	3.	1.	2.	1.414	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	2	833.	833.	990.	676.	49298.	222.032	**	**	**	**
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	1	8.	8.	8.	8.	0.	0.	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	1	8.	8.	8.	8.	0.	0.	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	1	0.01	0.01	0.01	0.01	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1990 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	5	27.	24.2	30.	13.	48.7	6.979	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	5	16.	40.2	120.	1.	2468.7	49.686	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	5	296.	285.4	325.	200.	2598.3	50.974	**	**	**	**
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	5	8.2	8.18	8.5	7.8	0.062	0.249	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	5	8.2	8.12	8.5	7.8	0.067	0.258	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	5	0.006	0.008	0.016	0.003	0.	0.005	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1992 - Station FOLS0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	6	22.	21.667	27.5	17.	12.767	3.573	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	6	377.5	558.833	1430.	10.	367317.767	606.067	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	6	195.	189.5	282.	110.	3679.1	60.656	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1992 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00400p PH (STANDARD UNITS)	10/16/61-06/07/95	6	7.8	7.867	8.5	7.3	0.183	0.427	**	**	**	**
00400p CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	6	7.8	7.712	8.5	7.3	0.211	0.46	**	**	**	**
00400p MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	6	0.016	0.019	0.05	0.003	0.	0.017	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1993 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	12	23.5	19.208	28.5	1.	76.066	8.722	3.55	11.	26.	27.75
00061 FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	12	455.	1455.083	6160.	7.	3830355.902	1957.13	9.4	33.25	2967.5	5347.
00095p SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	10	425.	516.7	1230.	198.	121099.122	347.993	198.8	206.	808.25	1199.3
00400p PH (STANDARD UNITS)	10/16/61-06/07/95	11	8.	7.936	8.3	7.5	0.081	0.284	7.52	7.7	8.3	8.3
00400p CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	11	8.	7.855	8.3	7.5	0.088	0.296	7.52	7.7	8.3	8.3
00400p MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	11	0.01	0.014	0.032	0.005	0.	0.009	0.005	0.005	0.02	0.03

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1994 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	1	18.5	18.5	18.5	18.5	0.	0.	**	**	**	**
00061 FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	1	5.	5.	5.	5.	0.	0.	**	**	**	**
00095p SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	1	1110.	1110.	1110.	1110.	0.	0.	**	**	**	**
00400p PH (STANDARD UNITS)	10/16/61-06/07/95	1	8.4	8.4	8.4	8.4	0.	0.	**	**	**	**
00400p CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	1	8.4	8.4	8.4	8.4	0.	0.	**	**	**	**
00400p MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	1	0.004	0.004	0.004	0.004	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1995 - Station FOLS0004


Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	2	21.5	21.5	25.5	17.5	32.	5.657	**	**	**	**
00061 FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	2	7.85	7.85	15.	0.7	102.245	10.112	**	**	**	**
00095p SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	2	783.	783.	1020.	546.	112338.	335.169	**	**	**	**
00400p PH (STANDARD UNITS)	10/16/61-06/07/95	2	7.815	7.815	7.95	7.68	0.036	0.191	**	**	**	**
00400p CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	2	7.794	7.794	7.95	7.68	0.037	0.193	**	**	**	**
00400p MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	2	0.016	0.016	0.021	0.011	0.	0.007	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Station: FOLS0004 Parameter Code: 00060

FLOW, STREAM, MEAN DAILY

(X 1000)




PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00095

SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)


(X 1000)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00400


MICRO EQ/LITER OF H+ COMPUTED FROM PH



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00410


ALKALINITY, TOTAL (MG/L AS CaCO3)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00440


BICARBONATE ION (MG/L AS HCO3)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00445


CARBONATE ION (MG/L AS CO3)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00650


PHOSPHATE, TOTAL (MG/L AS P04)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00900


HARDNESS, TOTAL (MG/L AS CaCO3)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00902


HARDNESS, NON-CARBONATE (MG/L AS CaCO3)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00915


CALCIUM, DISSOLVED (MG/L AS CA)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00925


MAGNESIUM, DISSOLVED (MG/L AS MG)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00930


SODIUM, DISSOLVED (MG/L AS NA)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00931


SODIUM ADSORPTION RATIO



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00932


SODIUM, PERCENT



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00935


POTASSIUM, DISSOLVED (MG/L AS K)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00940


CHLORIDE, TOTAL IN WATER



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00945


SULFATE, TOTAL (MG/L AS SO4)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00950


FLUORIDE, DISSOLVED (MG/L AS F)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00955


SILICA, DISSOLVED (MG/L AS SI02)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 01020


BORON, DISSOLVED (UG/L AS B)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 70300


RESIDUE, TOTAL FILTRABLE (DRIED AT 180C)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 70302


SOLIDS, DISSOLVED-TONS PER DAY



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 70303


SOLIDS, DISSOLVED-TONS PER ACRE-FT



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 71851

NITRATE NITROGEN, DISSOLVED (MG/L AS NO



PAWNEE R AT ROZEL, KS

Seasonal Analysis for Season #1: 7/01 to 10/31 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	71	22.5	21.946	29.	12.	19.72	4.441	14.92	18.	26.	26.94
00060p	FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	49	9.	889.981	15800.	0.01	7661708.117	2767.979	0.2	3.5	444.	1080.
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	48	99.5	1519.796	15800.	0.01	9311547.08	3051.483	0.59	9.	1352.5	5071.
00075p	TURBIDITY, HELLIGE (PPM AS SILICON DIOXIDE)	02/10/65-09/06/73	20	220.	1054.5	4200.	35.	2093144.474	1446.77	87.5	142.5	2300.	3740.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	65	296.	380.077	1860.	110.	68851.478	262.396	203.6	250.	420.	762.
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	54	7.45	7.535	8.3	6.9	0.082	0.286	7.3	7.3	7.7	8.05
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	54	7.447	7.458	8.3	6.9	0.088	0.296	7.3	7.3	7.7	8.05
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	54	0.036	0.035	0.126	0.005	0.	0.02	0.009	0.02	0.05	0.05
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	38	129.5	146.553	296.	90.	2280.957	47.759	100.	116.	160.	226.4
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	38	158.	178.711	361.	110.	3400.211	58.311	120.	142.	193.	276.4
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	38	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	33	0.7	0.809	3.3	0.3	0.316	0.562	0.4	0.53	0.945	1.06
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	38	134.	154.579	320.	96.	3162.575	56.237	104.	116.	180.	235.
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	38	4.	9.789	62.	0.	212.873	14.59	0.	0.	12.5	29.4
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	38	47.	52.816	106.	35.	311.073	17.637	37.	40.25	59.5	78.1
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	38	4.45	5.555	17.	1.3	12.834	3.583	2.19	2.975	6.85	11.1
00930p	SODIUM, DISSOLVED (MG/L AS Na)	10/16/61-06/25/75	38	6.9	9.892	36.	1.2	69.234	8.321	2.89	4.425	12.	24.5
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	38	0.3	0.326	0.9	0.	0.04	0.2	0.1	0.2	0.4	0.7
00932p	SODIUM, PERCENT	10/16/61-06/25/75	38	9.5	10.105	21.	1.	20.421	4.519	4.9	7.	13.25	17.
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	37	12.	11.549	15.	5.5	4.229	2.057	8.9	10.	13.	14.
00940p	CHLORIDE,TOTAL IN WATER MG/L	10/16/61-06/25/75	38	8.	11.237	46.	1.	85.915	9.269	3.9	6.	13.5	23.6
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	38	16.5	22.789	79.	3.	325.738	18.048	6.9	12.	31.	49.2
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	38	0.4	0.411	0.6	0.2	0.007	0.086	0.3	0.4	0.5	0.5
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	38	16.5	16.442	25.	8.2	13.032	3.61	12.	14.	18.25	22.
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	38	115.	125.526	300.	40.	3419.986	58.481	60.	80.	152.5	194.
01046p	IRON, DISSOLVED (UG/L AS FE)	10/16/61-04/03/75	15	90.	156.667	620.	10.	23066.667	151.877	40.	70.	260.	416.
01056p	MANGANESE, DISSOLVED (UG/L AS MN)	10/16/61-04/03/75	14	0.	5.357	60.	0.	251.786	15.868	0.	0.	5.	32.5
70300p	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	10/16/61-06/25/75	38	202.5	232.368	463.	147.	6928.239	83.236	160.	176.	263.25	364.8
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	10/06/67-06/25/75	21	181.	218.381	438.	146.	6030.448	77.656	150.8	168.5	262.	334.4
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	38	5.19	172.314	1970.	0.05	197460.565	444.365	0.176	0.725	86.825	512.99
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	38	0.275	0.316	0.63	0.2	0.013	0.113	0.22	0.24	0.36	0.492
70337p	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .002MM	07/28/58-06/16/81	11	81.	72.818	86.	48.	178.164	13.348	49.6	59.	83.	85.8
70338p	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .004MM	07/28/58-06/29/90	12	88.5	85.833	94.	71.	60.152	7.756	72.8	78.25	92.75	94.
70340p	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .016MM	07/28/58-06/16/81	12	96.5	95.5	99.	83.	19.909	4.462	85.7	94.5	98.75	99.
70342p	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .062MM	07/28/58-06/16/81	10	100.	99.4	100.	97.	1.156	1.075	97.1	98.75	100.	100.
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	38	3.15	3.361	8.	0.4	3.868	1.967	0.9	1.65	5.3	5.88
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	05/05/58-07/20/93	38	772.5	1248.105	5340.	94.	1687238.583	1298.937	175.	266.25	1842.5	3016.
80155p	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	05/05/58-12/07/81	36	65.	6601.891	61000.	0.03177508315	226	13323.225	0.687	2.625	8042.5	23430.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #2: 11/01 to 3/14 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	48	5.	4.748	11.1	0.	12.423	3.525	0.	1.25	7.	10.
00060p	FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	42	2.5	6.956	25.	0.01	71.855	8.477	0.039	0.4	15.5	21.
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	28	6.	225.451	1700.	0.04	241582.022	491.51	0.88	2.	129.75	1070.
00075p	TURBIDITY, HELLIGE (PPM AS SILICON DIOXIDE)	02/10/65-09/06/73	15	55.	277.867	3200.	7.	657264.552	810.719	7.6	15.	150.	1400.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	47	640.	640.	1290.	220.	78686.957	280.512	278.	310.	850.	990.
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	45	7.8	7.829	8.6	6.8	0.122	0.349	7.4	7.6	8.	8.3
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	45	7.8	7.669	8.6	6.8	0.148	0.384	7.4	7.6	8.	8.3
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	45	0.016	0.021	0.158	0.003	0.001	0.026	0.005	0.01	0.025	0.04
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	41	250.	240.683	377.	96.	6922.322	83.2	122.	146.	314.5	344.
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	41	303.	291.317	460.	117.	10309.172	101.534	149.2	173.	383.5	419.6
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	41	0.	1.854	26.	0.	39.928	6.319	0.	0.	0.	4.
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	32	0.4	0.569	2.8	0.1	0.315	0.561	0.22	0.3	0.585	1.04
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	41	276.	270.122	460.	92.	11480.66	107.148	120.	145.	359.5	404.8

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #2: 11/01 to 3/14 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	41	20.	28.707	110.	0.	1076.762	32.814	0.	51.	78.
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	41	91.	87.073	140.	34.	1015.47	31.866	42.2	115.	125.4
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	41	12.	12.707	25.	1.7	50.968	7.139	3.54	19.	23.6
00930p	SODIUM, DISSOLVED (MG/L AS Na)	10/16/61-06/25/75	41	28.	25.985	60.	4.2	215.251	14.671	5.2	38.5	44.8
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	41	0.7	0.644	1.2	0.2	0.083	0.287	0.2	0.9	1.
00932p	SODIUM, PERCENT	10/16/61-06/25/75	41	16.	15.244	24.	6.	20.839	4.565	8.2	18.5	20.8
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	40	11.5	11.128	16.	6.5	4.829	2.197	8.04	9.325	12.75
00940p	CHLORIDE, TOTAL IN WATER MG/L	10/16/61-06/25/75	41	24.	28.366	68.	5.	297.938	17.261	7.	40.5	54.2
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	41	45.	51.146	120.	7.	1201.328	34.66	10.8	84.5	100.2
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	41	0.4	0.466	0.9	0.3	0.021	0.144	0.3	0.55	0.68
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	41	17.	18.244	28.	11.	22.839	4.779	12.2	22.5	25.
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	41	150.	152.683	410.	60.	3185.122	56.437	86.	175.	210.
01046p	IRON, DISSOLVED (UG/L AS Fe)	10/16/61-04/03/75	9	50.	64.444	230.	10.	4152.778	64.442	10.	60.	230.
01056p	MANGANESE, DISSOLVED (UG/L AS MN)	10/16/61-04/03/75	8	0.	25.	200.	0.	5000.	70.711	**	**	**
70300p	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), MG/L	10/16/61-06/25/75	41	394.	390.902	700.	146.	23592.19	153.597	177.6	508.5	584.4
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	10/06/67-06/25/75	23	385.	356.957	683.	144.	27686.862	166.394	153.4	478.	589.6
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	41	3.17	24.649	449.	0.01	6095.734	78.075	0.03	0.535	33.72
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	41	0.54	0.532	0.95	0.2	0.044	0.209	0.24	0.295	0.798
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	41	0.9	1.383	9.3	0.	2.627	1.621	0.4	1.65	2.58
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	05/05/58-07/20/93	20	124.	276.15	2300.	17.	282965.292	531.945	26.2	242.25	1027.9
80155p	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	05/05/58-12/07/81	19	2.4	331.532	6209.99	0.02	2026488.331	1423.548	0.03	0.29	20.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #3: 3/15 to 6/30 - Station FOLS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/23/59-06/07/95	79	18.5	17.395	30.	3.5	43.553	6.599	7.	12.8	24.9
00060p	FLOW, STREAM, MEAN DAILY CFS	05/05/58-09/12/72	53	9.	230.456	3030.	0.01	297117.892	545.085	0.058	180.5	995.
00061	FLOW, STREAM, INSTANTANEOUS CFS	05/05/58-06/07/95	54	47.5	505.006	6100.	0.02	1197922.197	1094.496	0.85	480.5	1340.
00075p	TURBIDITY, HELLIGE (PPM AS SILICON DIOXIDE)	02/10/65-09/06/73	17	150.	475.	2600.	15.	591796.875	769.283	23.	440.	2120.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	10/16/61-06/07/95	68	405.	486.015	1110.	110.	72353.776	268.987	200.	720.	903.
00400p	PH (STANDARD UNITS)	10/16/61-06/07/95	59	7.6	7.623	8.5	7.	0.118	0.344	7.2	7.4	8.
00400p	CONVERTED PH (STANDARD UNITS)	10/16/61-06/07/95	59	7.6	7.508	8.5	7.	0.131	0.362	7.2	7.4	8.
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	10/16/61-06/07/95	59	0.025	0.031	0.1	0.003	0.	0.021	0.01	0.016	0.063
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	44	184.	198.818	336.	76.	6953.501	83.388	108.	278.25	317.
00440p	BICARBONATE ION (MG/L AS HCO3)	10/16/61-06/25/75	44	224.	242.409	410.	93.	10369.875	101.833	131.	339.25	387.5
00445p	CARBONATE ION (MG/L AS CO3)	10/16/61-06/25/75	44	0.	0.	0.	0.	0.	0.	0.	0.	0.
00650p	PHOSPHATE, TOTAL (MG/L AS PO4)	02/20/62-06/25/75	37	0.52	0.607	1.6	0.12	0.093	0.305	0.316	0.38	1.04
00900p	HARDNESS, TOTAL (MG/L AS CaCO3)	10/16/61-06/25/75	44	198.	223.136	410.	68.	11208.772	105.871	110.	307.5	386.
00902p	HARDNESS, NON-CARBONATE (MG/L AS CaCO3)	10/16/61-06/25/75	44	9.	26.205	150.	0.	1202.725	34.68	0.	44.	82.
00915p	CALCIUM, DISSOLVED (MG/L AS Ca)	10/16/61-06/25/75	44	64.	70.932	121.	24.	948.018	30.79	37.	98.25	119.5
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	10/16/61-06/25/75	44	8.5	10.78	26.	2.	50.005	7.071	3.	16.	22.
00930p	SODIUM, DISSOLVED (MG/L AS Na)	10/16/61-06/25/75	44	21.5	23.975	57.	2.	316.794	17.799	4.	40.	48.
00931p	SODIUM ADSORPTION RATIO	10/16/61-06/25/75	44	0.6	0.636	1.3	0.1	0.147	0.384	0.2	0.225	1.15
00932p	SODIUM, PERCENT	10/16/61-06/25/75	44	17.	15.386	27.	3.	43.871	6.623	6.	21.	23.5
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	12/15/61-06/25/75	44	11.5	11.673	20.	6.7	7.309	2.703	8.45	13.	15.5
00940p	CHLORIDE, TOTAL IN WATER MG/L	10/16/61-06/25/75	44	22.	26.409	86.	1.	431.224	20.766	3.5	41.5	55.5
00945p	SULFATE, TOTAL (MG/L AS SO4)	10/16/61-06/25/75	44	33.5	45.364	150.	3.	1417.121	37.645	7.	79.5	103.5
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	10/16/61-06/25/75	44	0.4	0.48	1.	0.1	0.039	0.198	0.3	0.325	0.8
00955p	SILICA, DISSOLVED (MG/L AS SiO2)	10/16/61-06/25/75	44	14.	14.705	31.	8.8	19.272	4.39	9.8	16.75	20.5
01020p	BORON, DISSOLVED (UG/L AS B)	10/16/61-06/25/75	44	120.	117.727	260.	10.	3524.947	59.371	40.	160.	185.
01046p	IRON, DISSOLVED (UG/L AS Fe)	10/16/61-04/03/75	14	40.	52.857	130.	10.	1452.747	38.115	15.	80.	120.
01056p	MANGANESE, DISSOLVED (UG/L AS MN)	10/16/61-04/03/75	14	2.5	72.5	290.	0.	10395.192	101.957	0.	152.5	260.
70300p	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), MG/L	10/16/61-06/25/75	44	287.	335.705	644.	107.	25465.748	159.58	166.5	467.	554.
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	10/06/67-06/25/75	22	250.5	326.455	628.	123.	27904.831	167.047	161.9	467.5	587.4
70302p	SOLIDS, DISSOLVED-TONS PER DAY	10/16/61-06/25/75	44	10.4	158.178	2310.	0.01	168974.947	411.066	0.105	0.86	731.5

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #3: 3/15 to 6/30 - Station FOLS0004


Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	10/16/61-06/25/75	44	0.39	0.456	0.88	0.15	0.047	0.217	0.225	0.243	0.635	0.755
70337p	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .002MM	07/28/58-06/16/81	13	72.	70.154	89.	19.	288.308	16.98	37.	68.5	78.5	88.2
70338p	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .004MM	07/28/58-06/29/90	17	83.	77.824	96.	8.	617.529	24.85	17.6	80.	91.5	96.
70340p	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .016MM	07/28/58-06/16/81	13	95.	82.077	99.	0.	976.744	31.253	10.4	90.	97.	98.2
70342p	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .062MM	07/28/58-06/16/81	11	100.	99.273	100.	96.	1.618	1.272	96.4	99.	100.	100.
71851p	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	10/16/61-06/25/75	44	2.4	2.65	9.5	0.2	4.6	2.145	0.4	0.725	4.	4.9
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	05/05/58-07/20/93	49	752.	1231.49	4470.	65.	1628268.838	1276.036	95.	202.	2235.	3110.
80155p	SUSPENDE SEDIMENT DISCHARGE (TONS/DAY)	05/05/58-12/07/81	40	436.	3648.178	36700.	0.01	52450838.562	7242.295	0.069	0.833	4010.	11075.999

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Station: FOLS0004 Parameter Code: 00060

FLOW, STREAM, MEAN DAILY


(X 1000)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00075

TURBIDITY, HELIGE (PPM AS SILICON DIOX




PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00095

SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)


(X 1000)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00400


MICRO EQ/LITER OF H+ COMPUTED FROM PH



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00410


ALKALINITY, TOTAL (MG/L AS CaCO3)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00440


BICARBONATE ION (MG/L AS HCO3)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00445


CARBONATE ION (MG/L AS CO3)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00650


PHOSPHATE, TOTAL (MG/L AS P04)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00900


HARDNESS, TOTAL (MG/L AS CaCO3)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00902


HARDNESS, NON-CARBONATE (MG/L AS CaCO3)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00915


CALCIUM, DISSOLVED (MG/L AS CA)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00925


MAGNESIUM, DISSOLVED (MG/L AS MG)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00930


SODIUM, DISSOLVED (MG/L AS NA)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00931


SODIUM ADSORPTION RATIO



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00932


SODIUM, PERCENT



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00935


POTASSIUM, DISSOLVED (MG/L AS K)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00940


CHLORIDE, TOTAL IN WATER



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00945


SULFATE, TOTAL (MG/L AS SO4)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00950


FLUORIDE, DISSOLVED (MG/L AS F)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 00955


SILICA, DISSOLVED (MG/L AS SI02)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 01020


BORON, DISSOLVED (UG/L AS B)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 01046


IRON, DISSOLVED (UG/L AS FE)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 01056


MANGANESE, DISSOLVED (UG/L AS MN)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 70300


RESIDUE, TOTAL FILTRABLE (DRIED AT 180C)



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 70302


SOLIDS, DISSOLVED-TONS PER DAY



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 70303


SOLIDS, DISSOLVED-TONS PER ACRE-FT



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 70337


SUS SED FALL DIA(DISTLD WATER)%FINER TH



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 70338


SUS SED FALL DIA(DISTLD WATER)%FINER TH



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 70340


SUS SED FALL DIA(DISTLD WATER)%FINER TH



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 70342


SUS SED FALL DIA(DISTLD WATER)%FINER TH



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 71851


NITRATE NITROGEN, DISSOLVED (MG/L AS NO



PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 80154

SUSP. SEDIMENT CONCENTRATION-EVAP. AT 1




PAWNEE R AT ROZEL, KS

Station: FOLS0004 Parameter Code: 80155

SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)

(X 1000)



PAWNEE R AT ROZEL, KS

EPA Water Quality Criteria Analysis for Entire FOLS Study Area

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----7/01-10/31-----			-----11/01-3/14-----			-----3/15-6/30-----			-----n/a-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00070	TURBIDITY, JACKSON CANDLE UNITS	Other-Hi Lim.	50.	27	18	0.67	4	4	1.00	9	2	0.22	14	12	0.86		
00076	TURBIDITY, HACH TURBIDIMETER	Other-Hi Lim.	50.	103	52	0.50	33	21	0.64	30	7	0.23	40	24	0.60		
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	115 &	5	0.04	37	4	0.11	30	0	0.00	48	1	0.02		
00400	PH	Fresh Chronic	9.	194	0	0.00	67	0	0.00	52	0	0.00	75	0	0.00		
		Other-Lo Lim.	6.5	194	0	0.00	67	0	0.00	52	0	0.00	75	0	0.00		
00403	PH, LAB	Fresh Chronic	9.	80	0	0.00	23	0	0.00	24	0	0.00	33	0	0.00		
		Other-Lo Lim.	6.5	80	0	0.00	23	0	0.00	24	0	0.00	33	0	0.00		
00613	NITRITE NITROGEN, DISSOLVED AS N	Drinking Water	1.	11	0	0.00	4	0	0.00	3	0	0.00	4	0	0.00		
00618	NITRATE NITROGEN, DISSOLVED AS N	Drinking Water	10.	60	0	0.00	17	0	0.00	22	0	0.00	21	0	0.00		
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	66	0	0.00	27	0	0.00	16	0	0.00	23	0	0.00		
00940	CHLORIDE, TOTAL IN WATER	Fresh Acute	860.	220	0	0.00	69	0	0.00	67	0	0.00	84	0	0.00		
		Drinking Water	250.	220	0	0.00	69	0	0.00	67	0	0.00	84	0	0.00		
00941	CHLORIDE, DISSOLVED IN WATER	Fresh Acute	860.	18	0	0.00	6	0	0.00	5	0	0.00	7	0	0.00		
		Drinking Water	250.	18	0	0.00	6	0	0.00	5	0	0.00	7	0	0.00		
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	221	16	0.07	69	8	0.12	67	2	0.03	85	6	0.07		
00946	SULFATE, DISSOLVED (AS SO4)	Drinking Water	250.	18	0	0.00	6	0	0.00	5	0	0.00	7	0	0.00		
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	141	0	0.00	44	0	0.00	46	0	0.00	51	0	0.00		
00951	FLUORIDE, TOTAL AS F	Drinking Water	4.	5	0	0.00	2	0	0.00	1	0	0.00	2	0	0.00		
01000	ARSENIC, DISSOLVED	Fresh Acute	360.	5	0	0.00	2	0	0.00	3	0	0.00					
		Drinking Water	50.	5	0	0.00	2	0	0.00	3	0	0.00					
01002	ARSENIC, TOTAL	Fresh Acute	360.	41	0	0.00	14	0	0.00	7	0	0.00	20	0	0.00		
		Drinking Water	50.	41	0	0.00	14	0	0.00	7	0	0.00	20	0	0.00		
01007	BARIUM, TOTAL	Drinking Water	2000.	41	0	0.00	14	0	0.00	7	0	0.00	20	0	0.00		
01012	BERYLLIUM, TOTAL	Fresh Acute	130.	37	0	0.00	14	0	0.00	7	0	0.00	16	0	0.00		
		Drinking Water	4.	37	0	0.00	14	0	0.00	7	0	0.00	16	0	0.00		
01025	CADMIUM, DISSOLVED	Fresh Acute	3.9	6	0	0.00	3	0	0.00	3	0	0.00					
		Drinking Water	5.	6	0	0.00	3	0	0.00	3	0	0.00					
01027	CADMIUM, TOTAL	Fresh Acute	3.9	41	1	0.02	14	0	0.00	7	0	0.00	20	1	0.05		
		Drinking Water	5.	41	1	0.02	14	0	0.00	7	0	0.00	20	1	0.05		
01034	CHROMIUM, TOTAL	Drinking Water	100.	47	0	0.00	17	0	0.00	10	0	0.00	20	0	0.00		
01040	COPPER, DISSOLVED	Fresh Acute	18.	6	3	0.50	3	1	0.33	3	2	0.67					
		Drinking Water	1300.	6	0	0.00	3	0	0.00	3	0	0.00					
01042	COPPER, TOTAL	Fresh Acute	18.	41	14	0.34	14	4	0.29	7	2	0.29	20	8	0.40		
		Drinking Water	1300.	41	0	0.00	14	0	0.00	7	0	0.00	20	0	0.00		
01049	LEAD, DISSOLVED	Fresh Acute	82.	6	0	0.00	3	0	0.00	3	0	0.00					
		Drinking Water	15.	6	3	0.50	3	2	0.67	3	1	0.33					
01051	LEAD, TOTAL	Fresh Acute	82.	35	0	0.00	12	0	0.00	7	0	0.00	16	0	0.00		
		Drinking Water	15.	34 &	4	0.12	12	2	0.17	7	0	0.00	15	2	0.13		
01059	THALLIUM, TOTAL	Fresh Acute	1400.	25	0	0.00	10	0	0.00	4	0	0.00	11	0	0.00		
		Drinking Water	2.	2 &	2	1.00	1	1	1.00	1	1	1.00					
01067	NICKEL, TOTAL	Fresh Acute	1400.	37	0	0.00	14	0	0.00	7	0	0.00	16	0	0.00		
		Drinking Water	100.	37	0	0.00	14	0	0.00	7	0	0.00	16	0	0.00		
01075	SILVER, DISSOLVED	Fresh Acute	4.1	6	0	0.00	3	0	0.00	3	0	0.00					
		Drinking Water	100.	6	0	0.00	3	0	0.00	3	0	0.00					
01077	SILVER, TOTAL	Fresh Acute	4.1	32 &	1	0.03	10	0	0.00	6	0	0.00	16	1	0.06		
		Drinking Water	100.	41	0	0.00	14	0	0.00	7	0	0.00	20	0	0.00		
01090	ZINC, DISSOLVED	Fresh Acute	120.	6	0	0.00	3	0	0.00	3	0	0.00					
		Drinking Water	5000.	6	0	0.00	3	0	0.00	3	0	0.00					
01092	ZINC, TOTAL	Fresh Acute	120.	41	2	0.05	14	1	0.07	7	0	0.00	20	1	0.05		
		Drinking Water	5000.	41	0	0.00	14	0	0.00	7	0	0.00	20	0	0.00		
01097	ANTIMONY, TOTAL	Fresh Acute	88.	37	1	0.03	14	0	0.00	7	0	0.00	16	1	0.06		
		Drinking Water	6.	10 &	6	0.60	4	2	0.50				6	4	0.67		
01147	SELENIUM, TOTAL	Fresh Acute	20.	33 &	0	0.00	11	0	0.00	7	0	0.00	15	0	0.00		
		Drinking Water	50.	35	0	0.00	12	0	0.00	7	0	0.00	16	0	0.00		
31501	COLIFORM, TOTAL, MEMBRANE FILTER, IMMED.	Other-Hi Lim.	1000.	79	34	0.43	23	13	0.57	24	5	0.21	32	16	0.50		
31616	FECAL COLIFORM, MEMBRANE FILTER, BROTH	Other-Hi Lim.	200.	112 &	37	0.33	36	17	0.47	31	2	0.06	45	18	0.40		
34356	ENDOSULFAN, BETA, TOTAL	Fresh Acute	0.22	5	0	0.00	2	0	0.00				3	0	0.00		
34361	ENDOSULFAN, ALPHA, TOTAL	Fresh Acute	0.22	5	0	0.00	2	0	0.00				3	0	0.00		
39033	ATRAZINE IN WHOLE WATER SAMPLE	Drinking Water	3.	25	0	0.00	8	0	0.00	6	0	0.00	11	0	0.00		
39045	2,4,5-TP INCLUDES ACIDS & SALTS WATER SA	Drinking Water	50.	24	0	0.00	7	0	0.00	6	0	0.00	11	0	0.00		
39055	SIMAZINE IN WHOLE WATER	Drinking Water	4.	10	0	0.00	4	0	0.00	2	0	0.00	4	0	0.00		

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Entire FOLS Study Area

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----7/01-10/31-----			-----11/01-3/14-----			-----3/15-6/30-----			-----n/a-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
39300	P,P' DDT IN WHOLE WATER SAMPLE	Fresh Acute	1.1	9	0	0.00	2	0	0.00	2	0	0.00	5	0	0.00		
39310	P,P' DDD IN WHOLE WATER SAMPLE	Fresh Acute	0.6	5	0	0.00	2	0	0.00				3	0	0.00		
39320	P,P' DDE IN WHOLE WATER SAMPLE	Fresh Acute	1050.	5	0	0.00	2	0	0.00				3	0	0.00		
39330	ALDRIN IN WHOLE WATER SAMPLE	Fresh Acute	3.	31	0	0.00	9	0	0.00	9	0	0.00	13	0	0.00		
39340	GAMMA-BHC(LINDANE), WHOLE WATER	Fresh Acute	2.	10	0	0.00	3	0	0.00	2	0	0.00	5	0	0.00		
		Drinking Water	0.2	10	0	0.00	3	0	0.00	2	0	0.00	5	0	0.00		
39350	CHLORDANE(TECH MIX & METABS), WHOLE WATE	Fresh Acute	2.4	30	0	0.00	9	0	0.00	9	0	0.00	12	0	0.00		
		Drinking Water	2.	30	0	0.00	9	0	0.00	9	0	0.00	12	0	0.00		
39370	DDT IN WHOLE WATER SAMPLE	Fresh Acute	1.1	0 &	0	0.00											
39380	DIELDRIN IN WHOLE WATER SAMPLE	Fresh Acute	2.5	30	0	0.00	9	0	0.00	9	0	0.00	12	0	0.00		
39390	ENDRIN IN WHOLE WATER SAMPLE	Fresh Acute	0.18	30	0	0.00	9	0	0.00	9	0	0.00	12	0	0.00		
		Drinking Water	2.	30	0	0.00	9	0	0.00	9	0	0.00	12	0	0.00		
39400	TOXAPHENE IN WHOLE WATER SAMPLE	Fresh Acute	0.73	0 &	0	0.00											
		Drinking Water	3.	24	0	0.00	7	0	0.00	6	0	0.00	11	0	0.00		
39410	HEPTACHLOR IN WHOLE WATER SAMPLE	Fresh Acute	0.52	26	0	0.00	9	0	0.00	7	0	0.00	10	0	0.00		
		Drinking Water	0.4	20 &	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00		
39420	HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE	Fresh Acute	0.52	26	0	0.00	9	0	0.00	7	0	0.00	10	0	0.00		
		Drinking Water	0.2	20 &	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00		
39480	METHOXYCHLOR IN WHOLE WATER SAMPLE	Drinking Water	40.	30	0	0.00	9	0	0.00	9	0	0.00	12	0	0.00		
39700	HEXACHLOROBENZENE IN WHOLE WATER SAMPLE	Fresh Acute	6.	10	0	0.00	4	0	0.00	2	0	0.00	4	0	0.00		
		Drinking Water	1.	10	0	0.00	4	0	0.00	2	0	0.00	4	0	0.00		
39720	PICLORAM IN WHOLE WATER SAMPLE	Drinking Water	500.	20	0	0.00	7	0	0.00	4	0	0.00	9	0	0.00		
39730	2,4-D IN WHOLE WATER SAMPLE	Drinking Water	70.	24	0	0.00	7	0	0.00	6	0	0.00	11	0	0.00		
39782	LINDANE IN WHOLE WATER SAMPLE	Fresh Acute	2.	15 &	0	0.00	4	0	0.00	4	0	0.00	7	0	0.00		
		Drinking Water	0.2	15 &	0	0.00	4	0	0.00	4	0	0.00	7	0	0.00		
71850	NITRATE NITROGEN, TOTAL (AS NO3)	Drinking Water	44.	11	0	0.00	4	0	0.00	4	0	0.00	3	0	0.00		
71851	NITRATE NITROGEN, DISSOLVED (AS NO3)	Drinking Water	44.	156	0	0.00	42	0	0.00	51	0	0.00	63	0	0.00		
71890	MERCURY, DISSOLVED	Fresh Acute	2.4	5	0	0.00	3	0	0.00	2	0	0.00					
		Drinking Water	2.	5	0	0.00	3	0	0.00	2	0	0.00					
71900	MERCURY, TOTAL	Fresh Acute	2.4	25	0	0.00	7	0	0.00	5	0	0.00	13	0	0.00		
		Drinking Water	2.	25	0	0.00	7	0	0.00	5	0	0.00	13	0	0.00		
81405	CARBOFURAN (EURADAN) WHOLE WATER SAMPLE	Drinking Water	40.	5	0	0.00	2	0	0.00				3	0	0.00		
82079	TURBIDITY, LAB	Other-Hi Lim.	50.	1	1	1.00							1	1	1.00		

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

NPS Servicewide Inventory and Monitoring Program Level I
Water Quality Parameter Inventory Data Evaluation and Analysis:
Missing Level I Groups

No STORET Data Within the FOLS Study Area Exist for These Groups:

Chlorophyll*

*Not A Priority Parameter

NPS Servicewide Inventory and Monitoring Program Level I
Water Quality Parameter Inventory Data Evaluation and Analysis:
Present Level I Groups

STORET Data Within the FOLS Study Area Exist for These Groups:

		Total Obs.	01/01/85 to 11/18/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
Alkalinity						
00410	ALKALINITY, TOTAL (MG/L AS CaCO ₃)	239	37	78	124	4
00440	BICARBONATE ION (MG/L AS HCO ₃)	183	0	59	124	3
00445	CARBONATE ION (MG/L AS CO ₃)	182	0	58	124	3
		604	37	195	372	10 (4) ¹
pH						
		Total Obs.	01/01/85 to 11/18/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00400	PH (STANDARD UNITS)	194	71	6	117	2
00403	PH, LAB (STANDARD UNITS)	80	1	72	7	3
		274	72	78	124	5 (4) ¹
Conductivity						
		Total Obs.	01/01/85 to 11/18/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	297	72	101	124	4
		297	72	101	124	4 (4) ¹
Dissolved Oxygen						
		Total Obs.	01/01/85 to 11/18/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00300	OXYGEN, DISSOLVED (MG/L)	116	37	72	7	3
		116	37	72	7	3 (3) ¹
Water Temperature						
		Total Obs.	01/01/85 to 11/18/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	315	75	105	135	4
		315	75	105	135	4 (4) ¹
Flow						
		Total Obs.	01/01/85 to 11/18/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00060	FLOW, STREAM, MEAN DAILY CFS	184	0	33	151	3
00061	FLOW, STREAM, INSTANTANEOUS CFS	145	38	52	55	2
		329	38	85	206	5 (3) ¹
Clarity/Turbidity						
		Total Obs.	01/01/85 to 11/18/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00070	TURBIDITY, (JACKSON CANDLE UNITS)	27	0	6	21	2
00075	TURBIDITY, HELLIGE (PPM AS SILICON DIOXIDE)	52	0	0	52	1
00076	TURBIDITY, HACH TURBIDIMETER (FORMAZIN TURB UNIT)	103	36	67	0	3
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	104	37	67	0	3
82079	TURBIDITY, LAB NEPHELOMETRIC TURBIDITY UNITS, NTU	1	1	0	0	1
		287	74	140	73	10 (4) ¹

¹Since a station can have data for more than one of the parameters in the parameter group, the number in the parenthesis is the number of unique stations having data for this parameter group.

		Total Obs.	01/01/85 to 11/18/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
Nitrate/Nitrogen						
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	108	37	68	3	3
00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	60	18	6	36	2
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	66	19	47	0	2
71850	NITRATE NITROGEN, TOTAL (MG/L AS NO3)	11	0	0	11	1
71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	156	0	32	124	3
		401	74	153	174	11 (4) ¹
Phosphate/Phosphorus						
		Total Obs.	01/01/85 to 11/18/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00650	PHOSPHATE, TOTAL (MG/L AS PO4)	134	0	31	103	3
00665	PHOSPHORUS, TOTAL (MG/L AS P)	127	37	54	36	3
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	17	17	0	0	1
70507	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	1	0	1	0	1
		279	54	86	139	8 (4) ¹
Sulfates/Total Dissolved Solids/Hardness						
		Total Obs.	01/01/85 to 11/18/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00900	HARDNESS, TOTAL (MG/L AS CaCO3)	239	37	78	124	4
00945	SULFATE, TOTAL (MG/L AS SO4)	221	19	78	124	4
00946	SULFATE, DISSOLVED (MG/L AS SO4)	18	18	0	0	1
70300	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), (MG/L)	123	0	6	117	1
		601	74	162	365	10 (4) ¹
Bacteria						
		Total Obs.	01/01/85 to 11/18/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
31501	COLIFORM, TOT, MEMBRANE FILTER, IMMED. M-ENDOMED, 35C	79	0	72	7	2
31616	FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5C	116	36	73	7	3
31673	FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	116	36	73	7	3
		311	72	218	21	8 (3) ¹

¹Since a station can have data for more than one of the parameters in the parameter group, the number in the parenthesis is the number of unique stations having data for this parameter group.

Toxic Elements		Total Obs.	01/01/85 to 11/18/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
01097	ANTIMONY, TOTAL (UG/L AS SB)	37	37	0	0	1
01000	ARSENIC, DISSOLVED (UG/L AS AS)	5	0	5	0	1
01002	ARSENIC, TOTAL (UG/L AS AS)	41	37	4	0	2
01012	BERYLLIUM, TOTAL (UG/L AS BE)	37	37	0	0	1
01025	CADMIUM, DISSOLVED (UG/L AS CD)	6	0	6	0	1
01027	CADMIUM, TOTAL (UG/L AS CD)	41	37	4	0	2
01034	CHROMIUM, TOTAL (UG/L AS CR)	47	37	10	0	2
01040	COPPER, DISSOLVED (UG/L AS CU)	6	0	6	0	1
01042	COPPER, TOTAL (UG/L AS CU)	41	37	4	0	2
01049	LEAD, DISSOLVED (UG/L AS PB)	6	0	6	0	1
01051	LEAD, TOTAL (UG/L AS PB)	35	31	4	0	2
71890	MERCURY, DISSOLVED (UG/L AS HG)	5	0	5	0	1
71900	MERCURY, TOTAL (UG/L AS HG)	25	21	4	0	2
01067	NICKEL, TOTAL (UG/L AS NI)	37	37	0	0	1
01147	SELENIUM, TOTAL (UG/L AS SE)	35	31	4	0	2
01075	SILVER, DISSOLVED (UG/L AS AG)	6	0	6	0	1
01077	SILVER, TOTAL (UG/L AS AG)	41	37	4	0	2
01059	THALLIUM, TOTAL (UG/L AS TL)	25	25	0	0	1
01090	ZINC, DISSOLVED (UG/L AS ZN)	6	0	6	0	1
01092	ZINC, TOTAL (UG/L AS ZN)	41	37	4	0	2
39700	HEXACHLOROBENZENE IN WHOLE WATER SAMPLE (UG/L)	10	10	0	0	1
39330	ALDRIN IN WHOLE WATER SAMPLE (UG/L)	31	20	10	1	3
39337	ALPHA BENZENE HEXACHLORIDE IN WHOLE WATER (UG/L)	6	5	0	1	2
39338	BETA BENZENE HEXACHLORIDE IN WHOLE WATER (UG/L)	5	5	0	0	1
39340	GAMMA-BHC(LINDANE), WHOLE WATER (UG/L)	10	10	0	0	1
39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	21	10	10	1	3
34259	DELTA BENZENE HEXACHLORIDE, TOTAL (UG/L)	5	5	0	0	1
39350	CHLORDANE(TECH MIX & METABS), WHOLE WATER (UG/L)	30	20	10	0	3
39300	P,P' DDT IN WHOLE WATER SAMPLE (UG/L)	9	5	4	0	2
39370	DDT IN WHOLE WATER SAMPLE (UG/L)	6	0	6	0	2
39320	P,P' DDE IN WHOLE WATER SAMPLE (UG/L)	5	5	0	0	1
39310	P,P' DDD IN WHOLE WATER SAMPLE (UG/L)	5	5	0	0	1
39380	DIELDRIN IN WHOLE WATER SAMPLE (UG/L)	30	20	10	0	3
34361	ENDOSULFAN, ALPHA, TOTAL (UG/L)	5	5	0	0	1
34356	ENDOSULFAN, BETA, TOTAL (UG/L)	5	5	0	0	1
34351	ENDOSULFAN SULFATE, TOTAL (UG/L)	5	5	0	0	1
39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	30	20	10	0	3
39410	HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L)	26	20	6	0	3
39420	HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L)	26	20	6	0	3
39496	PCB - 1242 PCB SERIES WHOLE WATER SAMPLE (UG/L)	20	20	0	0	1
39504	PCB - 1254 PCB SERIES WHOLE WATER SAMPLE (UG/L)	20	20	0	0	1
39488	PCB - 1221 IN THE WHOLE WATER SAMPLE (UG/L)	20	20	0	0	1
39492	PCB - 1232 PCB SERIES WHOLE WATER SAMPLE (UG/L)	20	20	0	0	1
39500	PCB - 1248 PCB SERIES WHOLE WATER SAMPLE (UG/L)	20	20	0	0	1
39508	PCB - 1260 PCB SERIES WHOLE WATER SAMPLE (UG/L)	20	20	0	0	1
34671	PCB - 1016, TOTAL (UG/L)	20	20	0	0	1
39400	TOXAPHENE IN WHOLE WATER SAMPLE (UG/L)	24	20	4	0	2
		957	796	158	3	74 (3) ¹

¹Since a station can have data for more than one of the parameters in the parameter group, the number in the parenthesis is the number of unique stations having data for this parameter group.

NPS Servicewide Inventory and Monitoring Program Level I

Water Quality Parameter Inventory Data Evaluation and Analysis:

Park Summary: Level I Group Currentness and Distribution

Parameter Group	Total Obs.	Obs. Since 1985	% Obs. Since 1985	Stations Measuring This Group	% of Total Stations Measuring This Group	Obs. Per Station Measuring This Group	Period of Record For This Group	Observations Per Year of Period of Record
Alkalinity	604	37	6.1	4	100.0	151.0	10/16/61-11/18/97	16.7
pH	274	72	26.3	4	100.0	68.5	10/16/61-11/18/97	7.6
Conductivity	297	72	24.2	4	100.0	74.3	10/16/61-11/18/97	8.2
Dissolved Oxygen	116	37	31.9	3	75.0	38.7	06/21/72-11/18/97	4.6
Water Temperature	315	75	23.8	4	100.0	78.8	09/23/59-11/18/97	8.3
Flow	329	38	11.6	3	75.0	109.7	05/05/58-06/07/95	8.9
Clarity/Turbidity	287	74	25.8	4	100.0	71.8	02/10/65-11/18/97	8.8
Nitrate/Nitrogen	401	74	18.5	4	100.0	100.3	10/16/61-11/18/97	11.1
Phosphate/Phosphorus	279	54	19.4	4	100.0	69.8	02/20/62-11/18/97	7.8
Chlorophyll	0	0	0.0	0	0.0	0.0	No Data For Group	0.0
Sulfates/Total Dissolved Solids/Hardness	601	74	12.3	4	100.0	150.3	10/16/61-11/18/97	16.7
Bacteria	311	72	23.2	3	75.0	103.7	06/21/72-11/18/97	12.2
Toxic Elements	957	796	83.2	3	75.0	319.0	06/27/72-11/18/97	37.7

**Water Quality Observations
Outside STORET Edit Criteria for FOLS**

(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter		Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
FOLS0001	39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	750429	0650	50.0000000	21KAN001	002004	
FOLS0002	00300	OXYGEN, DISSOLVED MG/L	760127	1335	32.4000000	21KAN001	000248	
FOLS0002	00300	OXYGEN, DISSOLVED MG/L	780109	1317	30.8000000	21KAN001	000248	
FOLS0002	39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	760127	1335	50.0000000	21KAN001	000248	
FOLS0002	39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	760210	1325	50.0000000	21KAN001	000248	
FOLS0002	39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	770125	1315	50.0000000	21KAN001	000248	
FOLS0002	39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	770712	1330	50.0000000	21KAN001	000248	
FOLS0002	39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	780710	1340	50.0000000	21KAN001	000248	
FOLS0003	00400	PH (STANDARD UNITS)	960827	0950	0.0000000	21KAN001	000585	X
FOLS0003	01105	ALUMINUM, TOTAL (UG/L AS AL)	960625	1029	24000.0000000	21KAN001	000585	
FOLS0004	00070	TURBIDITY, (JACKSON CANDLE UNITS)	731015	1525	2600.0000000	112WRD	07141200	
FOLS0004	00070	TURBIDITY, (JACKSON CANDLE UNITS)	731207	1455	1600.0000000	112WRD	07141200	
FOLS0004	00070	TURBIDITY, (JACKSON CANDLE UNITS)	750625	1120	2000.0000000	112WRD	07141200	
FOLS0004	00075	TURBIDITY, HELIGE (PPM AS SILICON DIOXIDE)	680709	1515	2800.0000000	112WRD	07141200	
FOLS0004	00075	TURBIDITY, HELIGE (PPM AS SILICON DIOXIDE)	690825	2030	3800.0000000	112WRD	07141200	
FOLS0004	00075	TURBIDITY, HELIGE (PPM AS SILICON DIOXIDE)	690918	1210	4200.0000000	112WRD	07141200	
FOLS0004	00075	TURBIDITY, HELIGE (PPM AS SILICON DIOXIDE)	691007	1315	3200.0000000	112WRD	07141200	
FOLS0004	00075	TURBIDITY, HELIGE (PPM AS SILICON DIOXIDE)	710712	1440	600.0000000	112WRD	07141200	
FOLS0004	00075	TURBIDITY, HELIGE (PPM AS SILICON DIOXIDE)	720719	1515	3200.0000000	112WRD	07141200	
FOLS0004	00075	TURBIDITY, HELIGE (PPM AS SILICON DIOXIDE)	730314	1510	3200.0000000	112WRD	07141200	
FOLS0004	00075	TURBIDITY, HELIGE (PPM AS SILICON DIOXIDE)	730325	1445	2600.0000000	112WRD	07141200	
FOLS0004	00075	TURBIDITY, HELIGE (PPM AS SILICON DIOXIDE)	730402	1750	2000.0000000	112WRD	07141200	
FOLS0004	00075	TURBIDITY, HELIGE (PPM AS SILICON DIOXIDE)	730427	1925	1400.0000000	112WRD	07141200	
FOLS0004	00075	TURBIDITY, HELIGE (PPM AS SILICON DIOXIDE)	730906	1230	800.0000000	112WRD	07141200	
FOLS0004	00440	BICARBONATE ION (MG/L AS HCO3)	750108	1205	460.0000000	112WRD	07141200	

APPENDICES

Appendix A
Computer Files Transmitted With
Park Baseline Water Quality Data Inventory and Analysis

Computer disk(s) accompanying this report include up to seven (depending on the presence or absence of certain data elements) compressed (ZIP) files containing digital copies of nearly all the tables, figures, and other materials used to produce this report. To decompress these files, you must use the commonly available shareware program PKUNZIP. The command to type at the DOS prompt is:

PKUNZIP -E *COMPRESS.ZIP FILENAME.EXT*

where *COMPRESS.ZIP* is the name of one of the seven compressed (ZIP) files listed below and *FILENAME.EXT* is the name of the file you wish to extract. If you want to decompress all of the files in *COMPRESS.ZIP*, simply omit the *FILENAME.EXT*. To obtain a listing of all the files compressed into a particular ZIP file, type the following:

PKUNZIP -V *COMPRESS.ZIP* |MORE

where *COMPRESS.ZIP* is the name of one of the seven compressed ZIP files listed below. If a ZIP file spans multiple disks, use the last disk of the series (span) when obtaining a listing of all the files compressed into a particular ZIP file. Once you see the file you wish to obtain, substitute this file name for *FILENAME.EXT* in the first command line above to extract and decompress this particular file.

Included on one of the disk(s) accompanying this report is a program named PRINTZIP. This program will decompress ZIP files which don't span multiple disks and print certain files to a Hewlett-Packard (or compatible) Laser Printer. To use PRINTZIP, however, you must still have a copy of PKUNZIP in a directory listed in your path or in the same directory as the PRINTZIP program. PRINTZIP provides an easy, menu-driven interface for using PKUNZIP to decompress files and then send them to the printer. PRINTZIP allows you to send individual files, groups of files, or all files to the printer. PRINTZIP will not work with ZIP files that span multiple disks.

The following compressed (ZIP) files are included on the disk(s) accompanying this report:

(1) FOLSTABS.ZIP

This compressed file contains all the tables presented in the report. The files compressed into this file include:

- (a) FOLSSITE.DOC - Descriptive listing of select fields from the industrial facilities discharges, drinking water intakes, and EPA-USGS stream gages databases.
- (b) FOLSAGNC.DOC - Contacts for agencies whose data were retrieved within the study area.
- (c) FOLSAGNQ.DOC - Number of stations, observations, and parameters retrieved by agency code within the study area and park.

- (d) FOLSOV0.DOC - Overview of park and retrieved data.
- (e) FOLSOV1.DOC - Station period of record table.
- (f) FOLSOV2.DOC - Parameter period of record table.
- (g) FOLSOV3.DOC - Station/parameter period of record table.
- (h) FOLSINV.DOC - Station by station descriptive statistics over the entire period of record and comparison against EPA Water Quality Criteria for each station.
- (i) FOLSSEAN.DOC - Seasonal and annual water quality descriptive statistics at stations with water quality data meeting the default seasonal and annual criteria.
- (j) FOLSEPAS.DOC - EPA Water Quality Criteria comparison for data at all stations combined within the study area.
- (k) FOLSIDEA.DOC - Comparison of downloaded STORET data with NPS Servicewide Inventory and Monitoring Program "Level I" water quality parameters.
- (l) FOLSBAD.DOC - Water quality observation values that were outside the range of one of 190 STORET edit criteria and were either discarded or retained.

All these compressed document files are in ASCII format and contain printer codes appropriate to Hewlett-Packard (or compatible) Laser Printers. While at the DOS prompt, any of these document files may be printed directly to a Hewlett-Packard (or compatible) Laser Printer by using the PRINT command. For example, if the document FOLSOV1.DOC is in the subdirectory C:\WATER, you could type: PRINT C:\WATER\FOLSOV1.DOC. This will print the file to your local or networked Hewlett-Packard (or compatible) Laser Printer attached to parallel port one (LPT1:). Alternatively, you can use the PRINTZIP program to decompress and print any of these files provided the ZIP file doesn't span multiple disks. These ASCII files can also be imported into word-processed documents, but the printer codes will then have to be removed.

(2) FOLSFigs.ZIP

This compressed file contains graphics files for all the statistical figures (time series plots; annual box and whiskers plots; seasonal box and whiskers plots) in the report in two different formats: Computer Graphic Metafile (CGM) and Hewlett-Packard Printer Control Language (PCL). The files are named with the last three digits of the Station Name followed by the five digit STORET code. The file name extension begins with either a 1 (time series), 2 (annual), or 3 (seasonal) and then either GM for CGM or CL for PCL. For example, 00100300.2GM would denote the file contains an annual box and whiskers plot in CGM format for parameter 00300 (dissolved oxygen) at station FOLS0001. While at the DOS prompt, any PCL file can be printed directly to a Hewlett-Packard (or compatible) Laser Printer by using the COPY command. For example, if the graphic 00100300.2CL (an annual box and whiskers plot of parameter 00300, dissolved oxygen, at station FOLS0001) is in the subdirectory C:\WATER, you would type: COPY C:\WATER\00100300.2CL LPT1: /B. This will print the file to your local or networked Hewlett-Packard (or compatible) Laser Printer attached to parallel port one (LPT1:). The /B is necessary because the PCL file is in a binary format. Alternatively, you can use the PRINTZIP program to decompress and print any of the PCL files provided the ZIP file doesn't span multiple disks. The CGM files can be imported and/or edited in most graphics packages, including WordPerfect.

(3) FOLSPARM.ZIP

This file compresses FOLSPARM.DBF which contains all the actual values (raw data) of all the water quality data downloaded from STORET and summarized in the report. The detailed database structure for this file is contained in Appendix B.

(4) FOLSSITE.ZIP

This compressed file contains up to five geo-referenced, DBASE III+ compatible site (point location) files documenting the location in the study area of water quality monitoring stations, industrial facilities discharges, drinking water intakes, water gages, and water impoundments. These files include:

- (a) FOLSWQ.DBF - All water quality monitoring station locations within the project's study area downloaded from STORET.
- (b) FOLSIFD.DBF - All municipal and industrial facility discharges within the project's study area downloaded from the IFD database.
- (c) FOLSDRIN.DBF - All drinking water intakes within the project's study area downloaded from the DRINKS database.
- (d) FOLSGAGE.DBF - All water gages within the project's study area downloaded from the GAGES database.
- (e) FOLSDAMS.DBF - All water impoundments within the project's study area downloaded from the DAMS database.

The absence of any of these files indicates that none of the particular sites were found within the study area. Detailed database structures for each of these files are contained in Appendix B.

(5) FOLSMISC.ZIP

This compressed file contains a variety of graphic and document files that are contained in the report. They are grouped into this miscellaneous compressed (ZIP) file because they don't fit neatly into any of the other compressed files. The files contained in this compressed file include:

- (a) FOLSEXEC.DOC - WordPerfect Ver. 5.1 copy of the Executive Summary in the report.
- (b) FOLSTOC.DOC - WordPerfect Ver. 5.1 copy of the report's Table of Contents.
- (c) INTRO.DOC - WordPerfect Ver. 5.1 copy of all the text in the report from the Introduction through the Interpretive Guide to Water Quality Results.
- (d) APPENDIX.DOC - WordPerfect Ver. 5.1 copy of all the Appendices in the report.
- (e) FOLSREGI - PCL and CLP (Windows Clipboard) copies of map displaying the regional location of the park and study area.
- (f) FOLSWQ - PCL and CLP (Windows Clipboard) copies of park maps displaying water quality station locations within the park's study area. If, due to scaling and aesthetic concerns, multiple maps were needed, these files will have alphabetically ordered suffixes (FOLSWQA, FOLSWQB, FOLSWQC, etc.) and the index map name will end with an ampersand (&).

- (g) FOLSIDG - PCL and CLP (Windows Clipboard) copies of park maps displaying locations of industrial facilities discharges, drinking water intakes, and stream gages within the park's study area. If, due to scaling and aesthetic concerns, multiple maps were needed, these files will have alphabetically ordered suffixes (FOLSIDGA, FOLSIDGB, FOLSIDGC, etc.) and the index map name will end with an ampersand (&). If no industrial facilities discharges, drinking water intakes, water gages, or water impoundments exist within the park's study area, these files will not be in the compressed (ZIP) file.
- (h) FOLSSEHY - PCL and CLP (Windows Clipboard) copies of the hydrographs or other materials used by WRD staff as the basis for a first attempt at a seasonal analysis of the park's water quality data.

Other materials may also be included in this miscellaneous compressed (ZIP) file as warranted by conditions at the park. As with FOLFIGS.ZIP and FOLSTABS.ZIP, you can use the PRINTZIP program to print any of the PCL files in FOLSMISC.ZIP provided the ZIP file doesn't span multiple disks. You should not, however, use PRINTZIP to print the WordPerfect document files. The CLP (Windows Clipboard) files can be imported (pasted) and/or edited in most Windows-based word processors and graphics packages.

(6) FOLSRF3.ZIP

This compressed file contains the Environmental Protection Agency's River Reach File Ver. 3.0 provisional data for the USGS catalog unit(s) encompassing the study area. The attribute data exist in both ASCII and DBASE III+ format, while the geographic traces exist in ASCII format. This compressed file contains four files for each catalog unit that touches the study area. Catalog units are identified by unique 8-character numeric names which identify the region, subregion, accounting unit, and catalog unit. Examples (your 8-character numeric names will be different) of the file types included in this compressed file are:

- (a) 12345678.RF3 - ASCII formatted attribute file from the River Reach File for all hydrographic traces within the catalog unit.
- (b) 12345678.DBF - DBASE III+ formatted attribute file from the River Reach File for all hydrographic traces within the catalog unit.
- (c) 12345678.TRC - ASCII formatted geographic file from the River Reach File containing digital, geo-referenced descriptions of all hydrographic traces within the catalog unit at a scale of 1:100,000 suitable for import into a geographic information system.
- (d) 12345678.CUB - ASCII formatted geographic file from the River Reach File containing a digital, geo-referenced description of the catalog unit boundary suitable for import into a geographic information system.

Detailed database structures for RF3-related files are contained in Appendix B.

(7) FOLSWQMW.ZIP

Between 2000 and 2002, all Baseline Water Quality Data Inventory and Analysis Reports were compiled or re-compiled in Microsoft Word 2000 (Ver. 9.0) format. This complete, digital version of the report will be made available through various means, including the Internet. Although the reports can be opened in Microsoft Word 1997 (Ver. 8.0), the time series and annual and seasonal box-plots may not be centered appropriately on a page due to discrepancies with how Word 2000 formats pictures and how Word 1997 formatted pictures. Consequently, Word 2000 is the recommended software for viewing the report. Prior to printing the report from Word, be sure to enable "Print Text as Graphics" or "Print True Type Font as Graphics" in the Printer Properties. This ensures a more faithful reproduction of the maps included in the Word document.

The Microsoft Word version of the Baseline Water Quality Data Inventory and Analysis Report may differ slightly from the original analog version. Reports issued during 1994-1996 didn't have as many "bells-and-whistles" as subsequent reports. In compiling digital Microsoft Word versions of these earlier reports, attempts were made to bring these 1994-1996 reports up to the current standard wherever feasible and practicable. Unfortunately, some changes were not feasible or practicable. For example, water quality criteria screens were added or modified over time when newer criteria became available. The digital Microsoft Word version of Appendix F presents the latest criteria screening parameters and values. Some of these parameters and/or values may not have been screened against in the EPA water quality criteria analyses for each station and the entire study area in the 1994-1996 analog versions of the report. Similarly, the Introduction, Methodology, and Interpretive Guide to Water Quality Results may mention certain features that aren't included in the 1994-1996 reports. Additionally, to prepare a Microsoft Word version of this report, data were processed through different versions of software than used originally. Consequently, some results presented in the Overview and Executive Summary may differ slightly from those presented in the analog report (eg. # of In Park and Longer Term Stations).

Appendix B

Water Quality Database File Structures

The following table provides the DBASE III+ database field structure for all the water quality parameter data downloaded from STORET. This data will allow parks or other interested parties to replicate the statistical analyses and graphics contained in this report; perform more sophisticated analyses; or to establish a baseline park water quality database.

Parameter Data File: FOLSPARM.DBF in FOLSPARM.ZIP				
Field Name	Start	Stop	Length	Field Description
NPSSTATID	1	8	8	NPS Station ID (NPS park code + 4 digit sequence number)
BEGDATE	9	14	6	Measurement Start Date [yymmdd]
BEGTIME	15	18	4	Measurement Start Time [hhmm]
PARMCODE	19	23	5	STORET Parameter Code
PARMVALU	24	39	16.7	Parameter Value
REMARK	40	40	1	Parameter Remark Value
				A=Value is Mean of 2 or More Determinations
				B=Results Based Upon Colony Counts Outside Acceptable Range
				C=Value Calculated
				D=Field Measurement
				E=Extra Sample Taken in Compositing Process
				F=Female Species
				G=Maximum of 2 or More Determinations
				H=Based on Field Kit Determination
				I=Value is Less Than Practical Quantitation Limit and Greater Than or Equal to the Method Detection Limit
				J=Estimated, Not the Result of Analytic Measurement
				K=Off-scale Low, Actual Value Not Known, But Known to be Less Than Value Shown
				L=Off-scale High, Actual Value Not Known, But Known to be Greater Than Value Shown

Parameter Data File: FOLSPARM.DBF in FOLSPARM.ZIP				
Field Name	Start	Stop	Length	Field Description
				M=Presence Verified, But Not Quantified, Below Quantification Limit; For Species, Male; For Oxygen Reduction Potential, Indicates a Negative Value
				N=Presumptive Evidence of Presence
				O=Analysis Lost
				P=Too Numerous to Count
				Q=Exceeded Normal Holding Time
				R=Significant Rain in Last 48 Hours
				S=Laboratory test
				T=Less Than Detection Criteria
				U=Analyzed For But Not Detected, Value is Detection Limit For Process Used; If Species, Undetermined
				V=Analyte was Detected in Sample and Method Blank
				W=Less Than Lowest Value Reportable Under Remark "T"
				X=Quasi Vertically-Integrated Sample
				Y=Analysis of Unpreserved Sample
				Z=Too Many Colonies Were Present to Count (TNTC), Value Represents Filtration Value
				\$=Calculated By Retrieval Software
MEDIA	41	46	6	Sample Media
DEPTH	47	55	9.3	Depth of Sample [in feet]
ENDDATE	56	61	6	Measurement End Date [yymmdd] [all composite samples]
ENDTIME	62	65	4	Measurement End Time [hhmm] [all composite samples]
SAMPTYPE	66	69	4	Type of Sample ["sophisticated" composite samples]
				C=Continuous Collection
				G=Collection of Individual Grab Samples
				GNxx=xx is the Number of Individual Grab Samples
				B=N/A

Parameter Data File: FOLSPARM.DBF in FOLSPARM.ZIP				
Field Name	Start	Stop	Length	Field Description
COMPTYPE	70	70	1	Composite Value Type ["sophisticated" composite samples]
				A=Average
				H=Maximum
				L=Minimum
				N=Number of Observations
				#=Number of Observations
				S=Standard Deviation
				U=Sum of Squares
				V=Variance
				C=Coefficient of Error
				X=Coefficient of Variance
				E=Skewness
				F=Kurtosis
				Z=Number of Observations That Exceed an Established Limit
				%=Precision
				\$=Accuracy
				B=N/A
				D=Indicates Replicate Sample
COMPST	71	71	1	Composite Space/Time Indicator
				S=Space
				T=Time
				B=Space and Time
				F=Flow Proportional
				1-9=Replicate Number

Note: DBASE III+ record lengths will be one greater than the last stop column displayed (71 here) because DBASE III+ reserves the first space/column of every record for a deletion flag. Hence, DBASE III+ will display a record length of 72 for this database.

The following table provides the DBASE III+ database field structure for all the water quality station locations downloaded from STORET. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

Water Quality Station Data File: FOLSWQ.DBF in FOLSSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
NPSSTATID	1	8	8	NPS Station ID (NPS park code + 4 digit sequence number)
AGENCY	9	16	8	Agency Code of Station Owner
STORIDP	17	31	15	STORET Primary Station Code
STORIDS1	32	43	12	STORET First Secondary Station Code
STORIDS2	44	55	12	STORET Second Secondary Station Code
STORIDS3	56	65	10	STORET Third Secondary Station Code
LATITUDE	66	73	8	Station Latitude [degrees:minutes:seconds]
LONGITUDE	74	82	9	Station Longitude [degrees:minutes:seconds]
LAT	83	93	11.6	Station Latitude [decimal degrees, (-) below equator]
LON	94	104	11.6	Station Longitude [decimal degrees, (-) western hemisphere]
LLPREC	105	105	1	Latitude/Longitude Precision Code
RMI	106	329	224	River Mile Index
STATLOC	330	377	48	Station Location Description
CNTYCODE	378	382	5	FIPS State/County Code
STNAME	383	398	16	State Name
CNTYNAME	399	418	20	County Name
HYDUNIT	419	426	8	Hydrologic Unit Code (MAJ/MIN/SUB = Catalog Unit)
MAJBASN	427	450	24	Major Basin Name
MINBASN	451	490	40	Minor Basin Name
STATTYPE	491	550	60	Station Type
STORDATE	551	556	6	Date Station was Stored in STORET
RF1INDEX	557	567	11	RF1 Reach Number Location [2]
RF1MILE	568	575	8.3	Mile Point on RF1 Reach [2]
RF1LOC	576	578	3	Indicates the Location as ON or OFF RF1 Reach [2]
RF1DIST	579	584	6.2	Distance From RF1 Reach

Water Quality Station Data File: FOLSWQ.DBF in FOLSSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
RF3INDEX	585	601	17	RF3 Reach Number Location [3]
RF3MILE	602	607	6.2	Mile point on RF3 Reach [3]
RF3LOC	608	610	3	Indicates the Location as ON or OFF RF3 Reach [2]
RF3DIST	611	616	6.2	Distance From RF3 Reach
DEPH2O	617	620	4	Depth of Water at Station Location [in feet]
ELEV	621	625	5	Station Elevation
ECOREG	626	628	3	ECO Region
H2OBODY	629	678	50	Waterbody ID
AQUIFERS	679	718	40	Aquifer Description
STATDESC1	719	790	72	Station Sentence Description
STATDESC2	791	862	72	Station Sentence Description
STATDESC3	863	934	72	Station Sentence Description
STATDESC4	935	1006	72	Station Sentence Description
STATDESC5	1007	1078	72	Station Sentence Description
STATDESC6	1079	1150	72	Station Sentence Description
STATDESC7	1151	1222	72	Station Sentence Description
STATDESC8	1223	1294	72	Station Sentence Description
STATDESC9	1295	1366	72	Station Sentence Description
STATDESC10	1367	1438	72	Station Sentence Description
STATDESC11	1439	1510	72	Station Sentence Description
STATDESC12	1511	1582	72	Station Sentence Description
STATDESC13	1583	1654	72	Station Sentence Description
STATDESC14	1655	1726	72	Station Sentence Description
STATDESC15	1727	1798	72	Station Sentence Description
STATLOCKED	1799	1799	1	Station Locked (Logical) True/False

The following table provides the DBASE III+ database field structures for the EPA Industrial Facilities Discharge database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

Industrial Facilities Discharges File: FOLSIFD.DBF in FOLSSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
SITEID	1	9	9	Site Identifier (NPDES Number)
LATITUDE	10	17	8	Facility Latitude (Degrees:Minutes:Seconds)
LONGITUDE	18	26	9	Facility Longitude (Degrees:Minutes:Seconds)
LAT	27	37	11.6	Facility Latitude (decimal degrees, (-) below equator)
LON	38	48	11.6	Facility Longitude (decimal degrees, (-) west. hem.)
RF1INDEX	49	59	11	RF1 Reach Number Location
RF1MILE	60	65	6.2	Mile Point on RF1 Reach
RF1DIST	66	71	6.2	Distance From RF1 Reach
RF3INDEX	72	88	17	RF3 Reach Number Location
RF3MILE	89	94	6.2	Mile Point on RF3 Reach
RF3DIST	95	100	6.2	Distance From RF3 Reach
ADR	101	125	25	Address
BFL	126	132	7.2	Total Direct Combined C&P Flow (1000 GPD)
CCFLG	133	133	1	Coastal County Flag "Y"/"N"/"E"=Estuary
CC1	134	138	5	City Code #1 (EPA Code)
CFL	139	145	7.2	Total Direct Cooling Flow (1000 GPD)
CNC	146	148	3	County Code (FIPS)
CTY	149	168	20	City Name
CZIP	169	177	9	Canadian Zip Code
DNB	178	186	9	Dunn & Bradstreet Number
DNBFLG	187	187	1	Dunn & Bradstreet PCS Source Flag
EGF	188	202	15.4	Flow From Effluent Guidelines (1000 GPD)
EGS	203	208	6	Effluent Guidelines Subcategory
EXPDT	209	216	8	Expiration Date (mm/dd/yy)
E308SN	217	220	4	Effluent Guidelines Survey Number
FAC	221	229	9	SCS Facility Identifier (Cross-Reference)
FDS	230	232	3	Facility Data Source

Industrial Facilities Discharges File: FOLSIFD.DBF in FOLSSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
FFL	233	239	7.2	Total Facility Flow (1000 GPD)
FHF	240	240	1	Fac. Hit Flag (Reach File) V=Versar Assumed
FLOTYP	241	243	3	I=Blow Down, R=Bottom Ash, S=Fly Ash
FLR	244	250	7.2	Flow Recvd-Industrial (1000 GPD) Permit Data
FRDS	251	259	9	FRDS ID# - XREF To Water Supply
FRW	260	289	30	Facility Receiving Water Name
FS1	290	293	4	Facility SIC Code (From PCS)
FS2	294	297	4	Facility SIC Code #1
FS3	298	301	4	Facility SIC Code #2
FS4	302	305	4	Facility SIC Code #3
FS5	306	309	4	Facility SIC Code #4
FUD	310	317	8	Facility Level Last Date Updated (mm/dd/yy)
IACC	318	318	1	Inactive/Active Indicator ("I" or "A")
ICAT	319	320	2	WQAB Industrial Category
ICAT2	321	322	2	WQAB Industrial Category 2
ICAT3	323	324	2	WQAB Industrial Category 3
IFL	325	331	7	Total Indirect Flow (1000 GPD)
IFT	332	332	1	Illinois Facility Type (A thru Z)
IG1	333	334	2	Facility Industrial Group #1
IG2	335	336	2	Facility Industrial Group #2
IJCN	337	346	10	Canadian Record Identifier
INACT	347	353	7	Inactive/Rescinded P=Based on Permit;A=Actual
INDCNT	354	357	4	Computed Number of Indirect Dischargers
LATLON	358	372	15	Polygon Retrieval Lat/Long.
MAJ	373	373	1	Major-Minor Flag (From PCS)
MAPID	374	377	4	Map Identifier
MJMN	378	381	4	Major/Minor Basin (EPA-STORET)
NAM	382	441	60	Facility Name
NDC	442	444	3	Number of Discharges (Pipes)

Industrial Facilities Discharges File: FOLSIFD.DBF in FOLSSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
NDSFLO	445	451	7.2	NEEDS Flow (1000 GPD)
NDSIFLO	452	458	7.2	NEEDS Industrial Flow (1000 GPD)
NID	459	462	4	Number of Indirect Dischargers
NPC	463	463	1	NEEDS Pre-Treatment Code "Y"=Yes, "N"=No
NPS	464	464	1	NPDES Facility Source/Status
NSN	465	473	9	NEEDS Survey Number
NTC	474	474	1	NEEDS Treatment Code
OCP	475	480	6	Organic Chemical Producers ID Number
ODESCC	481	481	1	ODES Coastal County "Y"=Yes; "N"=No
OFL	482	488	7.2	Total Non-Direct Other Flow (1000 GPD)
OWN	489	491	3	Ownership Code
PFL	492	498	7.2	Total Direct Process Flow (1000 GPD)
REG	499	500	2	EPA Region
REGKEY	501	504	4	Region Key
RSLOFLO	505	511	7.2	Receiving Stream Low Flow
RSMNFLO	512	518	7.2	Receiving Stream Mean Flow
STA	519	520	2	State Postal Abbreviation
STAID	521	535	15	State Identifier
STC	536	537	2	State Code (FIPS)
STCITY	538	544	7	State/City Code
TFLOW	545	551	7.2	Type Flow (1000 GPD)
UFL	552	558	7.2	Total Direct Undefined Flow (1000 GPD)
XEGS	559	561	3	Effluent Guidelines Subcat Index
XKEY	562	562	1	"1","2","3","4","5","6","7","8","9"
XNME	563	565	3	GLP,DIR,F2C,ENF,CET,LAG,PPB,M85,M86
ZIP	566	570	5	Zip Code

The following table provides the DBASE III+ database field structures for drinking water intakes from the EPA DRINKS database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

<u>Drinking Water Intakes File: FOLSDRIN.DBF in FOLSSITE.ZIP</u>				
Field Name	Start	Stop	Length	Field Description
SITEID	1	20	20	Site Identifier
LATITUDE	21	28	8	Facility Latitude (Degrees:Minutes:Seconds)
LONGITUDE	29	37	9	Facility Longitude (Degrees:Minutes:Seconds)
LAT	38	48	11.6	Facility Latitude (decimal degrees, (-) below equator)
LON	49	59	11.6	Facility Longitude (decimal degrees, (-) west. hem.)
RF1INDEX	60	70	11	RF1 Reach Number Location
RF1MILE	71	76	6.2	Mile Point on RF1 Reach
RF1DIST	77	82	6.2	Distance From RF1 Reach
RF3INDEX	83	99	17	RF3 Reach Number Location
RF3MILE	100	105	6.2	Mile Point on RF3 Reach
RF3DIST	106	111	6.2	Distance From RF3 Reach
AQCD	112	115	4	Aquifer Code
ASC	116	138	23	STORET Agency/Station Code
AVGD	139	142	4	Average Depth
BUY	143	143	1	Purchase Code
CC1	144	148	5	City Code #1 (EPA Code)
CNC	149	151	3	County Code (FIPS)
CNME	152	166	15	Contact Name
CNN	167	186	20	County Name
CTITLE	187	201	15	Contact Title
CTY	202	221	20	City Name
DUD	222	229	8	Date of Update
FRDS	230	238	9	FRDS ID# - Cross-Reference
GEOAG	239	258	20	Geologic Age
GEOCDE	259	261	3	Geologic Age Code
IDAT	262	269	8	Date (mm/dd/yy)

<u>Drinking Water Intakes File: FOLSDRIN.DBF in FOLSSITE.ZIP</u>				
Field Name	Start	Stop	Length	Field Description
INTAKET	270	270	1	Type Source G/S/B
INTRVWR	271	285	15	Interviewer
MAXD	286	289	4	Maximum Depth
MILES	290	296	7.2	Miles
MIND	297	300	4	Minimum Depth
NAME	301	320	20	Name
NPD	321	329	9	NPDES# XREF to IFD Database
NWLS	330	332	3	Number of Wells
OWN	333	335	3	Ownership
PAVGF	336	342	7.2	Production Avg. Daily (Gal/Day)
PCTSUP	343	345	3	%Surface / %Ground
PHONE	346	355	10	Telephone Number
PMAXF	356	362	7.2	Production Max. Daily (Gal/Day)
POPSV	363	371	9	Population Served
REG	372	373	2	EPA Region
SHLAT	374	379	6	Sitehelp Latitude (DDMMSS)
SHLNG	380	386	7	Sitehelp Longitude (DDDMMSS)
SHMILES	387	393	7.2	Sitehelp Miles
SHNME	394	403	10	Sitehelp Source Name
SHPCT	404	410	7.2	Sitehelp Percent of Reach Miles
SRC	411	413	3	Sitehelp Source Code
STA	414	415	2	State Abbreviation
STC	416	417	2	State Code (FIPS)
TUF	418	424	7.2	Total Utility Flow
TYPCDE	425	425	1	Type Code
UHF	426	426	1	Utility Hit Flag (Reach File)
VCDE	427	427	1	Versar Code='V'=>25K; '*'=<25K POPSVD
WFPC	428	428	1	Wellfield Precision Code
WFTYP	429	429	1	Well Type (Cassing,Artesian,Infiltration,etc.)

<u>Drinking Water Intakes File: FOLSDRIN.DBF in FOLSSITE.ZIP</u>				
Field Name	Start	Stop	Length	Field Description
WUN	430	449	20	Water Utility Name

The following table provides the DBASE III+ database field structures for the Water Gage database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

Water Gage File: FOLSGAGE.DBF in FOLSSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
SITEID	1	20	20	Site Identifier
LATITUDE	21	28	8	Facility Latitude (DDMMSS)
LONGITUDE	29	37	9	Facility Longitude (DDDMMSS)
LAT	38	48	11.6	Facility Latitude (decimal degrees, (-) below equator)
LON	49	59	11.6	Facility Longitude (decimal degrees, (-) west. hem.)
RF1INDEX	60	70	11	RF1 Reach Number Location
RF1MILE	71	76	6.2	Mile Point on RF1 Reach
RF1DIST	77	82	6.2	Distance From RF1 Reach
RF3INDEX	83	99	17	RF3 Reach Number Location
RF3MILE	100	105	6.2	Mile Point on RF3 Reach
RF3DIST	106	111	6.2	Distance From RF3 Reach
JAN	112	118	7.2	Monthly Flow - January
FEB	119	125	7.2	Monthly Flow - February
MAR	126	132	7.2	Monthly Flow - March
APR	133	139	7.2	Monthly Flow - April
MAY	140	146	7.2	Monthly Flow - May
JUN	147	153	7.2	Monthly Flow - June
JUL	154	160	7.2	Monthly Flow - July
AUG	161	167	7.2	Monthly Flow - August
SEP	168	174	7.2	Monthly Flow - September
OCT	175	181	7.2	Monthly Flow - October
NOV	182	188	7.2	Monthly Flow - November
DEC	189	195	7.2	Monthly Flow - December
RGN	196	197	2	Region Code
AREA	198	204	7.2	Drainage Area (SQ.MI.)
DUD	205	212	8	Date of Update

Water Gage File: FOLSGAGE.DBF in FOLSSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
FBCF	213	213	1	Flag - Basic Characteristic File ('Y')
FDFE	214	214	1	Flag - Daily Flows File ('Y')
FQMINV	215	224	10	IHS Pt. Files Index
GHF	225	225	1	Hit Flag (Reach File)
ICDE	226	226	1	Integrity Code
LFVEL	227	233	7.2	Low Flow Velocity
METHOD	234	236	3	Calculation Method Code
MFVEL	237	243	7.2	Mean Flow Velocity
MNFLO	244	250	7.2	USGS Mean Annual Flow
NME	251	298	48	Station Name
SHLAT	299	304	6	Sitehelp Latitude (DDMMSS)
SHLNG	305	311	7	Sitehelp Longitude (DDDMMSS)
SHMILES	312	318	7.2	Sitehelp Miles
SHNME	319	328	10	Sitehelp Source Name
SHPCT	329	335	7.2	Sitehelp Percent of Reach Miles
SITE	336	337	2	Site Location
SRC	338	340	3	Sitehelp Source Code
STCTY	341	345	5	State/County Numeric Code
SVTEN	346	352	7.2	USGS 7-10 Year Flow
BEG_WYR	353	356	4	Beginning Water Year
END_WYR	357	359	4	Ending Water Year
ELEV	361	368	8.2	Elevation (Feet)
WELL_DP	369	376	8.2	Well Depth (Feet)

The following table provides the DBASE III+ database field structures for the Water Impoundment database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

Water Impoundment File: FOLSDAMS.DBF in FOLSSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
SITEID	1	7	7	Site Identifier
SOURCE	8	10	3	Source of Data
ST1	11	12	2	Primary State Code Abbreviation
STCTY1	13	17	5	State/County Numeric Code
NAME	18	47	30	Official Name of Dam
LATITUDE	48	53	6	Facility Latitude (DDMMSS)
LONGITUDE	54	60	7	Facility Longitude (DDDMMSS)
LAT	61	70	10.6	Facility Latitude (decimal degrees, (-) below equator)
LON	71	81	11.6	Facility Longitude (decimal degrees, (-) west. hem.)
INME	82	111	30	Impoundment Name
RNME	112	139	28	River, Stream, or Tributary Name on Which Dam Built
CUSEGMI	140	149	10	Catalog Unit, Segment, and Segment Length
REGN	150	151	2	Water Resources Council Region Code
RGBSN	152	155	4	Water Resources Region/Basin Code
CU	156	163	8	Catalog Unit
SEG	164	166	3	Reach Segment of Dam
SEGL	167	171	5.2	Reach Segment Length
PURP	172	172	1	Major Purpose of Dam
				I=Irrigation
				H=Hydroelectric
				N=Navigation
				S=Water Supply
				R=Recreation
				P=Stock/Farm Pond
				D=Debris Control
				F=Flood Control

Water Impoundment File: FOLSDAMS.DBF in FOLSSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
				O=Other
FRF3	173	189	17	RF3 Reach Number Location
FRF3MI	190	194	5	Mile Point on RF3 Reach
PURPKEY	195	195	1	Purpose Key
PUR2	196	196	1	Purpose of Dam 2 (See Above)
PUR3	197	197	1	Purpose of Dam 3 (See Above)
PUR4	198	198	1	Purpose of Dam 4 (See Above)
PUR5	199	199	1	Purpose of Dam 5 (See Above)
PUR6	200	200	1	Purpose of Dam 6 (See Above)
PUR7	201	201	1	Purpose of Dam 7 (See Above)
PUR8	202	202	1	Purpose of Dam 8 (See Above)
PUR9	203	203	1	Purpose of Dam 9 (See Above)
PUR10	204	204	1	Purpose of Dam 10 (See Above)
TYPDAM	205	206	2	Major Dam Portion Type
				RE=Earth
				VA=Vaulted Arch
				CD=Buttress
				PG=Gravity
				ER=Rockfill
				MV=Multi-Arch
				OT=Other
YRCMP	207	210	4	Year Dam Completed
SHGT	211	214	4	Structural Height (Feet)
HHGT	215	218	4	Hydraulic Height (Feet)
VNORM	219	236	8	Normal Storage of Impoundment (Acre-Feet)
VMAX	227	234	8	Maximum Storage of Impoundment (Acre-Feet)
LCRST	235	239	5	Crest Length of Dam (Feet)
TSPL	240	240	1	Spillway Type
				C=Controlled

Water Impoundment File: FOLSDAMS.DBF in FOLSSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
				U=Uncontrolled
				N=None
				X=Unknown
WSPL	241	244	4	Dam Spillway Width (Feet)
QMAX	245	251	7	Maximum Spillway Discharge (CFS)
PINS	252	258	7.2	Quantity of Installed Power (Megawatts)
PPRO	259	265	7.2	Quantity of Proposed Power (Megawatts)
LOCK	266	266	1	Number of Navigational Locks
OWNR	267	290	24	Name of Impoundment Owner
PFOWN	291	291	1	Ownership Code
				N=Non-Federal
				G=Federal Government Agency
				C=Corps of Engineers
				X=Unknown
FEDR	292	292	1	Federally Regulated (Y=Yes, N=No, X=Unknown)
FLND	293	293	1	Private Dam on Federal Land (Y=Yes, N=No, X=Unknown)
SCSA	294	294	1	Type of Soil Conservation Service Assistance
				N=No Assistance
				T=Technical Assistance
				F=Financial Assistance
				B=Both Technical and Financial Assistance
				X=Unknown
DHAZ	295	295	1	Degree of Downstream Hazard
				1=High (More than a Few Lives Lost; Excessive Economic Loss)
				2=Significant (A Few Lives Lost; Appreciable Economic Loss)
				3=Low (No Lives Expected Lost; Minimal Economic Loss)
DCITY	296	319	24	Nearest Downstream City

Water Impoundment File: FOLSDAMS.DBF in FOLSSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
POP	320	326	7	Population of Downstream City
DMILE	327	331	5.2	Distance of Downstream City From Dam (Miles)
RET	332	342	11.2	Retention Coefficient (Dimensionless)
MIX	343	353	11.2	Mixing Coefficient (Dimensionless)
SAREA	354	361	8	Surface Area of Impoundment (Acres)
SAFLG	362	362	1	Surface Area Flag (C=Calc., M=Measured, O=Other)
ILNTH	363	367	5	Length of Impoundment (Feet)
ILFLG	368	368	1	Impoundment Length Flag (C=Calc., M=Measured, O=Other)
UPKEY	369	374	6	Update Key (YYMMDD)

The following table provides the ASCII and DBASE III+ database field structures for the EPA River Reach File Ver. 3.0 (1:100,000 scale hydrography) attributes. The actual numeric file names will vary depending on the catalog unit(s). This information can be readily incorporated into the park's Geographic Information System.

<u>RF3 Structure File: 12345678.RF3 and 12345678.DBF in FOLSRF3.ZIP</u>				
Field Name	Start	Stop	Length	Field Description
CATUNIT	1	8	8	Cataloging Unit (CU)
SEGM	9	12	4	Segment Number (SEG)
MI	13	17	5.2	Mile Point (MI)
UPMI	18	22	5.2	Upstream Mile Pt.
SEQNO	23	33	11.6	Hydro Sequence No.
RFLAG	34	34	1	Reach Flag (0,1)
OWFLAG	35	35	1	Open Water Flag (0,1)
TFLAG	36	36	1	Terminal Flag (0,1)
SFLAG	37	37	1	Start Flag (0,1)
RCHTYPE	38	38	1	Reach Type Code
LEV	39	40	2	Stream Level
JUNC	41	42	2	Level of Downstream Reach
DIVERGENCE	43	43	1	Divergence Code
STARTCU	44	51	8	Start CU
STRTSG	52	55	4	Start SEG
STOPCU	56	63	8	Stop CU
STOPSG	64	67	4	Stop SEG
USDIR	68	68	1	Upstream Direction
TERMID	69	73	5	Terminal Stream ID
TRMBLV	74	74	1	Terminal Base Level
PNAME	75	104	30	Primary Name
PNMCD	105	115	11	Primary Name Code
CNAME	116	145	30	Complement Name
CNMCD	146	156	11	Complement Name Code

RF3 Structure File: 12345678.RF3 and 12345678.DBF in FOLSRF3.ZIP				
Field Name	Start	Stop	Length	Field Description
OWNAME	157	186	30	Open Water Name
OWNMCD	187	197	11	Open Water Name Code
DSCU	198	205	8	Downstream CU
DSSEG	206	209	4	Downstream SEG
DSMI	210	214	5.2	Downstream MI
CCU	215	222	8	Complement CU
CSEG	223	226	4	Complement SEG
CMILE	227	231	5.2	Complement MI
CDIR	232	232	1	Complement Direction
ULCU	233	240	8	Upstream Left CU
ULSEG	241	244	4	Upstream Left SEG
ULMI	245	249	5.2	Upstream Left MI
URCU	250	257	8	Upstream Right CU
URSEG	258	261	4	Upstream Right SEG
URMI	262	266	5.2	Upstream Right MI
SEGL	267	272	6.2	Reach Length (Miles)
RFORGFLAG	273	273	1	RF Orgin flag(1,2,3)
ALTPNMCD	274	281	8	Alt. Primary Name Code
ALTOWNMC	282	289	8	Alt. OW Name Code
DLAT	290	297	8.4	Downstream Latitude
DLONG	298	305	8.4	Downstream Longitude
ULAT	306	313	8.4	Upstream Latitude
ULONG	314	321	8.4	Upstream Longitude
MINLAT	322	329	8.4	Minimum Latitude
MINLONG	330	337	8.4	Minimum Longitude
MAXLAT	338	345	8.4	Maximum Latitude
MAXLONG	346	353	8.4	Maximum Longitude
NDLGREC	354	357	4	No. of DLG Records
LLIKEY1	358	367	10	Starting DLG LL Key1

RF3 Structure File: 12345678.RF3 and 12345678.DBF in FOLSRF3.ZIP				
Field Name	Start	Stop	Length	Field Description
LL2KEY1	368	377	10	Ending DLG LL Key1
LL1KEY2	378	387	10	Starting DLG LL Key2
LL2KEY2	388	497	10	Ending DLG LL Key2
LL1KEY3	398	407	10	Starting DLG LL Key3
LL2KEY3	408	417	10	Ending DLG LL Key3
LL1KEY4	418	427	10	Starting DLG LL Key4
LL2KEY4	428	437	10	Ending DLG LL Key4
LL1KEY5	438	447	10	Starting DLG LL Key5
LL2KEY5	448	457	10	Ending DLG LL Key5
LL1KEY6	458	467	10	Starting DLG LL Key6
LL2KEY6	468	477	10	Ending DLG LL Key6
LL1KEY7	478	487	10	Starting DLG LL Key7
LL2KEY7	488	597	10	Ending DLG LL Key7
LL1KEY8	498	507	10	Starting DLG LL Key8
LL2KEY8	508	517	10	Ending DLG LL Key8
LL1KEY9	518	527	10	Starting DLG LL Key9
LL2KEY9	528	537	10	Ending DLG LL Key9
LL1KEY10	538	547	10	Start DLG LL Key 10
LL2KEY10	548	557	10	Ending DLG LL Key10
LN1AT2	558	561	4	DLG Line Attr. 1
LN2AT2	562	565	4	DLG Line Attr. 2
AREA1	566	569	4	DLG Area ID 1
AREA2	570	573	4	DLG Area ID 2
AR1AT2	574	577	4	DLG Area Attribute
AR1AT4	578	581	4	DLG Area Attribute
AR2AT2	582	585	4	DLG Area Attribute
AR2AT4	586	589	4	DLG Area Attribute
UPDATE1	590	595	6	Update Date #1 (mmddyy)
UPDTC1	596	603	8	Update Type Code #1

RF3 Structure File: 12345678.RF3 and 12345678.DBF in FOLSRF3.ZIP				
Field Name	Start	Stop	Length	Field Description
UPDTSRC1	604	611	8	Update Source #1
UPDATE2	612	617	6	Update Date #2 (mmddyy)
UPDTCDC2	618	625	8	Update Type Code#2
UPDTSRC2	626	633	8	Update Source #2
UPDATE3	634	639	6	Update Date #3 (mmddyy)
UPDTCDC3	640	647	8	Update Type Code #3
UPDTSRC3	648	655	8	Update Source #3
DIVCU	656	663	8	Divergent CU
DIVSEG	664	667	4	Divergent SEG
DIVMILE	668	672	5.2	Divergent MI
DLGID	673	678	6	DLG Number Special Use For Internal State Codes
FILLER	678	685	7	Filler: Future Use

Note: The structure for the .DBF file varies slightly from the RF3 structure displayed here in that the fields UPDATE1, UPDATE2, and UPDATE3 have a width of 8 and the last two fields, DLGID and FILLER, have been replaced with a field named ID of length 17. This ID field combines the CATUNIT, SEGM, and MI fields.

The following table provides the ASCII database field structures for the EPA River Reach File Ver. 3.0 (1:100,000 scale hydrography) traces. The actual numeric file names will vary depending on the catalog unit(s). This file contains the actual hydrographic network and is suitable for conversion into a variety of Geographic Information System formats.

<u>RF3 Trace File: 12345678.TRC in FOLSRF3.ZIP</u>				
Field Name	Start	Stop	Length	Field Description
(Header Record)				
CATUNIT	1	8	8	Cataloging Unit
SEGM	9	12	4	Segment Number
MI	13	17	5.2	Mile Point
NPTS	18	21	4	Number of Lat/Lon Coordinates
(Coordinate Record)				
LATITUDE	1	8	8.4	Latitude in Decimal
LONGITUDE	9	16	8.4	Longitude in Decimal
FILLER	17	21	5	

The following table provides the ASCII database field structures for the EPA River Reach File Ver. 3.0 (1:100,000 scale hydrography) catalog unit boundary file. The actual numeric file names will vary depending on the catalog unit(s). This file contains the actual catalog unit boundary and is suitable for conversion into a variety of Geographic Information System formats.

<u>Catalog Unit Boundary File: 12345678.CUB in FOLSRF3.ZIP</u>
First Line = Catalog Unit Number (8 Characters)
Subsequent Lines:
L=DDMMSS,L=DDMMSS,L=DDMMSS,L=DDMMSS,L=DDMMSS,L=DDMMSS, ...
Example:
02070010
L=391259,L=0770809,L=391220,L=0770749,L=391147,L=0770715,L=391120,L=0770633,
L=391058,L=0770535,L=391042,L=0770520,L=391016,L=0770427,L=390948,L=0770416,
L=390526,L=0765331,L=390500,L=0765149,L=390456,L=0765139,L=390357,L=0765123,
...
L=390744,L=0771007,L=390826,L=0771022,L=390910,L=0771022,L=390950,L=0771003,
L=391107,L=0770922,
There can be as many as four latitude/longitude pairs per line.

The following table provides the DBASE III+ database field structure of the Water Resources Division's "encyclopedia" file that documents the minimum and maximum parameter values found and the park(s) where they occurred. This file is intended for Water Resources Division internal use, but will be available to anyone upon request after Baseline Water Quality Data Inventory and Analysis reports have been completed for all parks.

<u>Encyclopedia File: WRD File For Internal Use Only</u>				
Field Name	Start	Stop	Length	Field Description
PARM	1	5	5	STORET Parameter Code
PARAMNAME	6	45	40	Parameter Name
MINVAL	46	61	16.7	Minimum Value
MINVALPARK	62	65	4	Park Unit with Minimum Value
MAXVAL	66	71	16.7	Maximum Value
MAXVALPARK	72	75	4	Park Unit with Maximum Value

Appendix C

STORET Water Quality Control/Edit Checking

The following table provides the high and low values used by STORET since November 1983 for 190 common water quality parameters to screen or error check data. Data entered into STORET prior to November 1983, however, were not subjected to this edit/bounds check. Additionally, data from the USGS WATSTORE system that is loaded into STORET is never subjected to these edit criteria and agencies entering data in STORET can override these edit criteria to enter data values that fall outside a range. As a consequence, all data downloaded from STORET for the purposes of this project were filtered through these edit criteria to document values outside the generally accepted ranges. Decisions were then made on a case-by-case basis to retain or discard obviously incorrect data. Refer to the Water Quality Observations Outside STORET Edit Criteria section of the Interpretive Guide To Water Quality Results chapter for more information on this subject.

STORET Code	STORET Parameter Description	High Value	Low Value
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	37.0	-2.0
00011	TEMPERATURE, WATER (DEGREES FAHRENHEIT)	98.0	31.0
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	52.0	-40.0
00021	TEMPERATURE, AIR (DEGREES FAHRENHEIT)	125.0	-40.0
00026	TOXICS-IDENTIFY DATA COLLECTION BY EPA DIRECTIVE	1990.9	1977.0
00032	CLOUD COVER (PERCENT)	101.0	0.0
00035	WIND VELOCITY (MILES PER HOUR)	85.0	0.0
00036	WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKWISE)	361.0	0.0
00045	PRECIPITATION, TOTAL (INCHES PER DAY)	15.0	0.0
00070	TURBIDITY, (JACKSON CANDLE UNITS)	1500.0	0.0
00074	TURBIDITY, TRANSMISSOMETER, PERCENT TRANSMISSION	101.0	0.0
00075	TURBIDITY, HELLIGE (PPM AS SILICON DIOXIDE)	500.0	0.0
00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	1000.0	0.0
00077	TRANSPARENCY, SECCHI DISC (INCHES)	600.0	0.0
00080	COLOR (PLATINUM-COBALT UNITS)	500.0	0.0
00081	COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	500.0	0.0
00085	ODOR (THRESHOLD NUMBER AT ROOM TEMPERATURE)	250.0	0.0
00094	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	60000.0	1.0
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	60000.0	1.0
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE (MG/L)	30.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
00300	OXYGEN, DISSOLVED (MG/L)	30.0	0.0
00301	OXYGEN, DISSOLVED, PERCENT OF SATURATION%	200.0	0.0
00310	BOD, 5 DAY, 20 DEG C (MG/L)	150.0	0.0
00335	COD, .025N K2CR2O7 (MG/L)	1000.0	0.0
00340	COD, .25N K2CR2O7 (MG/L)	1000.0	0.0
00365	CHLORINE DEMAND, 15 MINUTE (MG/L)	15.0	0.0
00400	PH (STANDARD UNITS)	12.0	0.9
00403	PH, LAB, STANDARD UNITS, (STANDARD UNITS)	12.0	0.9
00405	CARBON DIOXIDE (MG/L AS CO2)	100.0	0.0
00406	PH, FIELD (STANDARD UNITS)	12.0	0.9
00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	1000.0	0.0
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)	750.0	0.0
00435	ACIDITY, TOTAL (MG/L AS CaCO3)	1000.0	0.0
00436	ACIDITY, MINERAL (METHYL ORANGE) (MG/L AS CaCO3)	1000.0	0.0
00437	ACIDITY, CO2 (PHENOLPHTHALEIN) (MG/L AS CaCO3)	750.0	0.0
00440	BICARBONATE ION (MG/L AS HCO3)	450.0	0.0
00445	CARBONATE ION (MG/L AS CO3)	100.0	0.0
00480	SALINITY - PARTS PER THOUSAND	40.0	0.0
00500	RESIDUE, TOTAL (MG/L)	15000.0	0.0
00505	RESIDUE, TOTAL VOLATILE (MG/L)	10000.0	0.0
00510	RESIDUE, TOTAL FIXED (MG/L)	10000.0	0.0
00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C), (MG/L)	20000.0	0.0
00520	RESIDUE, VOLATILE FILTRABLE (MG/L)	10000.0	0.0
00525	RESIDUE, FIXED FILTRABLE (MG/L)	10000.0	0.0
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	10000.0	0.0
00535	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	10000.0	0.0
00540	RESIDUE, FIXED NONFILTRABLE (MG/L)	10000.0	0.0
00545	RESIDUE, SETTLEABLE (ML/L)	1000.0	0.0
00546	RESIDUE, SETTLEABLE (MG/L)	1000.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
00550	OIL & GREASE (SOXHLET EXTRACTION) TOTAL,REC., (MG/L)	250.0	0.0
00600	NITROGEN, TOTAL (MG/L AS N)	100.0	0.0
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	15.0	0.0
00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	25.0	0.0
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	20.0	0.0
00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	5.0	0.0
00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	50.0	0.0
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	50.0	0.0
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	55.0	0.0
00635	NITROGEN, AMMONIA & ORG., TOTAL 1 DET (MG/L AS N)	70.0	0.0
00650	PHOSPHATE, TOTAL (MG/L AS PO4)	30.0	0.0
00653	PHOSPHATE, TOTAL SOLUBLE (MG/L)	30.0	0.0
00655	PHOSPHATE, POLY (MG/L AS PO4)	30.0	0.0
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	30.0	0.0
00665	PHOSPHORUS, TOTAL (MG/L AS P)	10.0	0.0
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	10.0	0.0
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	100.0	0.0
00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	100.0	0.0
00685	CARBON, TOTAL INORGANIC (MG/L AS C)	100.0	0.0
00690	CARBON, TOTAL (MG/L AS C)	150.0	0.0
00720	CYANIDE, TOTAL (MG/L AS CN)	10.0	0.0
00745	SULFIDE, TOTAL (MG/L AS S)	1500.0	0.0
00746	SULFIDE, DISSOLVED (MG/L AS S)	1500.0	0.0
00760	SULFITE WASTE LIQUOR, PEARL BENSON INDEX (MG/L)	150.0	0.0
00900	HARDNESS, TOTAL (MG/L AS CaCO3)	5000.0	0.0
00910	CALCIUM (MG/L AS CaCO3)	3000.0	0.0
00915	CALCIUM, DISSOLVED (MG/L AS Ca)	1000.0	0.0
00916	CALCIUM, TOTAL (MG/L AS Ca)	1000.0	0.0
00920	MAGNESIUM (MG/L AS CaCO3)	3000.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	1000.0	0.0
00927	MAGNESIUM, TOTAL (MG/L AS MG)	1000.0	0.0
00929	SODIUM, TOTAL (MG/L AS NA)	5000.0	0.0
00930	SODIUM, DISSOLVED (MG/L AS NA)	5000.0	0.0
00931	SODIUM ADSORPTION RATIO	50.0	0.0
00935	POTASSIUM, DISSOLVED (MG/L AS K)	175.0	0.0
00937	POTASSIUM, TOTAL MG/L AS K)	175.0	0.0
00940	CHLORIDE, TOTAL IN WATER, (MG/L)	22000.0	0.0
00945	SULFATE, TOTAL (MG/L AS SO4)	2500.0	0.0
00946	SULFATE, DISSOLVED (MG/L AS SO4)	2500.0	0.0
00950	FLUORIDE, DISSOLVED (MG/L AS F)	15.0	0.0
00951	FLUORIDE, TOTAL (MG/L AS F)	15.0	0.0
00955	SILICA, DISSOLVED (MG/L AS SI02)	2000.0	0.0
00956	SILICA, TOTAL (MG/L AS SI02)	2000.0	0.0
01000	ARSENIC, DISSOLVED (UG/L AS AS)	5000.0	0.0
01002	ARSENIC, TOTAL (UG/L AS AS)	5000.0	0.0
01005	BARIUM, DISSOLVED (UG/L AS BA)	2000.0	0.0
01007	BARIUM, TOTAL (UG/L AS BA)	2000.0	0.0
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	2000.0	0.0
01012	BERYLLIUM, TOTAL (UG/L AS BE)	2000.0	0.0
01020	BORON, DISSOLVED (UG/L AS B)	5000.0	0.0
01022	BORON, TOTAL (UG/L AS B)	5000.0	0.0
01025	CADMIUM, DISSOLVED (UG/L AS CD)	500.0	0.0
01027	CADMIUM, TOTAL (UG/L AS CD)	500.0	0.0
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	2000.0	0.0
01032	CHROMIUM, HEXAVALENT (UG/L AS CR)	2000.0	0.0
01033	CHROMIUM, TRI-VAL (UG/L AS CR)	2000.0	0.0
01034	CHROMIUM, TOTAL (UG/L AS CR)	2000.0	0.0
01040	COPPER, DISSOLVED (UG/L AS CU)	2000.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
01042	COPPER, TOTAL (UG/L AS CU)	5000.0	0.0
01045	IRON, TOTAL (UG/L AS FE)	56000.0	0.0
01046	IRON, DISSOLVED (UG/L AS FE)	56000.0	0.0
01047	IRON, FERROUS (UG/L AS FE)	56000.0	0.0
01049	LEAD, DISSOLVED (UG/L AS PB)	1000.0	0.0
01051	LEAD, TOTAL (UG/L AS PB)	1000.0	0.0
01055	MANGANESE, TOTAL (UG/L AS MN)	5000.0	0.0
01056	MANGANESE, DISSOLVED (UG/L AS MN)	5000.0	0.0
01065	NICKEL, DISSOLVED (UG/L AS NI)	2000.0	0.0
01067	NICKEL, TOTAL (UG/L AS NI)	2000.0	0.0
01075	SILVER, DISSOLVED (UG/L AS AG)	5000.0	0.0
01077	SILVER, TOTAL (UG/L AS AG)	5000.0	0.0
01090	ZINC, DISSOLVED (UG/L AS ZN)	25000.0	0.0
01092	ZINC, TOTAL (UG/L AS ZN)	25000.0	0.0
01105	ALUMINUM, TOTAL (UG/L AS AL)	20000.0	0.0
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	20000.0	0.0
01145	SELENIUM, DISSOLVED (UG/L AS SE)	100.0	0.0
01501	ALPHA, TOTAL	200.0	0.0
01503	ALPHA, DISSOLVED	75.0	0.0
01505	ALPHA, SUSPENDED	150.0	0.0
03501	BETA, TOTAL	3500.0	0.0
03503	BETA, DISSOLVED	3000.0	0.0
03505	BETA, SUSPENDED	1500.0	0.0
09503	RADIUM 226, DISSOLVED	500.0	0.0
13501	STRONTIUM 90, TOTAL	500.0	0.0
22703	URANIUM, NATURAL, DISSOLVED	500.0	0.0
31501	COLIFORM, TOT, MEMBRANE FILTER, IMMED. M-ENDO MED, 35C	24000000.0	0.0
31502	COLIFORM, TOTAL, 10/ML	24000000.0	0.0
31503	COLIFORM, TOT, MEMBR FILTER, DELAYED, M-ENDO MED, 35C	24000000.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
31504	COLIFORM, TOT, MEMBR FILTER, IMMED, LES ENDO AGAR, 35C	24000000.0	0.0
31613	FECAL COLIFORM, MEMBR FILTER, M-FC AGAR, 44.5C, 24HR	10000000.0	0.0
31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	10000000.0	0.0
31616	FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5C	10000000.0	0.0
31672	FECAL STREPTOCOCCI, PLATE COUNT M-ENTER AGAR, 35C, 48HR	500000.0	0.0
31673	FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	500000.0	0.0
31677	FECAL STREPTOCOCCI, MPN, AD-EVA, 35C (TUBE 31678)	500000.0	0.0
31679	FECAL STREPTOCOCCI, MF M-ENTEROCOCCUS AGAR, 35C, 48H	500000.0	0.0
31749	PLATE COUNT, TOTAL, TPC AGAR, 20C, 48 HRS	99999999.0	0.0
31751	PLATE COUNT, TOTAL, TPC AGAR, 35C, 24 HRS	99999999.0	0.0
32210	CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTED	500.0	0.0
32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	750.0	0.0
32212	CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTED	1000.0	0.0
32214	CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTED	200.0	0.0
32217	CHLOROPHYLL A UG/L FLUOROMETRIC UNCORRECTED	500.0	0.0
32218	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	200.0	0.0
32219	PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER ACID	2.0	0.0
32221	CHLOROPHYLL A,% OF(PHEOPHYTIN A+CHL A),SPEC-ACID.	101.0	0.0
32230	CHLOROPHYLL A (MG/L)	0.5	0.0
32231	CHLOROPHYLL B (MG/L)	0.8	0.0
32232	CHLOROPHYLL C (MG/L)	0.2	0.0
32234	CHLOROPHYLL, TOTAL (A+B+C) (MG/L)	1.0	0.0
32270	CHLOROFORM EXTRACTABLES TOTAL IN MG PER LITER	5.0	0.0
32730	PHENOLICS, TOTAL, RECOVERABLE (UG/L)	1500.0	0.0
38260	METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.)	10.0	0.0
39330	ALDRIN IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39340	GAMMA-BHC(LINDANE), WHOLE WATER, (UG/L)	20.0	0.0
39350	CHLORDANE(TECH MIX & METABS), WHOLE WATER, (UG/L)	20.0	0.0
39360	DDD IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
39365	DDE IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39370	DDT IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39380	DIELDRIN IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39400	TOXAPHENE IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39410	HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39420	HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39516	PCBS IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39530	MALATHION IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39540	PARATHION IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39600	METHYL PARATHION IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
50060	CHLORINE, TOTAL RESIDUAL (MG/L)	5.0	0.0
60050	ALGAE, TOTAL (CELLS/ML)	700000.0	0.0
70300	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), (MG/L)	4000.0	0.0
70505	PHOSPHATE, TOTAL,COLORIMETRIC METHOD (MG/L AS P)	10.0	0.0
70507	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	10.0	0.0
71850	NITRATE NITROGEN, TOTAL (MG/L AS NO3)	65.0	0.0
71886	PHOSPHORUS, TOTAL, AS PO4 - (MG/L)	30.0	0.0
71890	MERCURY, DISSOLVED (UG/L AS HG)	10.0	0.0
71895	MERCURY, SUSPENDED (UG/L AS HG)	10.0	0.0
71900	MERCURY, TOTAL (UG/L AS HG)	10.0	0.0
74010	IRON, TOTAL (MG/L AS FE)	56000.0	0.0

Appendix D

STORET Administrative Parameters

STORET Code	Description of STORET Administrative Parameters
00022	LENGTH OF EXPOSURE OF SAMPLE OR TEST - DAYS
00026	TOXICS-IDENTIFY DATA COLLECTION BY EPA DIRECTIVE
00027	CODE NO FOR AGENCY COLLECTING SAMPLE
00028	CODE NO FOR AGENCY ANALYZING SAMPLE
00029	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE
00063	SAMPLING POINTS, NUMBER OF IN A CROSS SECTION
00073	SAMPLE LOC CODE DEFINED BY THERMAL STRUCT & DEPTH
00111	RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCCI
00115	SAMPLE TREATMENT CODE (1=RAW,2=TREATED)
00116	INTENSIVE SURVEY IDENTIFICATION NUMBER
00145	TOTAL PRODUCTION OF PRODUCT MANUFACTURED TONS/DAY
01273	TOTAL ACID PRIORITY POLLUTANTS MG/L
01274	TOTAL BASE-NEUTRAL PRIORITY POLLUTANTS MG/L
01275	TOTAL VOLATILE PRIORITY POLLUTANTS MG/L
01365	ANALYSIS DATE (DIOXIN) (YYMMDD)
04177	SAMPLE STABILIZATION, RECOVERY TEST CODE
04178	FIELD PROTOCOL(CONFDNCE ASSIGNED FIELD SAMPLE) CODE
04179	SAMPLE STATION LOCKED CODE
04180	CONDITION OF STATION SITE CODE
04181	LABORATORY QA/QC PLAN CONFIDENCE CODE
04182	SAMPLE TYPE CODE
04183	SAMPLE REMARKS CODE
30333	BAG MESH SIZE, BEDLOAD SAMPLER, MM
34772	NPDES NUMBER, CROSS REFERENCE CODE
34785	GAGE TYPE, METHOD CODE

STORET Code	Description of STORET Administrative Parameters
45575	GC MAKE AND MODEL INFORMATION CODE
45576	GC DETECTOR TYPE CODE
45577	GC COLUMN TYPE CODE
45580	METHOD OF ANALYSIS CODE
45581	LABORATORY LOCATION CODE
46107	SAMPLE LOCATION CODE (TREATMENT PLANT OPERATION)
46390	TOXICITY CHARACTERISTIC LEACHING PROCEDURE P OR F
46396	PROCESS TO SIGNIFICANTLY REDUCE PATHOGENS YES OR NO
46397	PROCESS TO FURTHER REDUCE PATHOGENS YES OR NO
47001	PERMIT EXPIRATION DATE (JULIAN CALENDAR)
47044	OBSERVATIONS,WASTE SITE-SEVERITY OF PROBLEMS CODE
47460	SUBSAMPLE - DECIMAL FRACTION OF WHOLE NUMBER
47477	COMPOSITION AND/OR DISPOSITION OF CATCH NUM CODE
70231	CURRENT DIRECTION (DEGREES FROM DOWNSTREAM FLOW)
71999	SAMPLE PURPOSE CODE
72032	NUMBER OF SPILLWAY GATES OPEN
73672	DATE OF ANALYSIS YYMMDD
73673	DATE OF EXTRACTION YYMMDD
74031	GRANT, PROJECT COST ELIGIBLE FOR CONSTRUCTION
74032	GRANT, AMOUNT OF PL 660 GRANT FOR THIS PROJECT
74033	GRANT, FEDERAL, OTHER THAN PL 660 GRANT
74034	GRANT, FUTURE PL 660 WHICH MAY APPLY TO THIS PROJ
74035	GRANT, TOTAL FEDERAL, WHICH APPLIES TO THIS PROJ
74036	GRANT, PROJ NUMBER ASSIGNED TO THIS APPLICATION
74037	GRANT, TYPE OF PROJECT TO WHICH GRANT APPLIES
74038	GRANT, STATUS OF PROJECT TO WHICH GRANT APPLIES
74039	PCS/STORET WATER QUALITY FILE INTERFACE YR/MO/DAY
74040	SURVEY NUMBER YYMMNO
74041	STORET STORAGE TRANSACTION DATE YR/MO/DAY

STORET Code	Description of STORET Administrative Parameters
74050	RADIOACTIVITY, GENERAL (PERMIT)
74051	ALGICIDES, GENERAL (PERMIT)
74052	CHLORINATED HYDROCARBONS, GENERAL (PERMIT)
74053	PESTICIDES, GENERAL (PERMIT)
74056	COLIFORM, TOTAL, GENERAL (PERMIT)
74065	STREAM FLOW CLASS
74066	ANNUAL RUNOFF
74067	SOIL CLASSIFICATION
74068	WATER QUALITY DESIGNATED USE CLASSIFICATION (IA)
74100	PRIMARY 1972 SIC CODE
74101	SECONDARY 1972 SIC CODE
74102	SECONDARY 1972 SIC CODE
74103	SECONDARY 1972 SIC CODE
74200	SAMPLE PRESERVATION METHODS ONE OR MORE IN COMB.
74205	LAND RESOURCE AREA (IOWA)
74206	SOIL EROSION POTENTIAL (IOWA)
74209	WATER QUALITY INDEX - STATE OF ILLINOIS, EPA
74210	FOREST STREAM WATER QUALITY INDEX CALC. NUMBER
74990	FISH SPECIES NUMERIC CODE - F&W SERVICE
74995	ANATOMY CODE
75000	SPECIES CODE-REMARK=SEX (M=MALE,F=FEMALE,U=UNK.)
81028	WITHDRAWAL OF GROUNDWATER (MILLION GAL/DAY)
82258	WATER CLASSIFICATION CODE (1-9) CODE
82292	DATA RELAY GROUND STATION SOURCE NODE CODE, CODE
82309	CONTAMINATION SOURCE POSSIBLE CODES NUMERIC CODE
82310	DEPTH CONFIDENCE IN REPORTED VALUES NUMERIC CODES
82373	FREQUENCY OF SAMPLING M=MON,Q=QUAR,Y=YR,R=RNFFCODE
82519	DRILLER REGISTRATION NUMBER ALPHA-NUMERIC CODE
82562	NARRATIVE REQUIREMENT EXCEEDANCES INTEGER

STORET Code	Description of STORET Administrative Parameters
82576	DAILY EXCURSION TIME, WATER MIN
82577	MONTHLY EXCURSION TIME, WATER TOTAL MIN
82578	DAY/MAXIMUM EXCURSION TIME, WATER MIN
82579	CODE NUMBER FOR PERSON COLLECTING SAMPLE
84002	CODE, GENERAL INFORMATION - ALPHA, NUMERIC CODE
84003	WATER SHED ID NUMBER (IOWA)
84005	FISH SPECIES CODE-FISH & WILDLIFE SER
84006	OWNERSHIP CLASSIFICATION OF LAKE, ILLINOIS SYSTEM
84010	PUBLIC ACCESS TO LAKE ILLINOIS SYSTEM
84011	CONFIDENCE CODE FOR GLC CONFIRMATION CODE
84012	PATIENT PARAMETERS (AGE, SEX, WT, ETC.) CODE
84013	SAMPLE PARAMETERS D=DESIGN SPECIMEN, S=SURPLUS
84027	CODE NUMBER FOR AGENCY COLLECTING SAMPLE
84028	CODE NO FOR AGENCY ANALYZING SAMPLE
84029	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE FIELD
84033	EGD ANALYTICAL DATA COMPLETENESS Y=YES N=NO CODE
84034	EGD SMPL NO.(SMPL.IDENT) NUMERIC=SCS ALPH+4NUM=JRB
84035	EGD SAMPLE CLASSIFICATION CATEGORY ALPHA CODE
84036	EGD INDUSTRIAL CATEGORY NUMERIC CODE
84037	EGD INDUSTRIAL CATEGORY NAME ALPHA CODE
84038	EGD LABORATORY NUMERIC CODE
84039	EGD LABORATORY NAME ALPHA CODE
84040	EGD SAMPLE STATUS (1-5,9,AND BLANK) NUMERIC CODE
84041	EGD ACID STATUS (1-5,9,AND BLANK) NUMERIC CODE
84042	EGD BASE STATUS (1-5,9AND BLANK) NUMERIC CODE
84043	EGD PESTICIDE STATUS (1-5,9,AND BLANK) NUMERIC CODE
84044	EGD VOA FRACT. STATUS INDICATOR (1-5,9,BLANK) CODE
84045	EGD ACID EXTRACT DATE (YYMMDD) NUMERIC CODE
84046	EGD BASE EXTRACTION DATE (YYMMDD) NUMERIC CODE

STORET Code	Description of STORET Administrative Parameters
84047	EGD PESTICIDE EXTRACTION DATE (YYMMDD) NUMERIC CODE
84048	EGD VOA FRACTION INJECTION DATE YYMMDD NUMERIC CODE
84049	EGD ACID CONC. FACTOR (FIVE NUMERIC DIGITS) CODE
84050	EGD BASE CONC.FACTOR (FIVE NUMERIC DIGITS) CODE
84051	EGD PESTICIDE CONC.FACTOR (FIVE NUMERIC DIGITS) CODE
84052	EGD VOA FRACTION CONC. FACTOR (5 NUMERIC DIGITS) CODE
84053	SAMPLE TYPE AND FREQUENCY OF COLLECTION CODE
84054	LITHOLOGY ALPHA-NUMERIC CODE
84055	AVAILABLE LOGS ALPHA-NUMERIC CODE
84056	WATER USE CATEGORY ALPHA-NUMERIC CODE
84057	INSPECTION TYPE ALPHA-NUMERIC CODE
84058	HYDROGEOLOGIC SYSTEM ALPHA-NUMERIC CODE
84059	WELL OWNERSHIP ALPHA-NUMERIC CODE
84060	TOPOGRAPHY ALPHA-NUMERIC CODE
84061	WELL USE ALPHA-NUMERIC CODE
84062	MEASURING POINT DESCRIPTION ALPHA-NUMERIC CODE
84063	DRILLING METHOD ALPHA-NUMERIC CODE
84064	WELL DATA AVAILABILITY ALPHA-NUMERIC CODE
84065	PERMIT COMPLIANCE DATA ALPHA-NUMERIC CODE
84067	NATURE OF MONITORING ALPHA-NUMERIC CODE
84073	REPLACES EXISTING WELL ALPHA-NUMERIC CODE
84074	AQUIFER TYPE (SEE USGS HANDBOOK) ALPHA CODE
84075	WELL PERMIT NUMBER ALPHA-NUMERIC CODE
84076	TSD MONITORING WELL TYPE ALPHA CODE
84077	TSD MONITORING WELL SAMPLING METHOD ALPHA CODE
84083	POLLUTION VERIFICATION ALPHA CODE
84084	WELL SAMPLE PURPOSE ALPHA CODE
84090	SAMPLE FILE CONTROL PROJECT IDENTIFICATION A-CODE
84091	INFILTRATION DATE/BEGINNING 'YYMMDD'

STORET Code	Description of STORET Administrative Parameters
84092	INFILTRATION DATE/ENDING 'YYMMDD'
84093	ENFORCEMENT FORM #2-C, DATA IDENTIFICATION CODE
84102	SAMPLE SPECIES-SUB ID ALPHA CODE
84103	DIOXIN LABORATORY ALPHA CODE
84104	DIOXIN STUDY ALPHA CODE
84112	SOURCE OF GEOHYDROLOGIC DATA CODE
84119	SOURCE OF EVACUATION DATA CODE
84121	REGULATING AGENCY CODE
84122	SAMPLE PURPOSE CODE
84126	SOURCE OF DEPTH DATA CODE
84127	METHOD OF DEPTH MEASUREMENT CODE
84128	SOURCE OF WATER-LEVEL DATA CODE
84129	DATA QUALITY
84141	LAKE, PHYSICAL CONDITION AT SAMPLE TIME, 1-5, CODE
84142	LAKE, RECREATIONAL SUITABILITY @ SMPL TIME, 1-5, CODE
84164	SAMPLER TYPE, CODE
85300	PROBLEM CODE NES SURVEY
85327	WATER LEVEL AT SAMPLE COLLECTION TIME-CODE-NES
85332	CLOUD COVER AT SAMPLE COLLECTION TIME-CODE-NES
85553	WELL COMPLETION DATE (MONTH/YEAR)
85554	WELL WORKOVER DATE, LATEST (MONTH/YEAR)

Appendix E

STORET Parameters Not Suitable for Statistical Analysis

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
00001	X-SEC. LOC., HORIZ (FT. FROM R BANK LOOK UPSTR.)
00002	X-SEC. LOC., HORIZ (% FROM R BANK LOOK UPSTR.)
00003	SAMPLING STATION LOCATION, VERTICAL (FEET)
00005	X-SEC. LOC., VERTICAL (PERCENT OF TOTAL DEPTH)
00006	DISTANCE FROM LOCATION IN X MILES
00007	DISTANCE FROM LOCATION IN Y MILES
00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE
00009	X-SEC. LOC.(FT FROM LEFT BANK LOOKING DOWNSTRM)
00027	CODE NO FOR AGENCY COLLECTING SAMPLE
00028	CODE NO FOR AGENCY ANALYZING SAMPLE
00033	WEATHER CODE FOR OCEAN-OBSERV. (WMO CODE 4677)
00037	WIND FORCE (BEAUFORT UNITS)
00038	WIND DIRECTION (WMO CODES 0885 + 0887)
00041	WEATHER (WMO CODE 4501)
00042	ALTITUDE IN FEET ABOVE MEAN SEA LEVEL
00043	CLOUD TYPE (WMO CODE 0500)
00044	CLOUD AMOUNT (WMO CODE 2700)
00047	TOTAL PARTIAL PRESSURE DISSOLVED GASES (MM HG)
00048	TOTAL PARTIAL PRESSURE DISSOLVED GASES (% SAT)
00049	SURFACE AREA IN SQUARE MILES
00050	EVAPORATION, TOTAL (INCHES PER DAY)
00051	SURFACE AREA IN SQUARE FEET
00053	SURFACE AREA, ACRES
00054	RESERVOIR STORAGE - ACRE FEET
00063	SAMPLING POINTS, NUMBER OF IN A CROSS SECTION
00067	TIDE STAGE

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
00069	SEA WAVES(0=NONE;1=0-3";2=4-20";3=21-48";4=4-8')
00097	SAMPLING STATION LOCATION, VERTICAL (FEET)
00098	SAMPLING STATION LOCATION, VERTICAL (METERS)
00111	RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCCI
00115	SAMPLE TREATMENT CODE (1=RAW,2=TREATED)
01300	OIL-GREASE (SEVERITY)
01305	DETERGENT SUDS (SEVERITY)
01310	GAS BUBBLES (SEVERITY)
01315	SLUDGE, FLOATING (SEVERITY)
01320	GARBAGE, FLOATING (SEVERITY)
01325	ALGAE, FLOATING MATS (SEVERITY)
01330	ODOR, ATMOSPHERIC (SEVERITY)
01331	TASTE (SEVERITY)
01335	SEWAGE SOLIDS, FRESH, FLOATING (SEVERITY)
01340	FISH, DEAD (SEVERITY)
01345	DEBRIS, FLOATING (SEVERITY)
01350	TURBIDITY (SEVERITY)
01351	FLOW, STRM,1DRY,2LOW,3NORM,4FLOOD,5ABOVE NORM,CODE
01355	ICE COVER, FLOATING OR SOLID (SEVERITY)
03595	BIOASSAY (96 HR), EFFLUENT, TOTAL CODE
03596	BIOASSAY (48 HR), EFFLUENT, TOTAL CODE
03597	BIOASSAY (24 HR), EFFLUENT, TOTAL CODE
03598	TOXICITY, EFFLUENT, TOTAL CODE
03599	TOXICITY, CHOICE OF SPECIES, EFFLUENT CODE
03600	TOXICITY, TROUT, EFFLUENT, TOTAL CODE
03601	TOXICITY, SAND DOLLAR, EFFLUENT CODE
03602	BIOCHEMICAL OXYGEN DEMAND, EFFLUENT, TOTAL CODE
03603	SOLIDS, TOTAL SUSPENDABLE, EFFLUENT, TOTAL CODE
03605	FLOW METER CALIBRATION, WATER CODE

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
03717	ONCORHYNCHUS MYKISS, WATER CODE
04117	TETHER LINE USED FOR COLLECTING SAMPLE CODE
04160	HALOCARBONS, PURGEABLE, SCAN, EFFLUENT CODE
04161	HALOCARBONS, PURGEABLE, SCAN, SLUDGE CODE
04162	AROMATIC, PURGEABLE, SCAN, EFFLUENT CODE
04163	AROMATIC, PURGEABLE, SCAN, SLUDGE CODE
04164	PHENOLIC, TOTAL, SCAN, EFFLUENT CODE
04165	PHENOLIC, TOTAL, SCAN, SLUDGE CODE
04166	PCB, TOTAL, SCAN, EFFLUENT CODE
04167	PCB, TOTAL, SCAN, SLUDGE CODE
04174	FREE LIQUIDS IN SEWAGE SLUDGE CODE
34765	AVIAN NUMERICAL SPECIES CODE (BIRDS)
34766	MAMMALIAN NUMERICAL SPECIES CODE
34771	MACROPHYTE, INSTREAM, VISUAL SIGHTING CODE
34773	ODOR, AMBIENT WATER CODE
34774	FISH, INSTREAM, VISUAL SIGHTING CODE
34775	STREAMBANK CHANNEL ALTERATIONS CODE
34776	HYDRAULIC STRUCTURES, INSTREAM CODE
34780	LAND USE, ADJACENT STREAM CODE
34781	SAMPLE POINTS, # OF LONGTDNL TRANSECTS, REACH CODE
34782	STREAM STAGE TREND CODE
34789	HABITATS, TYPES SAMPLED CODE
45613	FLOATING SOLIDS/VISIBLE FOAM, VISUAL, YES=1, NO=0, CODE
45614	SANITARY WASTE DISCHARGE ASSESSMENT, YES=1, NO=0, CODE
45615	INTERMITTENT DISCHARGE ASSESSMENT, YES=1, NO=0, CODE
46001	WATER APPEARANCE CODE (BASED ON FIELD ASSESSMENT)
46478	EQUIPMENT INSPECTION, VISUAL CODE
46486	TOXICITY, ACUTE 24HR (STATIC) CERIODAPHNIA (P/F) CODE
47454	FLOW METER REVOLUTIONS NUMBER

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
47455	LATITUDE, STARTING, OF A SAMPLE TOW DDMMS
47456	LONGITUDE, STARTING, OF A SAMPLE TOW DDDMMSS
47457	LATITUDE, FINISHING, OF A SAMPLE TOW DDMMS
47458	LONGITUDE, FINISHING, OF A SAMPLE TOW DDDMMSS
47459	LENGTH FREQUENCY NUMBER
47461	TIME THAT THE EQUIPMENT WAS SAMPLING MINUTES
47476	DIRECTION OF TOW IN RELATION TO CURRENT NUM CODE
50044	HYDROGRAPH LIMB, 1BASE, 2RISING, 3PEAK, 4FALLING, CODE
61390	DIATOMS,FIRST DOMINANT SPECIES OF UNITS - CODE
61391	DIATOMS,SECOND DOMINANT SPECIES OF UNITS - CODE
61392	DIATOMS,THIRD DOMINANT SPECIES OF UNITS - CODE
61393	DIATOMS,FOURTH DOMINANT SPECIES OF UNITS - CODE
70220	WAVE DIRECTION (WMO CODES 0885 + 0887)
70222	WAVE HEIGHT (WMO CODE 1555)
70223	WAVE PERIOD (WMO CODE 3155)
71090	BIVALVE SPECIES CODE
71500	EQUITABILITY INDEX,BENTHIC MACROINVER CODE
72000	ELEVATION OF LAND SURFACE DATUM (FT. ABOVE MSL)
72001	DEPTH, TOTAL OF HOLE (FT BELOW LAND SURFACE DATUM)
72002	DEPTH TO TOP OF WATER-BEARING ZONE SAMPLED (FT)
72003	DEPTH TO BOTTOM OF WATER-BEARING ZONE SAMPLED (FT)
72004	PUMP OR FLOW PERIOD PRIOR TO SAMPLING MINUTES
72005	SAMPLE SOURCE CODE (BM WELL DATA)
72006	SAMPLING CONDITION CODE (BM WELL DATA)
72007	FORMATION NAME CODE (BM WELL DATA)
72017	SERIES CODE (BM WELL DATA)
72018	SYSTEM CODE (BM WELL DATA)
72111	DIRECT READOUT GROUND STATN TRANSMIT ERROR CODE NUM
74054	FECAL STREPTOCOCCI, GENERAL (PERMIT)

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
74055	FECAL COLIFORM, GENERAL (PERMIT)
80889	ACTIVATED SLUDGE PROCESS MODIFICATION CODE
81024	DRAINAGE AREA IN SQUARE MILES (SQ. MI.)
81637	SHELLFISH SPECIES NUMERIC CODE
82289	LAGOON OBSERVATION, VISUAL, Y=YES N=NO CODE
82398	SAMPLING METHOD (CODES)
82524	STORAGE COEFFICIENT NUMERICAL CODE
82923	ATMOSPHERIC DEPOSITION TYPE, WET CODE
83205	ATMOSPHERIC DEPOSITION TYPE, BULK CODE
84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)
84001	AQUIFER NAME CODE (SEE USGS CATALOG)
84004	LAKE TYPE ILLINOIS CLASSIFICATION SYSTEM
84007	ANATOMY ALPHA CODE
84008	LIFE STYLE/HABITAT OF THE INDIVIDUALS IN THE SAMPLE
84009	SHELLFISH SPECIES ALPHANUMERIC CODE
84014	SPECIES SEX CODE
84030	CLOUD AMOUNT ALPHA WEATHER CODES
84031	PHYSICAL WEATHER ALPHA WEATHER CODES
84032	STREAM CONDITION ALPHA WEATHER CODES
84066	OIL AND GREASE, VISUAL, ALPHA-NUMERIC CODE
84068	SERIES CODE ALPHA-NUMERIC CODE
84069	FORMATION CODE ALPHA-NUMERIC CODE
84070	METHOD OF TESTING WELL YIELD ALPHA-NUMERIC CODE
84071	WATER LEVEL MEASUREMENT CONDITIONS ALPHA-NUM CODE
84072	WATER LEVEL MEASUREMENT METHOD ALPHA-NUMERIC CODE
84078	GIARDIA LAMBLIA, 2HSO4 OR SUC GRAD, MICRO, CODE
84079	BACTERIA, CELLUOLYTIC, AEROBIC-ANAEROBIC, RT 5-7, CODE
84080	BACTERIA, HYDROCARBONOCLASTIC, SHAKE INC 32C/WK, CODE
84081	YERSINIA ENTEROCOLITICA, SB BROTH, MAC AGAR,22C, CODE

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
84082	SALMONELLA/SHIGELLA, QUANT OR QUAL, HVF OR SWAB, CODE
84085	ORGANICS, VOLATILE, DETECTED, NUMERIC CODE, CODE
84086	MACROINVERTEBRATE SPECIES NUMERIC CODE
84087	MACROINVERTEBRATE HABITAT CODE
84088	BIOLOGY 1 MACROINVERTEBRATE CODE
84089	BIOLOGY 2 MACROINVERTEBRATE CODE
84094	PHYTOPLANKTON SPECIES CODE, NUMERIC
84095	PHYTOPLANKTON SPECIES CODE, ALPHA
84096	SEVERITY OF NON-PLANKTON ALGAE-MAT COVERAGE CODE
84097	LAGOON MOUTH CONDITION CODE
84098	COLOR OF NON-PLANKTONIC ALGAE CODE
84099	WATER - RELATIVE WATER LEVEL CODE
84100	SEX(1-MALE,2-FEMALE,3-MIXED,4-UNKNOWN) NUM CODE
84101	METAFORM, BENTHIC, ADULT(A), PUPAE(P), LARVAE(L) CODE
84105	OIL-SEPARATOR OBSERVATION ASSESS (0=DID NOT,1=DID)
84106	EVAPORAT/BED OBS ASSESS (0=DID NOT LOOK, 1=DID LOOK)
84107	AREA INSPECTION, VISUAL (0=DID NOT, 1=DID) CODE
84108	DRAIN FIELD INSPECTION ASSESS (0=DID NOT, 1=DID) CODE
84109	SLUDGE BUILD-UP IN WATER (0=DID NOT OBS, 1=OBS) CODE
84110	POND OBSERVATION ASSESS WATER (0=DID NOT, 1=DID) CODE
84111	LITHOLOGIC MODIFIER CODE
84113	WELL INTAKE FINISH CODE
84114	WELL CASING MATERIAL CODE
84115	TYPE OF MATERIAL FROM WHICH OPENING IS MADE CODE
84116	DRILLING FLUID CODE
84117	TYPE OF SURFACE SEAL CODE
84118	METHOD OF DEVELOPMENT CODE
84120	PACKING MATERIAL CODE
84124	METHOD OF EVACUTAION CODE

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
84125	METHOD OF WATER-LEVEL MEASUREMENT CODE
84130	OUTFALL OBSERVATION, VISUAL, Y=YES N=NO CODE
84131	SAMPLING METHOD, CONFIDENCE CODE (A,B,C,D) CODE
84132	STREAMBANK, VEGETATIVE STABILITY RATING CODE
84133	STREAMBANK, STABILITY (BANK EROSION) RATING CODE
84134	PARTICLES, DEGREE SURROUNDED BY FINE SEDIMENT, CODE
84135	STREAMSIDE, (SHORELINE) COVER RATING CODE
84136	CANOPY TYPE CODE
84137	CHANNEL STABILITY RATING CODE (E,G,F,P) CODE
84138	COLIFORM, TOTAL, WATER, WHOLE, MPN, PRES=1, ABSNT=2, CODE
84139	ENTEROBACTER AGGLOMERANS, WTR, MF, PRES=1, ABSNT=2, CODE
84140	KLEBSIELLA PNEUMONIAE, WTR, WH, MF, PRES=1, ABSNT=2, CODE
84143	WELL, PURGING CONDITION CODE
84144	WELL, SELECTION CRITERIA CODE
84145	PROJECT COMPONENT CODE
84146	LAND USE, PREDOMINANT, WITHIN 100 FT OF WELL, CODE
84147	LAND USE, PREDOMINANT, 1/4 MI.RADIUS OF WELL, CODE
84148	LAND USE, PREDMNT., FRAC., WITHIN 1/4 MI OF WELL, CODE
84149	LAND USE, CHANGE, LAST 10 YRS, WITHIN 1/4MI WELL, CODE
84150	HABITAT QUALITY INDEX RATING CODE
84151	AQUATIC LIFE, USE CLASSES CODE
84152	STREAM, STAGE CLASS CODE
84153	STREAMBANKS, GRAZING DAMAGE CODE
84154	CHANNEL, MAJOR ALTERATIONS CODE
84155	RIFFLE/RUNS, OCCURRENCE CODE
84156	POOL, DESCRIPTION CODE
84157	SANDBARS, LARGE, OCCURRENCE CODE
84158	LAND USE, NEAR STREAM, PREDOMINANT CODE
84159	STREAM,COVER (INSTREAM SHELTER FOR ADULT FISH), CODE

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
84160	STREAM, DEGRADATION RATING CODE
84161	STREAM, ORDER CODE
84162	LAND RESOURCE AREA CODE
84163	FLOW, STREAM, CLASSIFICATION CODE
84165	DISCHARGE EVENT OBSERVATION, YES=1 NO=0, CODE
84166	STORM HYDROGRAPH, DIRECTION, (RISE,FALL), CODE
84167	MICROSCOPIC EXAMINATION CODE
84168	AVIAN SPECIES ALPHA CODE (BIRDS)
84169	MAMMALIAN ALPHA SPECIES CODE
84170	ALPHA AGE TEXT CODE
84200	LATITUDE/LONGITUDE COORDINATES OF WELL, METHOD CODE
84201	NATIONAL REFERENCE DATUM, ALTITUDE(VERTICAL) CODE
84202	ALTITUDE METHOD CODE
85000	STREAM MILE, ACTUAL MILES
85014	HABITAT, 1970 ACRES THIS TYPE FOR THIS STATION
85015	HAB., ESTIMATED ACRES THIS TYPE THIS STATION
85016	HAB., ESTIMATED ACRES THIS TYPE THIS STA. BY 1990
85017	HAB., ESTIMATED ACRES THIS TYPE THIS STA. BY 2000
85018	TYPE CODES: 1=CLEAR CUT/2=SELECT CUT/3=RNGE DEVL P
85019	ACRES, NO. ALTERED FROM 1965-1970 (0-5 YEARS OLD)
85020	ACRES, NO. ALTERED 1960-1965 (5-10 YEARS OLD)
85021	ACRES, NO. ALTERED 1955-1960 (10-15 YEARS OLD)
85022	ACRES, NO. ALTERED 1950-1955 (15-20 YEARS OLD)
85023	ACRES, NO. ALTERED BEFORE 1950 (20+ YEARS OLD)
85024	ACRES,PREDICTED YRLY.AVE.TO BE ALTERED IN FUTURE
85025	LANDOWNERS, CODES FOR ALL IN STATE OF OREGON
85026	ACRES, CURRENT OWNED THIS LANDOWNER THIS STATION
85027	ACRES, ESTIMATED OWNED BY L-O THIS STA. BY 1980
85028	ACRES, ESTIMATED OWNED BY L-O THIS STA. BY 1990

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
85029	ACRES, ESTIMATED OWNED BY L-O THIS STA. BY 2000
85030	LAND USES, CODES FOR ALL IN STATE OF OREGON
85031	ACRES, CURRENT DEDICATED TO THIS USE THIS STATION
85032	ACRES, ESTM. DEDICTD TO THIS USE THIS STA BY 1980
85033	ACRES, ESTM. DEDICTD TO THIS USE THIS STA BY 1990
85034	ACRES, ESTM. DEDICTD TO THIS USE BY YR.2000 --STA.
85035	HAB., INDICATED ANIMAL USES THIS TYPE IN WINTER
85036	HAB., INDICATED ANIMAL USES THIS TYPE IN SPRING
85037	HAB., INDICATED ANIMAL USES THIS TYPE IN SUMMER
85038	HAB., INDICATED ANIMAL USES THIS TYPE IN FALL
85039	HAB., INDICATED ANML USES THIS TYPE FOR WINTERING
85040	HAB., INDICATED ANML USES THIS TYPE FOR FEEDING
85041	HAB., INDICATED ANML USES TYPE FOR REARING YOUNG
85042	HAB., INDICATED BIRD USES THIS TYPE FOR NESTING
85043	HAB., INDICATED ANML USES THIS TYPE FOR SHELTER
85044	HAB., INDICATED ANML USES THIS TYPE FOR REST AREA
85045	ANML, SHOWS PRESENCE/ABSNC OF COMMENTS ON THIS ANML
85046	HAB.,ACRES OCCUPIED BY THIS ANML THIS UNIT & CO.
85050	ANIMALS ARE NOT PRESENT THIS STATION
85051	ANIMALS, ONLY A FEW ARE PRESENT THIS STATION
85052	ANIMALS COMMONLY SEEN; USE MODERATE THIS STATION
85053	ANIMALS FREQUENTLY SEEN; USE HEAVY THIS STATION
85070	OWNERSHIP (.1) AND ACCESS (.2) BY YEAR
85071	PRIVATE OWNERSHIP AND ACCESS MILEAGE
85072	FEDERAL OWNERSHIP AND ACCESS MILEAGE
85073	STATE OWNERSHIP AND ACCESS MILEAGE
85074	COUNTY OWNERSHIP AND ACCESS MILEAGE
85075	CITY OWNERSHIP AND ACCESS MILEAGE
85076	WATER YEAR DATA REFERS TO

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
85077	CALENDAR YEAR DATA REFERS TO
85088	MONTHS POLLUTION IS A PROBLEM JAN THRU JUNE
85089	MONTHS POLLUTION IS A PROBLEM JULY TO DECEMBER
85090	MAN-CAUSED CHANNEL CHANGE IN MILES
85091	STREAM BANK HABITAT DESTROYED IN MILES
85092	STREAMBED SILTED IN MILES
85093	TURBIDITY PROBLEM IN MILES
85094	SEVERITY: 1=ELIMINATES 2=INTERFERES 3=NO PROBLEM
85095	DURATION OF TURBIDITY PROBLEM IN MONTHS
85096	SEASON OF NATURAL DRY CHANNEL 1=SP 2=SU 3=F 4=W
85097	NATURAL DRY CHANNEL IN MILES
85098	MAN-CAUSED DRY CHANNEL SEASON 1=SP 2=SU 3=F 4=W
85099	MAN-CAUSED DRY CHANNEL IN MILES
85100	YEAR BARRIER IS PRESENT
85101	NUMBER OF NATURAL BARRIERS
85102	MILES BLOCKED BY NATURAL BARRIERS
85103	NUMBER OF NATURAL BARRIERS TO BE REMOVED
85104	NUMBER OF DAMS AND MAN CAUSED OBSTRUCTIONS
85105	MILES BLOCKED BY DAMS OR MAN CAUSED OBSTRUCTIONS
85106	NUMBER OF DAMS TO BE ALTERED
85107	MILES OF STREAM OCCUPIED BY IMPOUNDMENT
85108	LOWER END OF SECTION COVERED BY THIS FORM
85109	UPPER END OF SECTION COVERED BY THIS FORM
85110	LOWER LIMIT THIS SPECIES THIS FORM BY RIVER MILE
85111	UPPER LIMIT THIS SPECIES THIS FORM BY RIVER MILE
85112	STREAM SURVEY:1=COMPLETE 2=INCOMPLETE 3=NONE
85113	ABUNDANCE: 1=FSHWY/TAG&R 2=SURVEY 3=EST PLUS 4=EST
85114	ABUNDANCE: N=S&ST 1=ABUNDANT 4=SCARCE RGH FSH 3=SCARCE
85116	SQUARE YARDS OF SPAWNING AREA IN 1970

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
85117	SQUARE YARDS OF SPAWNING AREA IN 1980
85118	SQUARE YARDS OF SPAWNING AREA IN 1990
85119	SQUARE YARDS OF SPAWNING AREA IN 2000
85120	MILES OF REARING AREA IN 1970
85121	MILES OF REARING AREA IN 1980
85122	MILES OF REARING AREA IN 1990
85123	MILES OF REARING AREA IN 2000
85124	CATCH BY SPORT ANGLING IN 1970
85125	RECREATION DAYS SPENT ANGLING IN 1970
85126	RECREATION DAYS SPENT ANGLING IN 1980
85127	RECREATION DAYS SPENT ANGLING IN 1990
85128	RECREATION DAYS SPENT ANGLING IN 2000
85129	CONTRIBUTION TO COMMERCIAL CATCH IN 1970
85130	PERCENT OF TOTAL FISHING DONE FROM BOAT IN 1970
85131	PERCENT OF TOTAL FISHING DONE FROM BANK IN 1970
85132	PERCENT OF TOTAL FISHING DONE WITH LURE IN 1970
85133	PERCENT OF TOTAL FISHING DONE WITH BAIT IN 1970
85134	PERCENT OF TOTAL FISHING DONE WITH A FLY IN 1970
85146	YEAR THIS FACTOR HAS A LIMITING EFFECT
85157	MAN DAYS OF WATER SKIING
85158	SEVERITY: 1=INTERFERES 2=NO INTER. 3=NO ACTIVITY
85159	MAN DAYS OF BOATING OTHER THAN ANGLING
85160	SEVERITY: 1=INTERFERES 2=NO INTER. 3=NO ACTIVITY
85161	MAN DAYS OF SWIMMING
85162	SEVERITY: 1=INTERFERES 2=NO INTER. 3=NO ACTIVITY
85163	SEVERITY: 1=INTERFERES 2=NO INTER. 3=NOT PRESENT
85165	NUMBER OF MONTHS SUSPENDED SOLIDS ARE A PROBLEM
85167	NUMBER OF MONTHS PLANKTON IS A PROBLEM
85168	1=ELIMINATE PROD 2=REDUCE 3=NO INTER. 4=NOT PRES

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
85169	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85170	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85171	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85172	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85173	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85174	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85175	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85176	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85177	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85178	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85179	YEAR THIS NUMBER OF FACILITIES PRESENT
85180	NUMBER OF BOAT RAMPS
85181	NUMBER OF MOORAGES
85182	NUMBER OF PICNIC AREAS
85183	NUMBER OF CAMP AREAS
85184	NUMBER OF RESORTS
85185	YEAR THIS ZONED AREA PRESENT
85186	ACRES SET ASIDE FOR OTHER BOATING
85187	ACRES SET ASIDE FOR WATER SKIING
85188	MILES OF SHORE LOST TO ACCESS BY HOME SITES
85189	TOTAL MILES OF SHORELINE
85193	WILL RECR BE INC BY RELEASE OF FINGERL 0=NO 1=YES
85195	CATCH AND RECREATION ESTIMATE 1=BEST 4=POOREST
85333	PRECIPITATION-SAMPLE COLLECTION TIME-CODE- NES
85538	GAMMA SCAN DATE (YR,MO,DAY)
85539	DATE OF REPORT (YR,MO,DAY)
85658	TIME NIGHT CO2 HR
85661	TIME, INTERVAL DAY CO2 HR

Appendix F

National EPA Water Quality Criteria Summary¹

The following table presents the national water quality criteria that were used to assess water quality data on a station-by-station basis and within the entire study area. Criteria are, for the most part, maximum values (except for dissolved oxygen, pH, and as noted). Criteria exist in any of four categories: Fresh Acute, Drinking Water, Marine Acute, and Other. Acute criteria are the highest 1-hour average concentrations which should not result in unacceptable impacts to aquatic organisms in either fresh or marine waters, respectively. The Drinking Water criteria are intended for human consumption; while the Other criteria represents National Park Service or other concerns. Parameters are listed in ascending order by STORET code. It is important to note that similar parameters often have non-consecutive codes. Consequently, scanning the entire list is necessary to obtain the criteria for all parameters of a particular type (eg. lead, copper, etc.). Refer to the Parameter Period of Record Tabulation to obtain the STORET code for any parameter measured in the park.

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
	00070				50 ^l	TURBIDITY, JACKSON CANDLE UNITS	JTU	Physical
	00076				50 ^l	TURBIDITY, HACH TURBIDIMETER, FORMAZIN TUR. UNITS	FTU	Physical
14808798	00154		250 ^s			SULFATE (AS S) WHOLE WATER	MG/L	General Inorganic
7782447	00299				4.0 ^u	OXYGEN, DISSOLVED, ANALYSIS BY PROBE	MG/L	Dissolved Oxygen
7782447	00300				4.0 ^u	OXYGEN, DISSOLVED	MG/L	Dissolved Oxygen
	00400				≤6.5, ≥9.0 [#]	PH	SU	Physical
	00403				≤6.5, ≥9.0 [#]	PH, LAB	SU	Physical
	00406				≤6.5, ≥9.0 [#]	PH, FIELD	SU	Physical

¹Sources: (1) U.S. Environmental Protection Agency, Quality Criteria for Water 1995, Final Draft; (2) U.S. Environmental Protection Agency, 40 CFR 141 - National Primary Drinking Water Regulations, and 40 CFR 143 - National Secondary Drinking Water Regulations, July 1, 1994; and (3) Others as Noted in Footnotes.

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
471341	00409				<200"	ALKALINITY, TOTAL, LOW LEVEL GRAN ANALYSIS	UEQ/L	General Inorganic
17778880	00613		1			NITRITE NITROGEN, DISSOLVED AS N	MG/L	Nitrogen
17778880	00615		1			NITRITE NITROGEN, TOTAL AS N	MG/L	Nitrogen
17778880	00618		10			NITRATE NITROGEN, DISSOLVED AS N	MG/L	Nitrogen
17778880	00620		10			NITRATE NITROGEN, TOTAL AS N	MG/L	Nitrogen
17778880	00628		10			NITRITE + NITRATE, SUSPENDED AS N	MG/L	Nitrogen
17778880	00630		10			NITRITE PLUS NITRATE, TOTAL 1 DET.	MG/L	Nitrogen
17778880	00631		10			NITRITE PLUS NITRATE, DISSOLVED 1 DET.	MG/L	Nitrogen
57125	00718	22	200	1.0		CYANIDE, WEAK ACID, DISSOCIABLE, WATER, WHOLE	UG/L	General Inorganic
57125	00719	22	200	1.0		CYANIDE, FREE,IN WATER&WASTEWATERS, HBG METHOD	UG/L	General Inorganic
57125	00720	0.022	0.2	0.001		CYANIDE, TOTAL	MG/L	General Inorganic
57125	00722	0.022	0.2	0.001		CYANIDE, FREE (AMENABLE TO CHLORINATION)	MG/L	General Inorganic
57125	00723	22	200	1.0		CYANIDE, DISSOLVED STD METHOD	UG/L	General Inorganic
57125	00724	22	200	1.0		CYANIDE COMPLEXED TO A RANGE OF COMPNDS, WATER	UG/L	General Inorganic
16887006	00940	860	250 ⁸			CHLORIDE,TOTAL IN WATER	MG/L	General Inorganic
16887006	00941	860	250 ⁸			CHLORIDE, DISSOLVED IN WATER	MG/L	General Inorganic
14808798	00945		250 ⁸			SULFATE, TOTAL (AS SO4)	MG/L	General Inorganic
14808798	00946		250 ⁸			SULFATE, DISSOLVED (AS SO4)	MG/L	General Inorganic
1332214	00948		7000000			ASBESTOS, WHOLE SAMPLE	CNT/L	General Inorganic
16984488	00950		4.0			FLUORIDE, DISSOLVED AS F	MG/L	General Inorganic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
16984488	00951		4.0			FLUORIDE, TOTAL AS F	MG/L	General Inorganic
7782414	00953		4000			FLUORINE, TOTAL	UG/L	General Inorganic
7440382	00978	360	50	69		ARSENIC, TOTAL RECOVERABLE IN WATER AS AS	UG/L	Metal
7782492	00981	20	50	300		SELENIUM, TOTAL RECOVERABLE IN WATER AS SE	UG/L	Metal
7440280	00982	1400*	2.0	2130*		THALLIUM, TOTAL RECOVERABLE IN WATER AS TL	UG/L	Metal
7782492	00990	20	50	300		SELENITE, TOTAL RECOVERABLE INORGANIC	UG/L	Metal
7440382	00991	360	50	69		ARSENIC, TOTAL RECOVERABLE TRIVALENT INORGANIC	UG/L	Metal
7440382	00995	360	50	69		ARSENIC, INORGANIC DISS	UG/L	Metal
7440382	00996	360	50	69		ARSENIC, INORGANIC SUSP	UG/L	Metal
7440382	00997	360	50	69		ARSENIC, INORGANIC TOT	UG/L	Metal
7440417	00998	130*	4.0			BERYLLIUM, TOTAL RECOVERABLE IN WATER AS BE	UG/L	Metal
7440382	01000	360	50	69		ARSENIC, DISSOLVED	UG/L	Metal
7440382	01001	360	50	69		ARSENIC, SUSPENDED	UG/L	Metal
7440382	01002	360	50	69		ARSENIC, TOTAL	UG/L	Metal
7440393	01005		2000			BARIUM, DISSOLVED	UG/L	Metal
7440393	01006		2000			BARIUM, SUSPENDED	UG/L	Metal
7440393	01007		2000			BARIUM, TOTAL	UG/L	Metal
7440393	01009		2000			BARIUM, TOTAL RECOVERABLE IN WATER AS BA	UG/L	Metal
7440417	01010	130*	4.0			BERYLLIUM, DISSOLVED	UG/L	Metal
7440417	01011	130*	4.0			BERYLLIUM, SUSPENDED	UG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7440417	01012	130 ⁺	4.0			BERYLLIUM, TOTAL	UG/L	Metal
7440439	01025	3.9 ⁺	5.0	43		CADMIUM, DISSOLVED	UG/L	Metal
7440439	01026	3.9 ⁺	5.0	43		CADMIUM, SUSPENDED	UG/L	Metal
7440439	01027	3.9 ⁺	5.0	43		CADMIUM, TOTAL	UG/L	Metal
7440473	01030		100			CHROMIUM, DISSOLVED	UG/L	Metal
7440473	01031		100			CHROMIUM, SUSPENDED	UG/L	Metal
7440473	01032	16	100	1100		CHROMIUM, HEXAVALENT	UG/L	Metal
16065831	01033	1700 ⁺	100	10300 ⁺		CHROMIUM, TRI-VAL	UG/L	Metal
7440473	01034		100			CHROMIUM, TOTAL	UG/L	Metal
7440508	01040	18 ⁺	1300 ^a	2.9		COPPER, DISSOLVED	UG/L	Metal
7440508	01041	18 ⁺	1300 ^a	2.9		COPPER, SUSPENDED	UG/L	Metal
7440508	01042	18 ⁺	1300 ^a	2.9		COPPER, TOTAL	UG/L	Metal
7439921	01049	82 ⁺	15 ^a	220		LEAD, DISSOLVED	UG/L	Metal
7439921	01050	82 ⁺	15 ^a	220		LEAD, SUSPENDED	UG/L	Metal
7439921	01051	82 ⁺	15 ^a	220		LEAD, TOTAL	UG/L	Metal
7440280	01057	1400 ⁺	2.0	2130 ⁺		THALLIUM, DISSOLVED	UG/L	Metal
7440280	01058	1400 ⁺	2.0	2130 ⁺		THALLIUM, SUSPENDED	UG/L	Metal
7440280	01059	1400 ⁺	2.0	2130 ⁺		THALLIUM, TOTAL	UG/L	Metal
7440020	01065	1400 ⁺	100	75		NICKEL, DISSOLVED	UG/L	Metal
7440020	01066	1400 ⁺	100	75		NICKEL, SUSPENDED	UG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7440020	01067	1400 ⁺	100	75		NICKEL, TOTAL	UG/L	Metal
7440020	01074	1400 ⁺	100	75		NICKEL, TOTAL RECOVERABLE IN WATER AS NI	UG/L	Metal
7440224	01075	4.1 ⁺	100 ^s	0.12		SILVER, DISSOLVED	UG/L	Metal
7440224	01076	4.1 ⁺	100 ^s	0.12		SILVER, SUSPENDED	UG/L	Metal
7440224	01077	4.1 ⁺	100 ^s	0.12		SILVER, TOTAL	UG/L	Metal
7440224	01079	4.1 ⁺	100 ^s	0.12		SILVER, TOTAL RECOVERABLE IN WATER AS AG	UG/L	Metal
7440508	01089	0.018 ⁺	1.3 ^a	0.0029		COPPER AS SUSPENDED BLACK OXIDE IN WATER	MG/L	General Inorganic
7440666	01090	120 ⁺	5000 ^s	95		ZINC, DISSOLVED	UG/L	Metal
7440666	01091	120 ⁺	5000 ^s	95		ZINC, SUSPENDED	UG/L	Metal
7440666	01092	120 ⁺	5000 ^s	95		ZINC, TOTAL	UG/L	Metal
7440666	01094	120 ⁺	5000 ^s	95		ZINC, TOTAL RECOVERABLE IN WATER AS ZN	UG/L	Metal
7440360	01095	88 ^p	6.0	1500 ^p		ANTIMONY, DISSOLVED	UG/L	Metal
7440360	01096	88 ^p	6.0	1500 ^p		ANTIMONY, SUSPENDED	UG/L	Metal
7440360	01097	88 ^p	6.0	1500 ^p		ANTIMONY, TOTAL	UG/L	Metal
7440439	01113	3.9 ⁺	5.0	43		CADMIUM, TOTAL RECOVERABLE IN WATER AS CD	UG/L	Metal
7439921	01114	82 ⁺	15 ^a	220		LEAD, TOTAL RECOVERABLE IN WATER AS PB	UG/L	Metal
7440473	01118		100			CHROMIUM TOTAL RECOVERABLE IN WATER AS CR	UG/L	Metal
7440508	01119	18 ⁺	1300 ^a	2.9		COPPER, TOTAL RECOVERABLE IN WATER AS CU	UG/L	Metal
7440280	01124	1400 [*]	2.0	2130 [*]		THALLIUM, ACID SOLUBLE, WATER, WHOLE	UG/L	Metal
7440280	01128	1400 [*]	2.0	2130 [*]		THALLIUM, TOTAL RECOVERABLE <95%	UG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7782492	01145	20	50	300		SELENIUM, DISSOLVED	UG/L	Metal
7782492	01146	20	50	300		SELENIUM, SUSPENDED	UG/L	Metal
7782492	01147	20	50	300		SELENIUM, TOTAL	UG/L	Metal
7782492	01167	20	50	300		SELENIUM, ACID SOLUBLE, WATER, WHOLE	UG/L	Metal
18540299	01220	16	100	1100		CHROMIUM, HEXAVALENT, DISSOLVED	UG/L	Metal
7440360	01268	88 ^p	6.0	1500 ^p		ANTIMONY (SB), WATER, TOTAL RECOVERABLE	UG/L	Metal
57125	01291	22	200	1.0		CYANIDE, FILTERABLE, TOTAL IN WATER	UG/L	General Inorganic
7440666	01303	0.120 ⁺	5.0 ^s	0.095		ZINC, POTENTIALLY DISSOLVED WATER	MG/L	Metal
7440224	01304	0.0041 ⁺	0.1 ^s	0.00012		SILVER, POTENTIALLY DISSOLVED WATER	MG/L	Metal
7440508	01306	0.018 ⁺	1.3 ^a	0.0029		COPPER, POTENTIALLY DISSOLVED WATER	MG/L	Metal
18540299	01307	0.016	0.1	1.1		CHROMIUM, HEXAVALENT, POTENTIALLY DISSOLVED	MG/L	Metal
7440382	01309	0.36	0.05	0.069		ARSENIC, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7440393	01311		2.0			BARIUM, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7440417	01312	0.13 [*]	0.004			BERYLLIUM, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7440439	01313	0.0039 ⁺	0.005	0.043		CADMIUM, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
16065831	01314	1.7 ⁺	0.1	10.3 [*]		CHROMIUM, TRIVALENT, POTENTIALLY DISSOLVED	MG/L	Metal
7439921	01318	0.082 ⁺	0.015 ^a	0.220		LEAD, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7439976	01321	0.0024	0.002	0.0021		MERCURY, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7440020	01322	1.4 ⁺	0.1	0.075		NICKEL, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7782492	01323	0.020	0.050	0.300		SELENIUM, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7440280	01324	1.4 [*]	0.002	2.13 [*]		THALLIUM, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7440611	01326		0.020 ^c			URANIUM, POTENTIALLY DISSOLVED, WATER	MG/L	Metal
7440224	01523	4.1 ⁺	100 ^s	0.12		SILVER, IONIC	UG/L	Metal
50328	03648		0.2			BENZO (A) PYRENE, LIQUID FRACTION, ELUTRIATE	UG/L	General Organic
122349	04035		4.0			SIMAZINE, DISSOLVED, WATER, TOTAL RECOVERABLE	UG/L	Pesticide
10028178	04124		20 ^r			TRITIUM, TOTAL, WATER	PC/ML	Radiological
10028178	07000		20000 ^r			TRITIUM, TOTAL	PC/L	Radiological
10028178	07005		20000 ^r			TRITIUM, DISSOLVED	PC/L	Radiological
10028178	07010		20000 ^r			TRITIUM, SUSPENDED	PC/L	Radiological
	09501		5.0			RADIUM 226, TOTAL	PC/L	Radiological
	09503		5.0			RADIUM 226, DISSOLVED	PC/L	Radiological
	09505		5.0			RADIUM 226, SUSPENDED	PC/L	Radiological
	11500		5.0			RADIUM 226 + RADIUM 228, DISSOLVED	PC/L	Radiological
	11501		5.0			RADIUM 228, TOTAL	PC/L	Radiological
	11503		5.0			RADIUM 226 + RADIUM 228, TOTAL	PC/L	Radiological
10098972	13501		8.0 ^r			STRONTIUM 90, TOTAL	PC/L	Radiological
10098972	13503		8.0 ^r			STRONTIUM 90, DISSOLVED	PC/L	Radiological
10098972	13505		8.0 ^r			STRONTIUM 90, SUSPENDED	PC/L	Radiological
7782492	22675	20	50	300		SELENIUM, DISSOLVED ORGANIC	UG/L	Metal
7782492	22676	20	50	300		SELENIUM, HEXAVALENT, DISSOLVED	UG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7782492	22677	20	50	300		SELENIUM, TETRAVALENT, DISSOLVED	UG/L	Metal
7440382	22678	360	50	69		ARSENIC, DISSOLVED ORGANIC	UG/L	Metal
7440382	22679	850*	50	2319*		ARSENIC, PENTAVALENT, DISSOLVED	UG/L	Metal
7440382	22680	360	50	69		ARSENIC, TRIVALENT, DISSOLVED	UG/L	Metal
7440611	22703		20°			URANIUM, NATURAL DISSOLVED	UG/L	Metal
7440611	22705		20°			URANIUM, NATURAL SUSPENDED	UG/L	Metal
7440611	22706		20°			URANIUM, TOTAL AS U308	UG/L	Metal
7440611	22708		0.020°			URANIUM, NATURAL, TOTAL	MG/L	Radiological
7440611	28011		20°			URANIUM, NATURAL, TOTAL	UG/L	Radiological
88857	30191		7.0			DINOSEB, WATER, WHOLE RECOVERABLE	UG/L	Pesticide
75990	30200		200			DALAPON, WATER, WHOLE RECOVERABLE	UG/L	Pesticide
106934	30203		0.05			ETHANE, 1,2-DIBROMO-, WATER, WHOLE, RECOVERABLE	UG/L	Pesticide
	31501		1.0 ⁿ		1000 ^b	COLIFORM, TOTAL, MEMBRANE FILTER, IMMED.	CFU/100ML	Bacteriological
	31503		1.0 ⁿ		1000 ^b	COLIFORM, TOTAL, MEMBRANE FILTER, DELAY. M-ENDO	CFU/100ML	Bacteriological
	31504		1.0 ⁿ		1000 ^b	COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. LES-ENDO	CFU/100ML	Bacteriological
	31505		1.0 ⁿ		1000 ^b	COLIFORM, TOTAL, MPN, CONF. TEST 35C (TUBE 31506)	MPN/100ML	Bacteriological
	31506		1.0 ⁿ		1000 ^b	COLIFORM, TOTAL, MPN, CONF. TEST, TUBE CONFIG	MPN/100ML	Bacteriological
	31507		1.0 ⁿ		1000 ^b	COLIFORM, TOTAL, MPN, COMP. TEST 35C (TUBE 31508)	MPN/100ML	Bacteriological
	31508		1.0 ⁿ		1000 ^b	COLIFORM, TOTAL, MPN, COMP. TEST, TUBE CONFIG	MPN/100ML	Bacteriological
	31613				200 [^]	FECAL COLIFORM, MEMBRANE FILTER, AGAR	CFU/100ML	Bacteriological

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
	31614				200 [^]	FECAL COLIFORM, MPN, TUBE CONFIGURATION	MPN/100ML	Bacteriological
	31615				200 [^]	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	MPN/100ML	Bacteriological
	31616				200 [^]	FECAL COLIFORM, MEMBRANE FILTER, BROTH, 44.5C	CFU/100ML	Bacteriological
	31617				200 [^]	FECAL COLIFORM, MPN, EUKMAN, 44.5C (TUBE 31618)	MPN/100ML	Bacteriological
	31625				200 [^]	FECAL COLIFORM, MF, M-FC, 0.7 UM	CFU/100ML	Bacteriological
	31648				126 [^]	E. COLI, MTEC, MF	CFU/100ML	Bacteriological
	31649				33 [^]	ENTEROCOCCI, ME, MF	CFU/100ML	Bacteriological
67663	32003	28900*	100 ⁱ			CARBON CHLOROFORM AND CARBON ALCOHOL EXTRS.,TOTAL	UG/L	General Organic
67663	32005	28900*	100 ⁱ			CARBON CHLOROFORM EXTRACTABLES	UG/L	General Organic
67663	32021	28900*	100 ⁱ			CARBON CHLOROFORM EXTRACTS, ETHER INSOLUBLES OF	UG/L	General Organic
67663	32022	28900*	100 ⁱ			CARBON CHLOROFORM EXTRACTS, WATER SOLUBLES OF	UG/L	General Organic
75274	32101		100 ⁱ			BROMODICHLOROMETHANE, WHOLE WATER	UG/L	General Organic
56235	32102	35200*	5.0	50000*		CARBON TETRACHLORIDE, WHOLE WATER	UG/L	General Organic
107062	32103	118000*	5.0	113000*		1,2-DICHLOROETHANE,WHOLE WATER	UG/L	General Organic
75252	32104		100 ⁱ			BROMOFORM, WHOLE WATER	UG/L	General Organic
124481	32105		100 ⁱ			DIBROMOCHLOROMETHANE, WHOLE WATER	UG/L	General Organic
67663	32106	28900*	100 ⁱ			CHLOROFORM, WHOLE WATER	UG/L	General Organic
56235	32260	35.2*	0.005	50*		CARBON TETRACHLORIDE EXTRACTABLES	MG/L	General Organic
67663	32270	28.9*	0.1 ⁱ			CHLOROFORM EXTRACTABLES TOTAL	MG/L	General Organic
108883	34010	17500*	1000	6300*		TOLUENE IN WTR SMPLE GC-MS, HEXADECONE EXTR.	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
1330207	34020		10000			XYLENES IN WTR SMPLE GC-MS, HEXADECONE EXTR.	UG/L	General Organic
83329	34205	1700*		970*		ACENAPHTHENE, TOTAL	UG/L	General Organic
83329	34206	1700*		970*		ACENAPHTHENE, DISSOLVED	UG/L	General Organic
83329	34207	1700*		970*		ACENAPHTHENE, SUSPENDED	UG/L	General Organic
107028	34210	68*		55*		ACROLEIN, TOTAL	UG/L	Pesticide
107028	34211	68*		55*		ACROLEIN, DISSOLVED	UG/L	Pesticide
107028	34212	68*		55*		ACROLEIN, SUSPENDED	UG/L	Pesticide
107131	34215	7550*				ACRYLONITRILE, TOTAL	UG/L	General Organic
107131	34216	7550*				ACRYLONITRILE, DISSOLVED	UG/L	General Organic
107131	34217	7550*				ACRYLONITRILE, SUSPENDED	UG/L	General Organic
71432	34235	5300*	5.0	5100*		BENZENE, DISSOLVED	UG/L	General Organic
71432	34236	5300*	5.0	5100*		BENZENE, SUSPENDED	UG/L	General Organic
92875	34239	2500*				BENZIDINE, DISSOLVED	UG/L	General Organic
92875	34240	2500*				BENZIDINE, SUSPENDED	UG/L	General Organic
58899	34265	2.0	0.2	0.16		R-BHC (LINDANE) GAMMA, DISSOLVED	UG/L	Pesticide
58899	34266	2.0	0.2	0.16		R-BHC (LINDANE) GAMMA, SUSPENDED	UG/L	Pesticide
75252	34288		100 ⁱ			BROMOFORM, DISSOLVED	UG/L	General Organic
75252	34289		100 ⁱ			BROMOFORM, SUSPENDED	UG/L	General Organic
56235	34297	35200*	5.0	50000*		CARBON TETRACHLORIDE, DISSOLVED	UG/L	General Organic
56235	34298	35200*	5.0	50000*		CARBON TETRACHLORIDE, SUSPENDED	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
108907	34301		100			CHLOROBENZENE, TOTAL	UG/L	General Organic
108907	34302		100			CHLOROBENZENE, DISSOLVED	UG/L	General Organic
108907	34303		100			CHLOROBENZENE, SUSPENDED	UG/L	General Organic
124481	34306		100 ⁱ			CHLORODIBROMOMETHANE, TOTAL	UG/L	General Organic
124481	34307		100 ⁱ			CHLORODIBROMOMETHANE, DISSOLVED	UG/L	General Organic
124481	34308		100 ⁱ			CHLORODIBROMOMETHANE, SUSPENDED	UG/L	General Organic
67663	34316	28900*	100 ⁱ			CHLOROFORM, DISSOLVED	UG/L	General Organic
67663	34317	28900*	100 ⁱ			CHLOROFORM, SUSPENDED	UG/L	General Organic
57125	34325	0.022	0.2	0.001		CYANIDE, SUSPENDED	MG/L	General Inorganic
75274	34328		100 ⁱ			DICHLOROBROMOMETHANE, DISSOLVED	UG/L	General Organic
75274	34329		100 ⁱ			DICHLOROBROMOMETHANE, SUSPENDED	UG/L	General Organic
122667	34346	270*				1,2-DIPHENYLHYDRAZINE, TOTAL	UG/L	General Organic
122667	34347	270*				1,2-DIPHENYLHYDRAZINE, DISSOLVED	UG/L	General Organic
122667	34348	270*				1,2-DIPHENYLHYDRAZINE, SUSPENDED	UG/L	General Organic
33213659	34356	0.22		0.034		ENDOSULFAN, BETA, TOTAL	UG/L	Pesticide
33213659	34357	0.22		0.034		ENDOSULFAN, BETA, DISSOLVED	UG/L	Pesticide
33213659	34358	0.22		0.034		ENDOSULFAN, BETA, SUSPENDED	UG/L	Pesticide
959988	34361	0.22		0.034		ENDOSULFAN, ALPHA, TOTAL	UG/L	Pesticide
959988	34362	0.22		0.034		ENDOSULFAN, ALPHA, DISSOLVED	UG/L	Pesticide
959988	34363	0.22		0.034		ENDOSULFAN, ALPHA, SUSPENDED	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
100414	34371	32000*	700	430*		ETHYLBENZENE, TOTAL	UG/L	General Organic
100414	34372	32000*	700	430*		ETHYLBENZENE, DISSOLVED	UG/L	General Organic
100414	34373	32000*	700	430*		ETHYLBENZENE, SUSPENDED	UG/L	General Organic
206440	34376	3980*		40*		FLUORANTHENE, TOTAL	UG/L	General Organic
206440	34377	3980*		40*		FLUORANTHENE, DISSOLVED	UG/L	General Organic
206440	34378	3980*		40*		FLUORANTHENE, SUSPENDED	UG/L	General Organic
77474	34386	7.0*	50	7.0*		HEXACHLOROCYCLOPENTADIENE, TOTAL	UG/L	General Organic
77474	34387	7.0*	50	7.0*		HEXACHLOROCYCLOPENTADIENE, DISSOLVED	UG/L	General Organic
77474	34388	7.0*	50	7.0*		HEXACHLOROCYCLOPENTADIENE, SUSPENDED	UG/L	General Organic
87683	34391	90*		32*		HEXACHLOROBUTADIENE, TOTAL	UG/L	General Organic
87683	34392	90*		32*		HEXACHLOROBUTADIENE, DISSOLVED	UG/L	General Organic
87683	34393	90*		32*		HEXACHLOROBUTADIENE, SUSPENDED	UG/L	General Organic
67721	34396	980*		940*		HEXACHLOROETHANE, TOTAL	UG/L	General Organic
67721	34397	980*		940*		HEXACHLOROETHANE, DISSOLVED	UG/L	General Organic
67721	34398	980*		940*		HEXACHLOROETHANE, SUSPENDED	UG/L	General Organic
118741	34401	6.0 ^P	1.0			HEXACHLOROBENZENE, DISSOLVED	UG/L	General Organic
118741	34402	6.0 ^P	1.0			HEXACHLOROBENZENE, SUSPENDED	UG/L	General Organic
193395	34403		0.40 ^c			INDENO (1,2,3-CD) PYRENE, TOTAL	UG/L	General Organic
193395	34404		0.40 ^c			INDENO (1,2,3-CD) PYRENE, DISSOLVED	UG/L	General Organic
193395	34405		0.40 ^c			INDENO (1,2,3-CD) PYRENE, SUSPENDED	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
78591	34408	117000*		12900*		ISOPHORONE, TOTAL	UG/L	Pesticide
78591	34409	117000*		12900*		ISOPHORONE, DISSOLVED	UG/L	Pesticide
78591	34410	117000*		12900*		ISOPHORONE, SUSPENDED	UG/L	Pesticide
75092	34423		5.0			METHYLENE CHLORIDE, TOTAL	UG/L	General Organic
75092	34424		5.0			METHYLENE CHLORIDE, DISSOLVED	UG/L	General Organic
75092	34425		5.0			METHYLENE CHLORIDE, SUSPENDED	UG/L	General Organic
91203	34443	2300*		2350*		NAPHTHALENE, DISSOLVED	UG/L	General Organic
91203	34444	2300*		2350*		NAPHTHALENE, SUSPENDED	UG/L	General Organic
98953	34447	27000*		6680*		NITROBENZENE, TOTAL	UG/L	General Organic
98953	34448	27000*		6680*		NITROBENZENE, DISSOLVED	UG/L	General Organic
98953	34449	27000*		6680*		NITROBENZENE, SUSPENDED	UG/L	General Organic
59507	34452	30*				PARACHLOROMETA CRESOL, TOTAL	UG/L	General Organic
59507	34453	30*				PARACHLOROMETA CRESOL, DISSOLVED	UG/L	General Organic
59507	34454	30*				PARACHLOROMETA CRESOL, SUSPENDED	UG/L	General Organic
87865	34459	20***	1.0	13		PCP (PENTACHLOROPHENOL), DISSOLVED	UG/L	Pesticide
87865	34460	20***	1.0	13		PCP (PENTACHLOROPHENOL), SUSPENDED	UG/L	Pesticide
85018	34461	30 ^P		7.7 ^P		PHENANTHRENE, TOTAL	UG/L	General Organic
85018	34462	30 ^P		7.7 ^P		PHENANTHRENE, DISSOLVED	UG/L	General Organic
85018	34463	30 ^P		7.7 ^P		PHENANTHRENE, SUSPENDED	UG/L	General Organic
108952	34466	10200*		5800*		PHENOL, DISSOLVED	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
108952	34467	10200*		5800*		PHENOL, SUSPENDED	UG/L	General Organic
127184	34475	5280*	5.0	10200*		TETRACHLOROETHYLENE, TOTAL	UG/L	General Organic
127184	34476	5280*	5.0	10200*		TETRACHLOROETHYLENE, DISSOLVED	UG/L	General Organic
127184	34477	5280*	5.0	10200*		TETRACHLOROETHYLENE, SUSPENDED	UG/L	General Organic
108883	34481	17500*	1000	6300*		TOLUENE, DISSOLVED	UG/L	General Organic
108883	34482	17500*	1000	6300*		TOLUENE, SUSPENDED	UG/L	General Organic
79016	34485	45000*	5.0	2000*		TRICHLOROETHYLENE, DISSOLVED	UG/L	General Organic
79016	34486	45000*	5.0	2000*		TRICHLOROETHYLENE, SUSPENDED	UG/L	General Organic
75014	34493		2.0			VINYL CHLORIDE, DISSOLVED	UG/L	General Organic
75014	34494		2.0			VINYL CHLORIDE, SUSPENDED	UG/L	General Organic
75354	34501		7.0			1,1-DICHLOROETHYLENE, TOTAL	UG/L	General Organic
75354	34502		7.0			1,1-DICHLOROETHYLENE, DISSOLVED	UG/L	General Organic
75354	34503		7.0			1,1-DICHLOROETHYLENE, SUSPENDED	UG/L	General Organic
71556	34506		200	31200*		1,1,1-TRICHLOROETHANE, TOTAL	UG/L	General Organic
71556	34507		200	31200*		1,1,1-TRICHLOROETHANE, DISSOLVED	UG/L	General Organic
71556	34508		200	31200*		1,1,1-TRICHLOROETHANE, SUSPENDED	UG/L	General Organic
79005	34511		5.0			1,1,2-TRICHLOROETHANE, TOTAL	UG/L	General Organic
79005	34512		5.0			1,1,2-TRICHLOROETHANE, DISSOLVED	UG/L	General Organic
79005	34513		5.0			1,1,2-TRICHLOROETHANE, SUSPENDED	UG/L	General Organic
79345	34516			9020*		1,1,2,2-TETRACHLOROETHANE, TOTAL	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
79345	34517			9020*		1,1,2,2-TETRACHLOROETHANE, DISSOLVED	UG/L	General Organic
79345	34518			9020*		1,1,2,2-TETRACHLOROETHANE, SUSPENDED	UG/L	General Organic
107062	34531	118000*	5.0	113000*		1,2-DICHLOROETHANE, TOTAL	UG/L	General Organic
107062	34532	118000*	5.0	113000*		1,2-DICHLOROETHANE, DISSOLVED	UG/L	General Organic
107062	34533	118000*	5.0	113000*		1,2-DICHLOROETHANE, SUSPENDED	UG/L	General Organic
95501	34536		600			1,2-DICHLOROBENZENE, TOTAL	UG/L	General Organic
95501	34537		600			1,2-DICHLOROBENZENE, DISSOLVED	UG/L	General Organic
95501	34538		600			1,2-DICHLOROBENZENE, SUSPENDED	UG/L	General Organic
78875	34541		5.0			1,2-DICHLOROPROPANE, TOTAL	UG/L	General Organic
78875	34542		5.0			1,2-DICHLOROPROPANE, DISSOLVED	UG/L	General Organic
78875	34543		5.0			1,2-DICHLOROPROPANE, SUSPENDED	UG/L	General Organic
156605	34546		100			TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATER	UG/L	General Organic
156605	34547		100			TRANS-1,2-DICHLOROETHENE, DISSOLVED	UG/L	General Organic
156605	34548		100			TRANS-1,2-DICHLOROETHENE, SUSPENDED	UG/L	General Organic
120821	34551		70			1,2,4-TRICHLOROBENZENE, TOTAL	UG/L	General Organic
120821	34552		70			1,2,4-TRICHLOROBENZENE, DISSOLVED	UG/L	General Organic
120821	34553		70			1,2,4-TRICHLOROBENZENE, SUSPENDED	UG/L	General Organic
541731	34566		600			1,3-DICHLOROBENZENE, TOTAL	UG/L	General Organic
541731	34567		600			1,3-DICHLOROBENZENE, DISSOLVED	UG/L	General Organic
541731	34568		600			1,3-DICHLOROBENZENE, SUSPENDED	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
106467	34571		75			1,4-DICHLOROBENZENE, TOTAL	UG/L	General Organic
106467	34572		75			1,4-DICHLOROBENZENE, DISSOLVED	UG/L	General Organic
106467	34573		75			1,4-DICHLOROBENZENE, SUSPENDED	UG/L	General Organic
95578	34586	4380*				2-CHLOROPHENOL, TOTAL	UG/L	General Organic
95578	34587	4380*				2-CHLOROPHENOL, DISSOLVED	UG/L	General Organic
95578	34588	4380*				2-CHLOROPHENOL, SUSPENDED	UG/L	General Organic
120832	34601	2020*				2,4-DICHLOROPHENOL, TOTAL	UG/L	General Organic
120832	34602	2020*				2,4-DICHLOROPHENOL, DISSOLVED	UG/L	General Organic
120832	34603	2020*				2,4-DICHLOROPHENOL, SUSPENDED	UG/L	General Organic
105679	34606	2120*				2,4-DIMETHYLPHENOL, TOTAL	UG/L	General Organic
105679	34607	2120*				2,4-DIMETHYLPHENOL, DISSOLVED	UG/L	General Organic
105679	34608	2120*				2,4-DIMETHYLPHENOL, SUSPENDED	UG/L	General Organic
121142	34611	330*		590*		2,4-DINITROTOLUENE, TOTAL	UG/L	General Organic
121142	34612	330*		590*		2,4-DINITROTOLUENE, DISSOLVED	UG/L	General Organic
121142	34613	330*		590*		2,4-DINITROTOLUENE, SUSPENDED	UG/L	General Organic
72548	34651	0.6*		3.6*		P,P'-DDD, DISSOLVED	UG/L	Pesticide
72548	34652	0.6*		3.6*		P,P'-DDD, SUSPENDED	UG/L	Pesticide
72559	34653	1050*		14*		P,P'-DDE, DISSOLVED	UG/L	Pesticide
72559	34654	1050*		14*		P,P'-DDE, SUSPENDED	UG/L	Pesticide
50293	34655	1.1		0.13		P,P'-DDT, DISSOLVED	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
50293	34656	1.1		0.13		P,P'-DDT, SUSPENDED	UG/L	Pesticide
1746016	34675	0.01*	0.00003			2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN(TCDD), TOT	UG/L	General Organic
1746016	34676	0.01*	0.00003			2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN(TCDD), DISS	UG/L	General Organic
1746016	34677	0.01*	0.00003			2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN(TCDD), SUSP	UG/L	General Organic
108952	34694	10200*		5800*		PHENOL (C6H5OH) - SINGLE COMPOUND, TOTAL	UG/L	General Organic
91203	34696	2300*		2350*		NAPHTHALENE, TOTAL	UG/L	General Organic
75990	38432		200			DALAPON, WATER, TOTAL	UG/L	Pesticide
75990	38433		200			DALAPON, WATER, DISSOLVED	UG/L	Pesticide
75990	38434		200			DALAPON, WATER, SUSPENDED	UG/L	Pesticide
96128	38437		0.2			DIBROMOCHLOROPROPANE, WATER, TOTAL	UG/L	Pesticide
96128	38438		0.2			DIBROMOCHLOROPROPANE, WATER, DISSOLVED	UG/L	Pesticide
96128	38439		0.2			DIBROMOCHLOROPROPANE WATER, SUSPENDED	UG/L	Pesticide
96128	38760		0.2			DBCP, WATER, TOTAL	UG/L	Pesticide
96128	38761		0.2			DBCP, WATER, DISSOLVED	UG/L	Pesticide
96128	38762		0.2			DBCP, WATER, SUSPENDED	UG/L	Pesticide
88857	38779		7.0			DINOSEB, DISSOLVED	UG/L	Pesticide
88857	38780		7.0			DINOSEB, SUSPENDED	UG/L	Pesticide
23135220	38865		200			OXAMYL, TOTAL	UG/L	Pesticide
23135220	38866		200			OXAMYL, DISSOLVED	UG/L	Pesticide
23135220	38867		200			OXAMYL, SUSPENDED	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
145733	38926		100			ENDOTHALL, WHOLE WATER SAMPLE	UG/L	Pesticide
2921882	38932	0.083		0.011		CHLORPYRIFOS, TOTAL RECOVERABLE	UG/L	Pesticide
2921882	38933	0.083		0.011		CHLORPYRIFOS, DISSOLVED	UG/L	Pesticide
2163806	38935		50			MONOSODIUM METHANEARSONATE (MSMA)	UG/L	Pesticide
2921882	39012	0.083		0.011		DURBAN, FLAME PHOTOMETRIC, WATER SAMPLE	UG/L	Pesticide
56382	39015	0.065				ETHYLPARATHION, FLAME IONIFATION, WATER SAMPLE	UG/L	Pesticide
122349	39025		4.0			SIMAZINE, COULSON CONDUCTIVITY WATER SAMPLE	UG/L	Pesticide
87865	39032	20***	1.0	13		PCP (PENTACHLOROPHENOL) WHOLE WATER SAMPLE	UG/L	Pesticide
1912249	39033		3.0			ATRAZINE IN WHOLE WATER SAMPLE	UG/L	Pesticide
118741	39039	6.0 ^P	1.0			HEXACHLOROBENZENE WATER SAMPLE, ELECTRON CPT	UG/L	Pesticide
93721	39045		50			2,4,5-TP INCLUDES ACIDS & SALTS WATER SAMPLE	UG/L	Pesticide
116063	39053		3.0			ALDICARB IN WHOLE WATER	UG/L	Pesticide
122349	39055		4.0			SIMAZINE IN WHOLE WATER	UG/L	Pesticide
117817	39100	2000*	6.0			BIS(2-ETHYLHEXYL) PHTHALATE, WHOLE WATER	UG/L	General Organic
117817	39103	2000*	6.0			BIS(2-ETHYLHEXYL) PHTHALATE, DISSOLVED	UG/L	General Organic
117817	39104	2000*	6.0			BIS(2-ETHYLHEXYL) PHTHALATE, SUSPENDED	UG/L	General Organic
	39117	0.94*		2.994*		PHTHLATE ESTERS IN WATER	MG/L	General Organic
75014	39175		2.0			VINYL CHLORIDE-WHOLE WATER SAMPLE	UG/L	General Organic
79016	39180	45000*	5.0	2000*		TRICHLOROETHYLENE-WHOLE WATER SAMPLE	UG/L	General Organic
50293	39300	1.1		0.13		P,P' DDT IN WHOLE WATER SAMPLE	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
72548	39310	0.6*		3.6*		P,P' DDD IN WHOLE WATER SAMPLE	UG/L	Pesticide
72559	39320	1050*		14*		P,P' DDE IN WHOLE WATER SAMPLE	UG/L	Pesticide
309002	39330	3.0		1.3		ALDRIN IN WHOLE WATER SAMPLE	UG/L	Pesticide
309002	39331	3.0		1.3		ALDRIN IN FILT. FRAC. OF WAT. SAMP.	UG/L	Pesticide
309002	39332	3.0		1.3		ALDRIN IN SUSP. FRAC. OF WAT. SAMP.	UG/L	Pesticide
58899	39340	2.0	0.2	0.16		GAMMA-BHC(LINDANE), WHOLE WATER	UG/L	Pesticide
58899	39341	2.0	0.2	0.16		GAMMA-BHC(LINDANE), DISSOLVED	UG/L	Pesticide
58899	39342	2.0	0.2	0.16		GAMMA-BHC(LINDANE), SUSPENDED	UG/L	Pesticide
57749	39350	2.4	2.0	0.09		CHLORDANE(TECH MIX & METABS), WHOLE WATER	UG/L	Pesticide
57749	39352	2.4	2.0	0.09		CHLORDANE(TECH MIX & METABS), DISSOLVED	UG/L	Pesticide
57749	39353	2.4	2.0	0.09		CHLORDANE(TECH MIX & METABS), SUSPENDED	UG/L	Pesticide
72548	39360	0.6*		3.6*		DDD IN WHOLE WATER SAMPLE	UG/L	Pesticide
72548	39361	0.6*		3.6*		DDD IN FILT. FRAC. OF WATER SMAPLE	UG/L	Pesticide
72548	39362	0.6*		3.6*		DDD IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
72559	39365	1050*		14*		DDE IN WHOLE WATER SAMPLE	UG/L	Pesticide
72559	39366	1050*		14*		DDE IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
72559	39367	1050*		14*		DDE IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
50293	39370	1.1		0.13		DDT IN WHOLE WATER SAMPLE	UG/L	Pesticide
50293	39371	1.1		0.13		DDT IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
50293	39372	1.1		0.13		DDT IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
60571	39380	2.5		0.71		DIELDRIN IN WHOLE WATER SAMPLE	UG/L	Pesticide
60571	39381	2.5		0.71		DIELDRIN IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
60571	39382	2.5		0.71		DIELDRIN IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
115297	39388	0.22		0.034		ENDOSULFAN IN WHOLE WATER SAMPLE	UG/L	Pesticide
72208	39390	0.18	2.0	0.037		ENDRIN IN WHOLE WATER SAMPLE	UG/L	Pesticide
72208	39391	0.18	2.0	0.037		ENDRIN IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
72208	39392	0.18	2.0	0.037		ENDRIN IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
8001352	39400	0.73	3.0	0.21		TOXAPHENE IN WHOLE WATER SAMPLE	UG/L	Pesticide
8001352	39401	0.73	3.0	0.21		TOXAPHENE IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
8001352	39402	0.73	3.0	0.21		TOXAPHENE IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
76448	39410	0.52	0.4	0.053		HEPTACHLOR IN WHOLE WATER SAMPLE	UG/L	Pesticide
76448	39411	0.52	0.4	0.053		HEPTACHLOR IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
76448	39412	0.52	0.4	0.053		HEPTACHLOR IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
1024573	39420	0.52	0.2	0.053		HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE	UG/L	Pesticide
1024573	39421	0.52	0.2	0.053		HEPTACHLOR EPOXIDE IN FILT. FRAC. WATER SAMPLE	UG/L	Pesticide
1024573	39422	0.52	0.2	0.053		HEPTACHLOR EPOXIDE IN SUSP. FRAC. WATER SAMPLE	UG/L	Pesticide
72435	39478		40			METHOXYCHLOR IN WHOLE WATER DISSOLVED	UG/L	Pesticide
72435	39479		40			METHOXYCHLOR IN WHOLE WATER SUSPENDED	UG/L	Pesticide
72435	39480		40			METHOXYCHLOR IN WHOLE WATER SAMPLE	UG/L	Pesticide
56382	39540	0.065				PARATHION IN WHOLE WATER SAMPLE	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
56382	39542	0.065				PARATHION IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
56382	39543	0.065				PARATHION IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
1912249	39630		3.0			ATRAZINE(AATREX) IN WHOLE WATER SAMPLE	UG/L	Pesticide
1912249	39632		3.0			ATRAZINE DISSOLVED IN WATER	PPB	Pesticide
118741	39700	6.0 ^P	1.0			HEXACHLOROBENZENE IN WHOLE WATER SAMPLE	UG/L	General Organic
87683	39702	90 [*]		32 [*]		HEXACHLOROBUTADIENE IN WHOLE WATER SAMPLE	UG/L	General Organic
1918021	39720		500			PICLORAM IN WHOLE WATER SAMPLE	UG/L	Pesticide
94757	39730		70			2,4-D IN WHOLE WATER SAMPLE	UG/L	Pesticide
94757	39732		70			2,4-D IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
94757	39733		70			2,4-D IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
93721	39760		50			SILVEX IN WHOLE WATER SAMPLE	UG/L	Pesticide
93721	39762		50			SILVEX IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
93721	39763		50			SILVEX IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
58899	39782	2.0	0.2	0.16		LINDANE IN WHOLE WATER SAMPLE	UG/L	Pesticide
1071836	39941		700			ROUNDUP IN WHOLE WATER SAMPLE (GLYPHOSATE)	UG/L	Pesticide
7782505	45650	0.019		0.013		CHLORINE, IN ORGANIC COMPOUNDS, WATER, WHOLE	MG/L	General Inorganic
56382	46315	0.065				ETHYL PARATHION IN WHOLE WATER SAMPLE	UG/L	Pesticide
58899	46322	2.0	0.2	0.16		LINDANE PLUS ISOMERS IN WHOLE WATER SAMPLE	UG/L	Pesticide
76448	46326	0.52	0.4	0.053		HEPTACHLOR AND METABOLITES IN WHOLE H2O SAMPLE	UG/L	Pesticide
15972608	46342		2.0			ALACHLOR (LASSO), WATER, DISSOLVED	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7782505	46472	0.019		0.013		CHLORINE, TOTAL RESIDUAL, AVERAGE VALUE, WATER	MG/L	General Inorganic
7782505	46473	0.019		0.013		CHLORINE, FREE AVAILABLE, AVERAGE VALUE, WATER	MG/L	General Inorganic
57125	46479	22	200	1.0		CYANIDE, DISSOLVED, WATER	UG/L	General Inorganic
7440382	46551	360	50	69		ARSENIC, FIELD ACIDIFIED W/HNO3, LAB FILTERED	UG/L	Metal
7440393	46558		2000			BARIUM, FIELD ACIDIFIED W/HNO3-LAB FILT	UG/L	Metal
7440439	46559	3.9 ⁺	5.0	43		CADMIUM, FIELD ACIDIFIED-HNO3-LAB FILTER	UG/L	Metal
7440473	46560		100			CHROMIUM, FIELD ACIDIFIED-HNO3-LAB FILT.	UG/L	Metal
7440508	46562	18 ⁺	1300 ^a	2.9		COPPER, FIELD ACIDIFIED-HNO3- LAB FILTER.	UG/L	Metal
7439921	46564	82 ⁺	15 ^a	220		LEAD, FIELD ACIDIFIED-HNO3-LAB FILTERED	UG/L	Metal
7440224	46566	4.1 ⁺	100 ^s	0.12		SILVER, FIELD ACIDIFIED-HNO3-LAB FILTER.	UG/L	Metal
7440666	46567	120 ⁺	5000 ^s	95		ZINC, EXTRACTABLE, FIELD ACID W/HNO3, LAB FILTR	UG/L	Metal
56382	49011	0.065				UNKNOWN AS PARATHION IN WHOLE WATER SAMPLE	UG/L	Pesticide
7782505	50058	0.019		0.013		CHLORINE DOSE	MG/L	General Inorganic
7782505	50060	0.019		0.013		CHLORINE, TOTAL RESIDUAL	MG/L	General Inorganic
7782505	50064	0.019		0.013		CHLORINE, FREE AVAILABLE	MG/L	General Inorganic
7782505	50066	0.019		0.013		CHLORINE, COMBINED AVAILABLE	MG/L	General Inorganic
7782505	50074	0.019		0.013		CHLORITE, WHOLE WATER	MG/L	General Inorganic
	61215				200 [^]	FECAL COLIFORM, GENERAL #/100ML	#/100ML	Bacteriological
16887006	70352	860	250 ^s			CHLORIDE, ORGANIC	MG/L	General Organic
14797558	71850		44			NITRATE NITROGEN, TOTAL (AS NO3)	MG/L	Nitrogen

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
14797558	71851		44			NITRATE NITROGEN, DISSOLVED (AS NO3)	MG/L	Nitrogen
14797650	71855		3.3			NITRITE NITROGEN, TOTAL (AS NO2)	MG/L	Nitrogen
14797650	71856		3.3			NITRITE NITROGEN, DISSOLVED (AS NO2)	MG/L	Nitrogen
7439976	71890	2.4	2.0	2.1		MERCURY, DISSOLVED	UG/L	Metal
7439976	71895	2.4	2.0	2.1		MERCURY, SUSPENDED	UG/L	Metal
7439976	71900	2.4	2.0	2.1		MERCURY, TOTAL	UG/L	Metal
7439976	71901	2.4	2.0	2.1		MERCURY, TOTAL RECOVERABLE IN WATER AS HG	UG/L	Metal
7440439	71946	3.9 ⁺	5.0	43		CADMIUM, EXTRACTABLE	UG/L	Metal
7440473	71947		100			CHROMIUM, EXTRACTABLE	UG/L	Metal
7439921	71949	82 ⁺	15 ^a	220		LEAD, EXTRACTABLE	UG/L	Metal
7440666	71950	120 ⁺	5000 ^s	95		ZINC, EXTRACTABLE	UG/L	Metal
7440508	71951	18 ⁺	1300 ^a	2.9		COPPER, EXTRACTABLE	UG/L	Metal
1336363	76011	2000	500	10000		PCBS, SUSPENDED, WATER	NG/L	General Organic
1336363	76012	2000	500	10000		PCBS, TOTAL RECOVERABLE, WATER	NG/L	General Organic
156592	77093		70			CIS-1,2-DICHLOROETHYLENE, WHOLE WATER	UG/L	General Organic
100425	77128		100			STYRENE, WHOLE WATER	UG/L	General Organic
106489	77296			29700 [*]		P-CHLOROPHENOL, WHOLE WATER	UG/L	General Organic
106934	77651		0.05			1,2-DIBROMOETHANE, WHOLE WATER	UG/L	General Organic
95954	77687	100 ^p		240 ^p		2,4,5-TRICHLOROPHENOL, WHOLE WATER	UG/L	General Organic
935955	77769			440 [*]		2,3,5,6-TETRACHLOROPHENOL, WHOLE WATER	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
103231	77903		400			BIS (2-ETHYLHEXYL) ADIPATE, WHOLE WATER	UG/L	General Organic
18540299	78247	16	100	1100		CHROMIUM, HEXAVALENT, TOTAL RECOVERABLE	UG/L	Metal
57125	78248	22	200	1.0		CYANIDE, TOTAL RECOVERABLE, WATER, WHOLE	UG/L	Metal
	78456	11*		12*		HALOMETHANES, SUMMATION, WHOLE WATER	MG/L	General Organic
14808798	78462		250 ^s			SULFATE, WATER, DISSOLVED AS S	MG/L	Metal
85007	78885		20			DIQUAT DIBROMIDE (REGLONE) WHOLE WATER SAMPLE	UG/L	Pesticide
7440611	80020		20°			URANIUM, DISS. BY EXTRACTION FLUOROMETRIC	UG/L	Radiological
16065831	80357	1700	100	10300*		CHROMIUM, TRIVALENT, DISSOLVED	UG/L	Metal
57125	81208	0.022	0.2	0.001		CYANIDE,FREE (NOT AMENABLE TO CHLORINATION)	MG/L	General Inorganic
608731	81283	100*		0.34*		BENZENEHEXACHLORIDE, WHOLE WATER	UG/L	Pesticide
88857	81287		7.0			DNBP(C10H12N2O5), WHOLE WATER SAMPLE	UG/L	Pesticide
26638197	81327	23000*	5.0	10300*		DICHLOROPROPANE, WHOLE WATER SAMPLE	UG/L	General Organic
25321226	81333	1120*		1970*		DICHLOROBENZENE ISOMER, WHOLE WATER SAMPLE	UG/L	General Organic
2921882	81403	0.083		0.011		DURSBAN (CHLOROPYRIFOS) WHOLE WATER SAMPLE	UG/L	Pesticide
1563662	81405		40			CARBOFURAN (EURADAN) WHOLE WATER SAMPLE	UG/L	Pesticide
76017	81501	7240*		390*		PENTACHLOROETHANE, WHOLE WATER SAMPLE	UG/L	General Organic
25321226	81524	1120*		1970*		DICHLOROBENZENE, WHOLE WATER SAMPLE	UG/L	General Organic
25322207	81549	9320*				TETRACHLOROETHANE, WHOLE WATER SAMPLE	UG/L	General Organic
26638197	81703	23*	0.005*	10.3*		DICHLOROPROPANE, WHOLE WATER SAMPLE	MG/L	General Organic
7440508	81750	18 ⁺	1300 ^a	2.9		COPPER, INTERSTITIAL WATERFROM SEDIMENTS	UG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7440020	81752	1400 ⁺	100	75		NICKEL, INTERSTITIAL WATER FROM SEDIMENTS	UG/L	Metal
7440666	81754	120 ⁺	5000 ^s	95		ZINC, INTERSTITIAL WATER FROM SEDIMENTS	UG/L	Metal
25323891	81853	18000 [*]				TRICHLOROETHANE, WHOLE WATER SAMPLE	UG/L	General Organic
7439976	81931	2.4	2.0	2.1		MERCURY (HG) SUSPENDED FRACTION OF WATER	UG/G	Metal
7440666	81933	120 ⁺	5000 ^s	95		ZINC (ZN) SUSPENDED FRACTION OF WATER	UG/G	Metal
7439921	81936	82 ⁺	15 ^a	220		LEAD (PB) DISSOLVED CATIONIC SPECIES	UG/L	Metal
7440439	81937	3.9 ⁺	5.0	43		CADMIUM (CD) DISSOLVED CATIONIC SPECIES	UG/L	Metal
7440473	81938		100			CHROMIUM (CR) DISSOLVED CATIONIC SPECIES	UG/L	Metal
7440508	81939	18 ⁺	1300 ^a	2.9		COPPER (CU) DISSOLVED CATIONIC SPECIES	UG/L	Metal
7440666	81940	120 ⁺	5000 ^s	95		ZINC (ZN) DISSOLVED CATIONIC SPECIES	UG/L	Metal
7440473	81941		100			CHROMIUM (CR) DISSOLVED ANIONIC SPECIES	UG/L	Metal
7440508	81942	18 ⁺	1300 ^a	2.9		COPPER (CU) DISSOLVED ANIONIC SPECIES	UG/L	Metal
7440666	81943	120 ⁺	5000 ^s	95		ZINC (ZN) DISSOLVED ANIONIC SPECIES	UG/L	Metal
	82078				50 ^l	TURBIDITY, FIELD	NTU	Physical
	82079				50 ^l	TURBIDITY, LAB	NTU	Physical
88857	82226		7.0			2 SECONDARY BUTYL 4,6-DINITROPHENOL	UG/L	Pesticide
16887006	82295	860000	250000 ^s			CHLORIDE DISSOLVED AS CL IN WATER	UG/L	General Inorganic
72435	82350		40			METHOXYCHLOR, DISSOLVED IN WATER	UG/L	Pesticide
72435	82351		40			METHOXYCHLOR, SUSPENDED IN WATER	UG/L	Pesticide
115297	82354	0.22		0.034		ENDOSULFAN, DISSOLVED IN WATER	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
115297	82355	0.22		0.034		ENDOSULFAN, SUSPENDED IN WATER	UG/L	Pesticide
57125	82573	0.022	0.2	0.001		CYANIDE/CHLORINATION IN WATER	MG/L	General Inorganic
1646873	82586		4.0			ALDICARB SULFOXIDE, WATER, TOTAL RECOVERABLE	UG/L	General Organic
1646884	82587		2.0			ALDICARB SULFONE, WHOLE WATER, TOTAL RECOVERABLE	UG/L	General Organic
23135220	82613		200			OXAMYL, WHOLE WATER, TOTAL RECOVERABLE	UG/L	Pesticide
1563662	82615		40			CARBOFURAN, WHOLE WATER, TOTAL RECOVERABLE	UG/L	Pesticide
116063	82619		3.0			ALDICARB, WHOLE WATER, TOTAL RECOVERABLE	UG/L	Pesticide
33213659	82624	0.22		0.034		ENDOSULFAN, BETA, WH WATER, TOTAL RECOVERABLE	UG/L	Pesticide
96128	82625		0.2			DIBROMOCHLOROPROPANE, WATER, TOTAL RECOVERABLE	UG/L	Pesticide
7440382	82702	360	50	69		ARSENIC, FIELD ACIDIFIED, DECANTED, WATER	UG/L	Metal
7440393	82703		2			BARIUM, FIELD ACIDIFIED, DECANTED, WATER	MG/L	Metal
7440417	82704	130 [*]	4.0			BERYLLIUM, FIELD ACIDIFIED, DECANTED, WATER	UG/L	Metal
7440439	82705	3.9 ⁺	5.0	43		CADMIUM, FIELD ACIDIFIED, DECANTED, WATER	UG/L	Metal
7440473	82706		100			CHROMIUM, FIELD ACIDIFIED, DECANTED, WATER	UG/L	Metal
7440508	82708	18 ⁺	1300 ^a	2.9		COPPER, FIELD ACIDIFIED, DECANTED, WATER	UG/L	Metal
7439921	82711	82 ⁺	15 ^a	220		LEAD, FIELD ACIDIFIED, DECANTED, WATER	UG/L	Metal
7439976	82713	2.4	2.0	2.1		MERCURY, FIELD ACIDIFIED, DECANTED, WATER	UG/L	Metal
7440020	82715	1400 ⁺	100	75		NICKEL, FIELD ACIDIFIED, DECANTED, WATER	UG/L	Metal
7440224	82716	4.1 ⁺	100 ^s	0.12		SILVER, FIELD ACIDIFIED, DECANTED, WATER	UG/L	Metal
7440666	82719	120 ⁺	5000 ^s	95		ZINC, FIELD ACIDIFIED, DECANTED, WATER	UG/L	Metal

Footnote Key:

*Insufficient Data to Develop Criteria. Value Presented is the L.O.E.L. - Lowest Observed Effect Level.

+Hardness Dependent Criteria (100 mg/L CaCO₃ Used).

***pH Dependent Criteria (7.8 pH Used).

=Rule of thumb criterion used by the NPS Air Quality Division for determining sensitivity to acid deposition.

^Freshwater bathing criterion, EPA geometric mean based on at least 5 samples equally spaced over a 30-day period; Enterococci marine water bathing criterion 35 CFU/100 ml.

#EPA freshwater aquatic life chronic criterion; marine criterion is ≤ 6.5 , ≥ 8.5 .

!Arizona state standard.

^aEPA action level, 40 CFR 141.80.

^bCalifornia and Florida state bathing water standards.

^cA Compilation of Water Quality Goals, California Regional Water Quality Control Board Central Valley Region, Sacramento, California, September, 1991.

ⁿTotal coliform drinking water maximum contaminant level (1 cfu/100ml or 1 mpn/100ml) was not used in water quality criteria comparisons.

^pProposed Criterion.

^rAverage annual concentration assumed to produce a total body or organ dose of 4 mrem/year, 40 CFR 141.16.

^sEPA National Secondary Drinking Water Regulation, 40 CFR 143.

^tThe maximum contaminant level for the sum of the concentrations of trihalomethanes is 100 µg/L, 40 CFR 141.12.

^uColdwater criterion one day minimum; warmwater criterion seven day mean minimum.

Appendix G

Inventory Data Evaluation and Analysis (IDEA) Servicewide Inventory and Monitoring Program "Level I" Parameter Groups

The following table provides the Servicewide Inventory and Monitoring Program's "Level I" water quality inventory parameter groups (National Park Service 1993). In order to determine the presence and/or absence of data for each of these parameter groups in the park, the parameter groups had to be defined by STORET parameter codes. This table provides the STORET codes and parameter descriptions for each parameter comprising one of the Servicewide Inventory and Monitoring Program's "Level I" water quality parameter groups. Additional parameters could have been incorporated into each group, but an effort was made to represent each group with the parameters deemed to most likely occur in STORET and parks. The Toxic Elements Parameter Group was defined as the EPA's Clean Water Act Section 304(a) Priority Toxic Pollutants (40 CFR 131.36). Parameters are listed in ascending order of STORET code within each parameter group. It is important to note that similar parameters often have non-consecutive codes. Consequently, scanning the entire list is necessary to find all the parameters of a particular type (eg. lead, copper, etc.). Refer to the Parameter Period of Record Tabulation to obtain the STORET code for any parameter measured in the park.

STORET Code	Water Temperature Parameter Group	C.A.S. Number
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	-
00011	TEMPERATURE, WATER (DEGREES FAHRENHEIT)	-
STORET Code	Flow Parameter Group¹	C.A.S. Number
00056	FLOW RATE, GALLONS/DAY	-
00058	FLOW RATE, GALLONS/MIN.	-
00059	FLOW RATE, INSTANTANEOUS, GALLONS/MINUTE	-
00060	FLOW, STREAM, MEAN DAILY CFS	-
00061	FLOW, STREAM, INSTANTANEOUS CFS	-
00065	STAGE, STREAM (FEET)	-
00067	TIDE STAGE CODE	-
00072	STAGE, STREAM (METERS)	-

¹Tide stage is included in the Flow Parameter Group for coastal parks.

STORET Code	Clarity/Turbidity Parameter Group	C.A.S. Number
00070	TURBIDITY, (JACKSON CANDLE UNITS)	-
00075	TURBIDITY, HELLIGE (PPM AS SILICON DIOXIDE)	-
00076	TURBIDITY, HACH TURBIDIMETER (FORMAZIN TURB UNIT)	-
00077	TRANSPARENCY, SECCHI DISC (INCHES)	-
00078	TRANSPARENCY, SECCHI DISC (METERS)	-
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	-
82078	TURBIDITY, FIELD NEPHELOMETRIC TURBIDITY UNITS NTU	-
82079	TURBIDITY, LAB NEPHELOMETRIC TURBIDITY UNITS, NTU	-
STORET Code	Conductivity Parameter Group	C.A.S. Number
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	-
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	-
00096	SALINITY AT 25 DEGREES C (MG/ML)	-
00480	SALINITY - PARTS PER THOUSAND	-
STORET Code	Dissolved Oxygen Parameter Group	C.A.S. Number
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE (MG/L)	7782447
00300	OXYGEN, DISSOLVED (MG/L)	7782447
00301	OXYGEN, DISSOLVED, PERCENT OF SATURATION	7782447
00389	OXYGEN, DISSOLVED, LAB ANAL. BY PROBE OF FIELD SAMPLE (MG/L)	7782447
STORET Code	pH Parameter Group	C.A.S. Number
00400	PH (STANDARD UNITS)	-
00403	PH, LAB (STANDARD UNITS)	-
00406	PH, FIELD (STANDARD UNITS)	-

STORET Code	Alkalinity Parameter Group	C.A.S. Number
00409	ALKALINITY, TOTAL, LOW LEVEL GRAN ANALYSIS (μ EQ/L)	471341
00410	ALKALINITY, TOTAL (MG/L AS CaCO_3)	471341
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)	77098
00430	ALKALINITY, CARBONATE (MG/L AS CaCO_3)	471341
00435	ACIDITY, TOTAL (MG/L AS CaCO_3)	471341
00440	BICARBONATE ION (MG/L AS HCO_3)	71523
00445	CARBONATE ION (MG/L AS CO_3)	3812326
STORET Code	Nitrate/Nitrogen Parameter Group	C.A.S. Number
00600	NITROGEN, TOTAL (MG/L AS N)	17778880
00602	NITROGEN, DISSOLVED (MG/L AS N)	17778880
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	17778880
00607	NITROGEN, ORGANIC, DISSOLVED (MG/L AS N)	17778880
00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	17778880
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	17778880
00612	AMMONIA, UNIONIZED (MG/L AS N)	7664417
00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	17778880
00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	17778880
00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	17778880
00625	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	17778880
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	17778880
00631	NITRITE PLUS NITRATE, DISSOLVED 1 DET. (MG/L AS N)	17778880
71845	NITROGEN, AMMONIA, TOTAL (MG/L AS NH_4)	14798039
71846	NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH_4)	14798039
71850	NITRATE NITROGEN, TOTAL (MG/L AS NO_3)	14797558
71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO_3)	14797558
71855	NITRITE NITROGEN, TOTAL (MG/L AS NO_2)	14797650
71856	NITRITE NITROGEN, DISSOLVED (MG/L AS NO_2)	14797650

STORET Code	Phosphate/Phosphorus Parameter Group	C.A.S. Number
00650	PHOSPHATE, TOTAL (MG/L AS PO4)	14265442
00655	PHOSPHATE, POLY (MG/L AS PO4)	14265442
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	14265442
00665	PHOSPHORUS, TOTAL (MG/L AS P)	7723140
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	7723140
00670	PHOSPHORUS, TOTAL ORGANIC (MG/L AS P)	7723140
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	7723140
70505	PHOSPHORUS, TOTAL, COLORIMETRIC METHOD (MG/L AS P)	7723140
70507	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	7723140
STORET Code	Sulfates/Total Dissolved Solids/Hardness Parameter Group	C.A.S. Number
00900	HARDNESS, TOTAL (MG/L AS CaCO3)	471341
00945	SULFATE, TOTAL (MG/L AS SO4)	14808798
00946	SULFATE, DISSOLVED (MG/L AS SO4)	14808798
70300	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), (MG/L)	-
STORET Code	Chlorophyll Parameter Group	C.A.S. Number
32209	CHLOROPHYLL A (UG/L) FLUOROMETRIC CORRECTED	479618
32210	CHLOROPHYLL A (UG/L) TRICHROMATIC UNCORRECTED	479618
32211	CHLOROPHYLL A (UG/L) SPECTROPHOTOMETRIC ACID METH.	479618
32217	CHLOROPHYLL A (UG/L) FLUOROMETRIC UNCORRECTED	479618
32223	CHLOROPHYLL A (MG/M2) SPECTROPHOTOMETRIC CORRECTED	479618
32228	CHLOROPHYLL A (MG/M2) PERIPHYTON SPECTRO.	479618
32229	CHLOROPHYLL A (MG/M2) FLUOR. CORRECTED, SUBSTRATER	479618
32230	CHLOROPHYLL A (MG/L)	479618

STORET Code	Bacteria Parameter Group	C.A.S. Number
00111	RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCCI	-
31501	COLIFORM, TOT, MEMBRANE FILTER, IMMED., M-ENDO MED,35C	-
31503	COLIFORM, TOT, MEMBRANE FILTER, DELAY, M-ENDO MED, 35C	-
31504	COLIFORM, TOT, MEMBRANE FILTER, IMMED., LES-ENDO AGAR, 35C	-
31505	COLIFORM, TOT, MPN, CONFIRMED TEST,35C(TUBE 31506)	-
31506	COLIFORM, TOT, MPN, CONFIRMED TEST, TUBE CONFIG.	-
31507	COLIFORM, TOT, MPN, COMPLETED TEST,35C(TUBE 31508)	-
31508	COLIFORM, TOT, MPN, COMPLETED TEST, TUBE CONFIG.	-
31613	FECAL COLIFORM, MEMBR, FILTER,M-FC AGAR,44.5C,24HR	-
31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	-
31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	-
31616	FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5C	-
31617	FECAL COLIFORM, MPN,EIJKMAN TEST,44.5C(TUBE 31618)	-
31625	FECAL COLIFORM, MF, M-FC, 0.7 UM	-
31648	E. COLI - MTEC-MF	-
31649	ENTEROCOCCI- ME-MF	-
31673	FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	-
31676	FECAL STREPTOCOCCI, MPN, KF BROTH, TUBE CONFIG.	-
31677	FECAL STREPTOCOCCI, MPN, AD-EVA, 35C (TUBE 31678)	-
31751	PLATE COUNT, TOTAL, TPC AGAR, 35C, 24 HRS	-
61214	FECAL STREPTOCOCCI, GENERAL #/100ML	-
61215	FECAL COLIFORM, GENERAL #/100ML	-
STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants)	C.A.S. Number
00718	CYANIDE, WEAK ACID, DISSOC. WATER, WHOLE (UG/L)	57125
00719	CYANIDE, FREE, IN WATER & WASTEWATERS, HBG (UG/L)	57125
00720	CYANIDE, TOTAL (MG/L AS CN)	57125
00722	CYANIDE, FREE (AMENABLE TO CHLORINATION) (MG/L)	57125

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
00723	CYANIDE, DISSOLVED STD METHOD (UG/L)	57125
00724	CYANIDE COMPLEXED TO A RANGE OF COMPNDS (UG/L)	57125
00969	CHRYSTILE ASBESTOS FIBERS/LITER	1332214
00973	AMPHIBOLE ASBESTOS FIBERS/LITER	1332214
00976	AMBIGUOUS ASBESTOS FIBERS/LITER	1332214
00977	NON-AMPHIBOLE NON-CHRYSTILE ASBESTOS FIBERS/LITER	1332214
00978	ARSENIC, TOTAL RECOVERABLE IN WATER AS AS	7440382
00981	SELENIUM, TOTAL RECOVERABLE IN WATER AS SE (UG/L)	7782492
00982	THALLIUM, TOTAL RECOVERABLE IN WATER AS (UG/L)	7440280
00990	SELENITE, TOTAL RECOVERABLE INORGANIC (UG/L)	7782492
00991	ARSENIC, TOTAL RECOVER. TRIVALENT INORGANIC (UG/L)	7440382
00995	ARSENIC, INORGANIC DISSOLVED (UG/L AS AS)	7440382
00996	ARSENIC, INORGANIC SUSPENDED (UG/L AS AS)	7440382
00997	ARSENIC, INORGANIC TOTAL (UG/L AS AS)	7440382
00998	BERYLLIUM, TOTAL RECOVERABLE IN WATER AS BE (UG/L)	7440417
01000	ARSENIC, DISSOLVED (UG/L AS AS)	7440382
01001	ARSENIC, SUSPENDED (UG/L AS AS)	7440382
01002	ARSENIC, TOTAL (UG/L AS AS)	7440382
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	7440417
01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	7440417
01012	BERYLLIUM, TOTAL (UG/L AS BE)	7440417
01025	CADMIUM, DISSOLVED (UG/L AS CD)	7440439
01026	CADMIUM, SUSPENDED (UG/L AS CD)	7440439
01027	CADMIUM, TOTAL (UG/L AS CD)	7440439
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	7440473
01031	CHROMIUM, SUSPENDED (UG/L AS CR)	7440473
01032	CHROMIUM, HEXVALENT (UG/L AS CR)	7440473
01033	CHROMIUM, TRI-VAL (UG/L AS CR)	16065831
01034	CHROMIUM, TOTAL (UG/L AS CR)	7440473

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
01040	COPPER, DISSOLVED (UG/L AS CU)	7440508
01041	COPPER, SUSPENDED (UG/L AS CU)	7440508
01042	COPPER, TOTAL (UG/L AS CU)	7440508
01049	LEAD, DISSOLVED (UG/L AS PB)	7439921
01050	LEAD, SUSPENDED (UG/L AS PB)	7439921
01051	LEAD, TOTAL (UG/L AS PB)	7439921
01057	THALLIUM, DISSOLVED (UG/L AS TL)	7440280
01058	THALLIUM, SUSPENDED (UG/L AS TL)	7440280
01059	THALLIUM, TOTAL (UG/L AS TL)	7440280
01065	NICKEL, DISSOLVED (UG/L AS NI)	7440020
01066	NICKEL, SUSPENDED (UG/L AS NI)	7440020
01067	NICKEL, TOTAL (UG/L AS NI)	7440020
01074	NICKEL, TOTAL RECOVERABLE IN WATER AS NI (UG/L)	7440020
01075	SILVER, DISSOLVED (UG/L AS AG)	7440224
01076	SILVER, SUSPENDED (UG/L AS AG)	7440224
01077	SILVER, TOTAL (UG/L AS AG)	7440224
01079	SILVER, TOTAL RECOVERABLE IN WATER AS AG (UG/L)	7440224
01089	COPPER AS SUSPENDED BLACK OXIDE IN WATER (MG/L)	7440508
01090	ZINC, DISSOLVED (UG/L AS ZN)	7440666
01091	ZINC, SUSPENDED (UG/L ZN)	7440666
01092	ZINC, TOTAL (UG/L AS ZN)	7440666
01094	ZINC, TOTAL RECOVERABLE IN WATER AS ZN (UG/L)	7440666
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	7440360
01096	ANTIMONY, SUSPENDED (UG/L AS SB)	7440360
01097	ANTIMONY, TOTAL (UG/L AS SB)	7440360
01113	CADMIUM, TOTAL RECOVERABLE IN WATER AS CD (UG/L)	7440439
01114	LEAD, TOTAL RECOVERABLE IN WATER AS PB (UG/L)	7439921
01118	CHROMIUM, TOTAL RECOVERABLE IN WATER AS CR (UG/L)	7440473
01119	COPPER, TOTAL RECOVERABLE IN WATER AS CU (UG/L)	7440508

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
01124	THALLIUM, ACID SOLUBLE, WATER, WHOLE (UG/L)	7440280
01128	THALLIUM, TOTAL RECOVERABLE <95%, UG/L AS TL	7440280
01138	SELENIUM, IN WATER, LBS/DAY	7782492
01145	SELENIUM, DISSOLVED (UG/L AS SE)	7782492
01146	SELENIUM, SUSPENDED (UG/L AS SE)	7782492
01147	SELENIUM, TOTAL (UG/L AS SE)	7782492
01167	SELENIUM, ACID SOLUBLE, WATER, WHOLE (UG/L)	7782492
01220	CHROMIUM, HEXAVALENT, DISSOLVED IN (UG/L AS CR)	18540299
01252	ARSENIC, LB/DAY/CFS STREAM FLOW	7440382
01253	CADMIUM, LB/DAY/CFS STREAM FLOW	7440439
01254	CHROMIUM, TOTAL (LBS/DAY/CFS STREAM FLOW)	7740473
01255	CHROMIUM, HEXAVALENT, LB/DAY/CFS STREAM FLOW	18540299
01256	COPPER, LB/DAY/CFS STREAM FLOW	7440508
01257	CYANIDE LB/DAY/CFS STREAM FLOW	57125
01259	LEAD, LB/DAY/CFS STREAM FLOW	7439921
01260	MERCURY, LB/DAY/CFS STREAM FLOW	7439976
01261	NICKEL, LB/DAY/CFS STREAM FLOW	7440020
01263	SILVER, LB/DAY/CFS STREAM FLOW	7440224
01264	ZINC LB/DAY/CFS STREAM FLOW	7440666
01268	ANTIMONY, (SB), WATER, TOTAL RECOVERABLE (UG/L)	7440360
01291	CYANIDE, FILTERABLE, TOTAL IN WATER (UG/L)	57125
01303	ZINC, POTENTIALLY DISSOLVED WATER (MG/L)	7440666
01304	SILVER, POTENTIALLY DISSOLVED WATER (MG/L)	7440224
01306	COPPER, POTENTIALLY DISSOLVED WATER (MG/L)	7440508
01307	CHROMIUM, HEXAVALENT, POTENT. DISS. WATER (MG/L)	18540299
01309	ARSENIC, POTENTIALLY, DISSOLVED, WATER (MG/L)	7440382
01312	BERYLLIUM, POTENTIALLY, DISSOLVED, WATER (MG/L)	7440417
01313	CADMIUM, POTENTIALLY, DISSOLVED, WATER (MG/L)	7440439

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
01314	CHROMIUM, TRIVALENT, POTENT., DISS., WATER (MG/L)	16065831
01318	LEAD, POTENTIALLY, DISSOLVED, WATER (MG/L)	7439921
01321	MERCURY, POTENTIALLY, DISSOLVED, WATER (MG/L)	7439976
01322	NICKEL, POTENTIALLY, DISSOLVED, WATER (MG/L)	7440020
01323	SELENIUM, POTENTIALLY, DISSOLVED, WATER (MG/L)	7782492
01324	THALLIUM, POTENTIALLY, DISSOLVED, WATER (MG/L)	7440280
01523	SILVER, IONIC (UG/L)	7440224
22675	SELENIUM, DISSOLVED ORGANIC (UG/L)	7782492
22676	SELENIUM, HEXAVALENT, DISSOLVED (UG/L)	7782492
22677	SELENIUM, TETRAVALENT, DISSOLVED	7782492
22678	ARSENIC, DISSOLVED ORGANIC (UG/L)	7440382
22679	ARSENIC, PENTAVALENT, DISSOLVED (UG/L)	7440382
22680	ARSENIC, TRIVALENT, DISSOLVED (UG/L)	7440382
30197	2-CHLOROETHYL VINYL ETHER, WATER, WHL, RECOVER (UG/L)	110758
30201	CHLOROMETHANE, WATER, WHOLE, RECOVERABLE (UG/L)	74873
30202	BROMOMETHANE, WATER, WHOLE, RECOVERABLE (UG/L)	74839
32003	CARBON CHLOROFORM AND CARBON ALCOHOL EXT. (UG/L)	67663
32005	CARBON CHLOROFORM EXTRACTABLES (UG/L)	67663
32021	CARBON CHLOROFORM EXTRACTS, ETHER INSOLUBLE (UG/L)	67663
32022	CARBON CHLOROFORM EXTRACTS, WATER SOLUBLES (UG/L)	67663
32101	BROMODICHLOROMETHANE, WHOLE WATER (UG/L)	75274
32102	CARBON TETRACHLORIDE, WHOLE WATER, (UG/L)	56235
32103	1,2-DICHLOROETHANE, WHOLE WATER (UG/L)	107062
32104	BROMOFORM, WHOLE WATER, (UG/L)	75252
32105	DIBROMOCHLOROMETHANE, WHOLE WATER, (UG/L)	124481
32106	CHLOROFORM, WHOLE WATER (UG/L)	67663
32260	CARBON TETRACHLORIDE EXTRACTABLES (MG/L)	56235
32270	CHLOROFORM EXTRACTABLES TOTAL IN MG PER LITER	67663

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34010	TOLUENE IN WTR SMPLE GC-MS, HEXADECONE EXT. (UG/L)	108883
34030	BENZENE IN WTR SMPLE GC-MS, HEXADECONE EXT. (UG/L)	71432
34198	BHC-DELTA, WATER, WHOLE (LBS/DAY)	319868
34200	ACENAPHTHYLENE, TOTAL (UG/L)	208968
34201	ACENAPHTHYLENE, DISSOLVED (UG/L)	208968
34202	ACENAPHTHYLENE, SUSPENDED (UG/L)	208968
34205	ACENAPHTHENE, TOTAL (UG/L)	83329
34206	ACENAPHTHENE, DISSOLVED (UG/L)	83329
34207	ACENAPHTHENE, SUSPENDED (UG/L)	83329
34210	ACROLEIN, TOTAL (UG/L)	107028
34211	ACROLEIN, DISSOLVED (UG/L)	107028
34212	ACROLEIN, SUSPENDED (UG/L)	107028
34215	ACRYLONITRILE, TOTAL (UG/L)	107131
34216	ACRYLONITRILE, DISSOLVED (UG/L)	107131
34217	ACRYLONITRILE, SUSPENDED (UG/L)	107131
34220	ANTHRACENE, TOTAL (UG/L)	120127
34221	ANTHRACENE, DISSOLVED (UG/L)	120127
34222	ANTHRACENE, SUSPENDED (UG/L)	120127
34225	ASBESTOS (FIBROUS) TOTAL (UG/L)	1332214
34226	ASBESTOS (FIBROUS) DISSOLVED (UG/L)	1332214
34227	ASBESTOS (FIBROUS) SUSPENDED (UG/L)	1332214
34230	BENZO(B)FLUORANTHENE, WHOLE WATER (UG/L)	205992
34231	BENZO(B)FLUORANTHENE, DISSOLVED (UG/L)	205992
34232	BENZO(B)FLUORANTHENE, SUSPENDED (UG/L)	205992
34235	BENZENE, DISSOLVED (UG/L)	71432
34236	BENZENE, SUSPENDED (UG/L)	71432
34239	BENZIDINE, DISSOLVED (UG/L)	92875
34240	BENZIDINE, SUSPENDED (UG/L)	92875

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34242	BENZO(K)FLUORANTHENE, TOTAL (UG/L)	207089
34243	BENZO(K)FLUORANTHENE, DISSOLVED (UG/L)	207089
34244	BENZO(K)FLUORANTHENE, SUSPENDED (UG/L)	207089
34247	BENZO-A-PYRENE, TOTAL (UG/L)	50328
34248	BENZO-A-PYRENE, DISSOLVED (UG/L)	50328
34249	BENZO-A-PYRENE, SUSPENDED (UG/L)	50328
34253	A-BHC-ALPHA, DISSOLVED (UG/L)	319846
34254	A-BHC-ALPHA, SUSPENDED (UG/L)	319846
34255	B-BHC-BETA, DISSOLVED (UG/L)	319857
34256	B-BHC-BETA, SUSPENDED (UG/L)	319857
34259	DELTA BENZENE HEXACHLORIDE, TOTAL (UG/L)	319868
34260	DELTA BENZENE HEXACHLORIDE, DISSOLVED (UG/L)	319868
34261	DELTA BENZENE HEXACHLORIDE, SUSPENDED (UG/L)	319868
34265	R-BHC (LINDANE) GAMMA, DISSOLVED (UG/L)	58899
34266	R-BHC (LINDANE) GAMMA, SUSPENDED (UG/L)	58899
34273	BIS (2-CHLOROETHYL) ETHER, TOTAL (UG/L)	111444
34274	BIS (2-CHLOROETHYL) ETHER, DISSOLVED (UG/L)	111444
34275	BIS (2-CHLOROETHYL) ETHER, SUSPENDED (UG/L)	111444
34278	BIS (2-CHLOROETHOXY) METHANE, TOTAL (UG/L)	111911
34279	BIS (2-CHLOROETHOXY) METHANE, DISSOLVED (UG/L)	111911
34280	BIS (2-CHLOROETHOXY) METHANE, SUSPENDED (UG/L)	111911
34288	BROMOFORM, DISSOLVED (UG/L)	75252
34289	BROMOFORM, SUSPENDED (UG/L)	75252
34292	N-BUTYL BENZYL PHTHALATE, WHOLE WATER (UG/L)	85687
34293	N-BUTYL BENZYL PHTHALATE, DISSOLVED (UG/L)	85687
34294	N-BUTYL BENZYL PHTHALATE, SUSPENDED (UG/L)	85687
34297	CARBON TETRACHLORIDE, DISSOLVED (UG/L)	56235
34298	CARBON TETRACHLORIDE, SUSPENDED (UG/L)	56235

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34301	CHLOROBENZENE, TOTAL (UG/L)	108907
34302	CHLOROBENZENE, DISSOLVED (UG/L)	108907
34303	CHLOROBENZENE, SUSPENDED (UG/L)	108907
34306	CHLORODIBROMOMETHANE, TOTAL (UG/L)	124481
34307	CHLORODIBROMOMETHANE, DISSOLVED (UG/L)	124481
34308	CHLORODIBROMOMETHANE, SUSPENDED (UG/L)	124481
34311	CHLOROETHANE, TOTAL (UG/L)	75003
34312	CHLOROETHANE, DISSOLVED (UG/L)	75003
34313	CHLOROETHANE, SUSPENDED (UG/L)	75003
34316	CHLOROFORM, DISSOLVED (UG/L)	67663
34317	CHLOROFORM, SUSPENDED (UG/L)	67663
34320	CHRYSENE, TOTAL (UG/L)	218019
34321	CHRYSENE, DISSOLVED (UG/L)	218019
34322	CHRYSENE, SUSPENDED (UG/L)	218019
34325	CYANIDE, SUSPENDED (MG/L)	57125
34327	DI-N-BUTYL PHTHALATE, DISSOLVED (UG/L)	84742
34328	DICHLOROBROMOMETHANE, DISSOLVED (UG/L)	75274
34329	DICHLOROBROMOMETHANE, SUSPENDED (UG/L)	75274
34336	DIETHYL PHTHALATE, TOTAL (UG/L)	84662
34337	DIETHYL PHTHALATE, DISSOLVED (UG/L)	84662
34338	DIETHYL PHTHALATE, SUSPENDED (UG/L)	84662
34341	DIMETHYL PHTHALATE, TOTAL (UG/L)	131113
34342	DIMETHYL PHTHALATE, DISSOLVED (UG/L)	131113
34343	DIMETHYL PHTHALATE, SUSPENDED (UG/L)	131113
34346	1,2-DIPHENYLHYDRAZINE, TOTAL (UG/L)	122667
34347	1,2-DIPHENYLHYDRAZINE, DISSOLVED (UG/L)	122667
34348	1,2-DIPHENYLHYDRAZINE, SUSPENDED (UG/L)	122667
34351	ENDOSULFAN SULFATE, TOTAL (UG/L)	1031078

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34352	ENDOSULFAN SULFATE, DISSOLVED (UG/L)	1031078
34353	ENDOSULFAN SULFATE, SUSPENDED (UG/L)	1031078
34356	ENDOSULFAN, BETA, TOTAL (UG/L)	33213659
34357	ENDOSULFAN, BETA, DISSOLVED (UG/L)	33213659
34358	ENDOSULFAN, BETA, SUSPENDED (UG/L)	33213659
34361	ENDOSULFAN, ALPHA, TOTAL (UG/L)	959988
34362	ENDOSULFAN, ALPHA, DISSOLVED (UG/L)	959988
34363	ENDOSULFAN, ALPHA, SUSPENDED (UG/L)	959988
34371	ETHYLBENZENE, TOTAL (UG/L)	100414
34372	ETHYLBENZENE, DISSOLVED (UG/L)	100414
34373	ETHYLBENZENE, SUSPENDED (UG/L)	100414
34376	FLUORANTHENE, TOTAL (UG/L)	206440
34377	FLUORANTHENE, DISSOLVED (UG/L)	206440
34378	FLUORANTHENE, SUSPENDED (UG/L)	206440
34381	FLUORENE, TOTAL (UG/L)	86737
34382	FLUORENE, DISSOLVED (UG/L)	86737
34383	FLUORENE, SUSPENDED (UG/L)	86737
34386	HEXACHLOROCYCLOPENTADIENE, TOTAL (UG/L)	77474
34387	HEXACHLOROCYCLOPENTADIENE, DISSOLVED (UG/L)	77474
34388	HEXACHLOROCYCLOPENTADIENE, SUSPENDED (UG/L)	77474
34391	HEXACHLOROBUTADIENE, TOTAL (UG/L)	87683
34392	HEXACHLOROBUTADIENE, DISSOLVED (UG/L)	87683
34393	HEXACHLOROBUTADIENE, SUSPENDED (UG/L)	87683
34396	HEXACHLOROETHANE, TOTAL (UG/L)	67721
34397	HEXACHLOROETHANE, DISSOLVED (UG/L)	67721
34398	HEXACHLOROETHANE, SUSPENDED (UG/L)	67721
34401	HEXACHLOROBENZENE, DISSOLVED (UG/L)	118741
34402	HEXACHLOROBENZENE, SUSPENDED (UG/L)	118741

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34403	INDENO (1,2,3-CD) PYRENE, TOTAL (UG/L)	193395
34404	INDENO (1,2,3-CD) PYRENE, DISSOLVED (UG/L)	193395
34405	INDENO (1,2,3-CD) PYRENE, SUSPENDED (UG/L)	193395
34408	ISOPHORONE, TOTAL (UG/L)	78591
34409	ISOPHORONE, DISSOLVED (UG/L)	78591
34410	ISOPHORONE, SUSPENDED (UG/L)	78591
34413	METHYL BROMIDE, TOTAL (UG/L)	74839
34414	METHYL BROMIDE, DISSOLVED (UG/L)	74839
34415	METHYL BROMIDE, SUSPENDED (UG/L)	74839
34418	METHYL CHLORIDE, TOTAL (UG/L)	74873
34419	METHYL CHLORIDE, DISSOLVED (UG/L)	74873
34420	METHYL CHLORIDE, SUSPENDED (UG/L)	74873
34423	METHYLENE CHLORIDE, TOTAL (UG/L)	75092
34424	METHYLENE CHLORIDE, DISSOLVED (UG/L)	75092
34425	METHYLENE CHLORIDE, SUSPENDED (UG/L)	75092
34428	N-NITROSODI-N-PROPYLAMINE, TOTAL (UG/L)	621647
34429	N-NITROSODI-N-PROPYLAMINE, DISSOLVED (UG/L)	621647
34430	N-NITROSODI-N-PROPYLAMINE, SUSPENDED (UG/L)	621647
34433	N-NITROSODIPHENYLAMINE, TOTAL (UG/L)	86306
34434	N-NITROSODIPHENYLAMINE, DISSOLVED (UG/L)	86306
34435	N-NITROSODIPHENYLAMINE, SUSPENDED (UG/L)	86306
34438	N-NITROSODIMETHYLAMINE, TOTAL (UG/L)	62759
34439	N-NITROSODIMETHYLAMINE, DISSOLVED (UG/L)	62759
34440	N-NITROSODIMETHYLAMINE, SUSPENDED (UG/L)	62759
34443	NAPHTHALENE, DISSOLVED (UG/L)	91203
34444	NAPHTHALENE, SUSPENDED (UG/L)	91203
34447	NITROBENZENE, TOTAL (UG/L)	98953
34448	NITROBENZENE, DISSOLVED (UG/L)	98953

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34449	NITROBENZENE, SUSPENDED (UG/L)	98953
34452	PARACHLOROMETA CRESOL, TOTAL (UG/L)	59507
34453	PARACHLOROMETA CRESOL, DISSOLVED (UG/L)	59507
34454	PARACHLOROMETA CRESOL, SUSPENDED (UG/L)	59507
34457	PCB - 1242, DISSOLVED (UG/L)	53469219
34458	PCB - 1242, SUSPENDED (UG/L)	53469219
34459	PCP (PENTACHLOROPHENOL), DISSOLVED (UG/L)	87865
34460	PCP (PENTACHLOROPHENOL), SUSPENDED (UG/L)	87865
34461	PHENANTHRENE, TOTAL (UG/L)	85018
34462	PHENANTHRENE, DISSOLVED (UG/L)	85018
34463	PHENANTHRENE, SUSPENDED (UG/L)	85018
34466	PHENOL, DISSOLVED (UG/L)	108952
34467	PHENOL, SUSPENDED (UG/L)	108952
34469	PYRENE, TOTAL (UG/L)	129000
34470	PYRENE, DISSOLVED (UG/L)	129000
34471	PYRENE, SUSPENDED (UG/L)	129000
34475	TETRACHLOROETHYLENE, TOTAL (UG/L)	127184
34476	TETRACHLOROETHYLENE, DISSOLVED (UG/L)	127184
34477	TETRACHLOROETHYLENE, SUSPENDED (UG/L)	127184
34481	TOLUENE, DISSOLVED (UG/L)	108883
34482	TOLUENE, SUSPENDED (UG/L)	108883
34485	TRICHLOROETHYLENE, DISSOLVED (UG/L)	79016
34486	TRICHLOROETHYLENE, SUSPENDED (UG/L)	79016
34493	VINYL CHLORIDE, DISSOLVED (UG/L)	75014
34494	VINYL CHLORIDE, SUSPENDED (UG/L)	75014
34496	1,1-DICHLOROETHANE, TOTAL (UG/L)	75343
34497	1,1-DICHLOROETHANE, DISSOLVED (UG/L)	75343
34498	1,1-DICHLOROETHANE, SUSPENDED (UG/L)	75343

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34501	1,1-DICHLOROETHYLENE, TOTAL (UG/L)	75354
34502	1,1-DICHLOROETHYLENE, DISSOLVED (UG/L)	75354
34503	1,1-DICHLOROETHYLENE, SUSPENDED (UG/L)	75354
34506	1,1,1-TRICHLOROETHANE, TOTAL (UG/L)	71556
34507	1,1,1-TRICHLOROETHANE, DISSOLVED (UG/L)	71556
34508	1,1,1-TRICHLOROETHANE, SUSPENDED (UG/L)	71556
34511	1,1,2-TRICHLOROETHANE, TOTAL (UG/L)	79005
34512	1,1,2-TRICHLOROETHANE, DISSOLVED (UG/L)	79005
34513	1,1,2-TRICHLOROETHANE, SUSPENDED (UG/L)	79005
34516	1,1,2,2-TETRACHLOROETHANE, TOTAL (UG/L)	79345
34517	1,1,2,2-TETRACHLOROETHANE, DISSOLVED (UG/L)	79345
34518	1,1,2,2-TETRACHLOROETHANE, SUSPENDED (UG/L)	79345
34521	BENZO(GHI)PERYLENE1,12-BENZOPERYLENE, TOTAL (UG/L)	191242
34522	BENZO(GHI)PERYLENE1,12-BENZOPERYLENE, DISS. (UG/L)	191242
34523	BENZO(GHI)PERYLENE1,12-BENZOPERYLENE, SUSP. (UG/L)	191242
34526	BENZO(A)ANTHRACENE1,2-BENZANTHRACENE, TOTAL (UG/L)	56553
34527	BENZO(A)ANTHRACENE1,2-BENZANTHRACENE, DISS. (UG/L)	56553
34528	BENZO(A)ANTHRACENE1,2-BENZANTHRACENE, SUSP. (UG/L)	56553
34531	1,2-DICHLOROETHANE, TOTAL (UG/L)	107062
34532	1,2-DICHLOROETHANE, DISSOLVED (UG/L)	107062
34533	1,2-DICHLOROETHANE, SUSPENDED (UG/L)	107062
34536	1,2-DICHLOROBENZENE, TOTAL (UG/L)	95501
34537	1,2-DICHLOROBENZENE, DISSOLVED (UG/L)	95501
34538	1,2-DICHLOROBENZENE, SUSPENDED (UG/L)	95501
34541	1,2-DICHLOROPROPANE, TOTAL (UG/L)	78875
34542	1,2-DICHLOROPROPANE, DISSOLVED (UG/L)	78875
34543	1,2-DICHLOROPROPANE, SUSPENDED (UG/L)	78875
34546	TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATER (UG/L)	156605

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34547	TRANS-1,2-DICHLOROETHENE, DISSOLVED (UG/L)	156605
34548	TRANS-1,2-DICHLOROETHENE, SUSPENDED (UG/L)	156605
34551	1,2,4-TRICHLOROBENZENE, TOTAL (UG/L)	120821
34552	1,2,4-TRICHLOROBENZENE, DISSOLVED (UG/L)	120821
34553	1,2,4-TRICHLOROBENZENE, SUSPENDED (UG/L)	120821
34556	1,2,5,6-DIBENZANTHRACENE, TOTAL (UG/L)	53703
34557	1,2,5,6-DIBENZANTHRACENE, DISSOLVED (UG/L)	53703
34558	1,2,5,6-DIBENZANTHRACENE, SUSPENDED (UG/L)	53703
34561	1,3-DICHLOROPROPENE, TOTAL (UG/L)	542756
34562	1,3-DICHLOROPROPENE, DISSOLVED (UG/L)	542756
34563	1,3-DICHLOROPROPENE, SUSPENDED (UG/L)	542756
34566	1,3-DICHLOROBENZENE, TOTAL (UG/L)	541731
34567	1,3-DICHLOROBENZENE, DISSOLVED (UG/L)	541731
34568	1,3-DICHLOROBENZENE, SUSPENDED (UG/L)	541731
34571	1,4-DICHLOROBENZENE, TOTAL (UG/L)	106467
34572	1,4-DICHLOROBENZENE, DISSOLVED (UG/L)	106467
34573	1,4-DICHLOROBENZENE, SUSPENDED (UG/L)	106467
34576	2-CHLOROETHYL VINYL ETHER, TOTAL (UG/L)	110758
34577	2-CHLOROETHYL VINYL ETHER, DISSOLVED (UG/L)	110758
34578	2-CHLOROETHYL VINYL ETHER, SUSPENDED (UG/L)	110758
34581	2-CHLORONAPHTHALENE, TOTAL (UG/L)	91587
34582	2-CHLORONAPHTHALENE, DISSOLVED (UG/L)	91587
34583	2-CHLORONAPHTHALENE, SUSPENDED (UG/L)	91587
34586	2-CHLOROPHENOL, TOTAL (UG/L)	95578
34587	2-CHLOROPHENOL, DISSOLVED (UG/L)	95578
34588	2-CHLOROPHENOL, SUSPENDED (UG/L)	95578
34591	2-NITROPHENOL, TOTAL (UG/L)	88755
34592	2-NITROPHENOL, DISSOLVED (UG/L)	88755

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34593	2-NITROPHENOL, SUSPENDED (UG/L)	88755
34596	DI-N-OCTYL PHTHALATE, TOTAL (UG/L)	117840
34597	DI-N-OCTYL PHTHALATE, DISSOLVED (UG/L)	117840
34598	DI-N-OCTYL PHTHALATE, SUSPENDED (UG/L)	117840
34601	2,4-DICHLOROPHENOL, TOTAL (UG/L)	120832
34602	2,4-DICHLOROPHENOL, DISSOLVED (UG/L)	120832
34603	2,4-DICHLOROPHENOL, SUSPENDED (UG/L)	120832
34606	2,4-DIMETHYLPHENOL, TOTAL (UG/L)	105679
34607	2,4-DIMETHYLPHENOL, DISSOLVED (UG/L)	105679
34608	2,4-DIMETHYLPHENOL, SUSPENDED (UG/L)	105679
34611	2,4-DINITROTOLUENE, TOTAL (UG/L)	121142
34612	2,4-DINITROTOLUENE, DISSOLVED (UG/L)	121142
34613	2,4-DINITROTOLUENE, SUSPENDED (UG/L)	121142
34616	2,4-DINITROPHENOL, TOTAL (UG/L)	51285
34617	2,4-DINITROPHENOL, DISSOLVED (UG/L)	51285
34618	2,4-DINITROPHENOL, SUSPENDED (UG/L)	51285
34621	2,4,6-TRICHLOROPHENOL, TOTAL (UG/L)	88062
34622	2,4,6-TRICHLOROPHENOL, DISSOLVED (UG/L)	88062
34623	2,4,6-TRICHLOROPHENOL, SUSPENDED (UG/L)	88062
34626	2,6-DINITROTOLUENE, TOTAL (UG/L)	606202
34627	2,6-DINITROTOLUENE, DISSOLVED (UG/L)	606202
34628	2,6-DINITROTOLUENE, SUSPENDED (UG/L)	606202
34631	3,3'-DICHLOROBENZIDINE, TOTAL (UG/L)	91941
34632	3,3'-DICHLOROBENZIDINE, DISSOLVED (UG/L)	91941
34633	3,3'-DICHLOROBENZIDINE, SUSPENDED (UG/L)	91941
34636	4-BROMOPHENYL PHENYL ETHER, TOTAL (UG/L)	101553
34637	4-BROMOPHENYL PHENYL ETHER, DISSOLVED (UG/L)	101553
34638	4-BROMOPHENYL PHENYL ETHER, SUSPENDED (UG/L)	101553

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34641	4-CHLOROPHENYL PHENYL ETHER, TOTAL (UG/L)	7005723
34642	4-CHLOROPHENYL PHENYL ETHER, DISSOLVED (UG/L)	7005723
34643	4-CHLOROPHENYL PHENYL ETHER, SUSPENDED (UG/L)	7005723
34646	4-NITROPHENOL, TOTAL (UG/L)	100027
34647	4-NITROPHENOL, DISSOLVED (UG/L)	100027
34648	4-NITROPHENOL, SUSPENDED (UG/L)	100027
34651	P,P'-DDD, DISSOLVED (UG/L)	72548
34652	P,P'-DDD, SUSPENDED (UG/L)	72548
34653	P,P'-DDE, DISSOLVED (UG/L)	72559
34654	P,P'-DDE, SUSPENDED (UG/L)	72559
34655	P,P'-DDT, DISSOLVED (UG/L)	50293
34656	P,P'-DDT, SUSPENDED (UG/L)	50293
34657	DNOC (4,6-DINITRO-ORTHO-CRESOL), TOTAL (UG/L)	534521
34658	DNOC (4,6-DINITRO-ORTHO-CRESOL), DISSOLVED (UG/L)	534521
34659	DNOC (4,6-DINITRO-ORTHO-CRESOL), SUSPENDED (UG/L)	534521
34662	PCB - 1221, DISSOLVED (UG/L)	11104282
34663	PCB - 1221, SUSPENDED (UG/L)	11104282
34665	PCB - 1232, DISSOLVED (UG/L)	11141165
34666	PCB - 1232, SUSPENDED (UG/L)	11141165
34671	PCB - 1016, TOTAL (UG/L)	12674112
34672	PCB - 1016, DISSOLVED (UG/L)	12674112
34673	PCB - 1016, SUSPENDED (UG/L)	12674112
34675	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD),TOT(UG/L)	1746016
34676	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)DISS(UG/L)	1746016
34677	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)SUSP(UG/L)	1746016
34694	PHENOL(C6H5OH)-SINGLE COMPOUND TOTAL (UG/L)	108952
34696	NAPHTHALENE, TOTAL (UG/L)	91203
34750	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)TOT(PG/L)	1746016

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34751	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)DISS(PG/L)	1746016
34752	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)SUSP(PG/L)	1746016
39032	PCP (PENTACHLOROPHENOL) WHOLE WATER SAMPLE (UG/L)	87865
39039	HEXACHLOROBENZENE WATER SAMPLE,ELECTRON CPT (UG/L)	118741
39100	BIS(2-ETHYLHEXYL) PHTHALATE, WHOLE WATER (UG/L)	117817
39103	BIS(2-ETHYLHEXYL) PHTHALATE, DISSOLVED, (UG/L)	117817
39104	BIS(2-ETHYLHEXYL) PHTHALATE, SUSPENDED, (UG/L)	117817
39107	PHTHALATES,DIETHYLHEXYL SUS.FRAC.WTR DWT (MG/KG)	117817
39110	DI-N-BUTYL PHTHALATE, WHOLE WATER (UG/L)	84742
39114	DI-N-BUTYL PHTHALATE, SUSPENDED (UG/L)	84742
39115	PHTHALATES,DIBUTYL SUS.FRAC.WATER DWT (UG/KG)	84742
39120	BENZIDINE IN WHOLE WATER SAMPLE (UG/L)	92875
39175	VINYL CHLORIDE-WHOLE WATER SAMPLE (UG/L)	75014
39180	TRICHLOROETHYLENE-WHOLE WATER SAMPLE (UG/L)	79016
39300	P,P' DDT IN WHOLE WATER SAMPLE (UG/L)	50293
39310	P,P' DDD IN WHOLE WATER SAMPLE (UG/L)	72548
39320	P,P' DDE IN WHOLE WATER SAMPLE (UG/L)	72559
39330	ALDRIN IN WHOLE WATER SAMPLE (UG/L)	309002
39331	ALDRIN IN FILT. FRAC. OF WAT. SAMP. (UG/L)	309002
39332	ALDRIN IN SUSP. FRAC. OF WAT. SAMP. (UG/L)	309002
39336	BHC-ALPHA, WATER, WHOLE (LBS/DAY)	319846
39337	ALPHA BENZENE HEXACHLORIDE IN WHOLE WATER (UG/L)	319846
39338	BETA BENZENE HEXACHLORIDE IN WHOLE WATER (UG/L)	319857
39340	GAMMA-BHC(LINDANE), WHOLE WATER (UG/L)	58899
39341	GAMMA-BHC(LINDANE), DISSOLVED (UG/L)	58899
39342	GAMMA-BHC(LINDANE), SUSPENDED (UG/L)	58899
39344	BHC-GAMMA, WATER, WHOLE (LBS/DAY)	58899
39350	CHLORDANE(TECH MIX & METABS), WHOLE WATER (UG/L)	57749

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
39352	CHLORDANE(TECH MIX & METABS), DISSOLVED (UG/L)	57749
39353	CHLORDANE(TECH MIX & METABS), SUSPENDED (UG/L)	57749
39360	DDD IN WHOLE WATER SAMPLE (UG/L)	72548
39361	DDD IN FILT. FRAC. OF WATER SMAPLE (UG/L)	72548
39362	DDD IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	72548
39365	DDE IN WHOLE WATER SAMPLE (UG/L)	72559
39366	DDE IN FILT. FRAC. OF WATER SAMPLE (UG/L)	72559
39367	DDE IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	72559
39370	DDT IN WHOLE WATER SAMPLE (UG/L)	50293
39371	DDT IN FILT. FRAC. OF WATER SAMPLE (UG/L)	50293
39372	DDT IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	50293
39380	DIELDRIN IN WHOLE WATER SAMPLE (UG/L)	60571
39381	DIELDRIN IN FILT. FRAC. OF WATER SAMPLE (UG/L)	60571
39382	DIELDRIN IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	60571
39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	72208
39391	ENDRIN IN FILT. FRAC. OF WATER SAMPLE (UG/L)	72208
39392	ENDRIN IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	72208
39400	TOXAPHENE IN WHOLE WATER SAMPLE (UG/L)	8001352
39401	TOXAPHENE IN FILT. FRAC. OF WATER SAMPLE (UG/L)	8001352
39402	TOXAPHENE IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	8001352
39410	HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L)	76448
39411	HEPTACHLOR IN FILT. FRAC. OF WATER SAMPLE (UG/L)	76448
39412	HEPTACHLOR IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	76448
39420	HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L)	1024573
39421	HEPTACHLOR EPOXIDE IN FILT. FRAC. WAT. SAM. (UG/L)	1024573
39422	HEPTACHLOR EPOXIDE IN SUSP. FRAC. WAT. SAM. (UG/L)	1024573
39488	PCB - 1221 IN THE WHOLE WATER SAMPLE (UG/L)	11104282
39492	PCB - 1232 PCB SERIES WHOLE WATER SAMPLE (UG/L)	11141165

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
39496	PCB - 1242 PCB SERIES WHOLE WATER SAMPLE (UG/L)	53469219
39500	PCB - 1248 PCB SERIES WHOLE WATER SAMPLE (UG/L)	12672296
39501	PCB - 1248 IN FILT. FRAC. OF WATER SAMPLE (UG/L)	12672296
39502	PCB - 1248 IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	12672296
39504	PCB - 1254 PCB SERIES WHOLE WATER SAMPLE (UG/L)	11097691
39505	PCB - 1254 IN FILT. FRAC. OF WATER SAMPLE (UG/L)	11097691
39506	PCB - 1254 IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	11097691
39508	PCB - 1260 PCB SERIES WHOLE WATER SAMPLE (UG/L)	11096825
39509	PCB - 1260 IN FILT. FRAC. OF WATER SAMPLE (UG/L)	11096825
39510	PCB - 1260 IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	11096825
39700	HEXACHLOROBENZENE IN WHOLE WATER SAMPLE (UG/L)	118741
39702	HEXACHLOROBUTADIENE IN WHOLE WATER SAMPLE (UG/L)	87683
39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	58899
39920	DNOC IN WHOLE WATER SAMPLE (UG/L)	534521
46322	LINDANE PLUS ISOMERS IN WHOLE WATER SAMPLE (UG/L)	58899
46323	DELTA-BHC IN WHOLE WATER SAMPLE (UG/L)	319868
46326	HEPTACHLOR AND METABOLITES IN WH. H2O SAMP. (UG/L)	76448
46479	CYANIDE, DISSOLVED, WATER (UG/L)	57125
46551	ARSENIC, FIELD ACIDIFIED W/HNO3, LAB FILT. (UG/L)	7440382
46559	CADMIUM, FIELD ACIDIFIED-HNO3-LAB FILTER (UG/L-CD)	7440439
46560	CHROMIUM, FIELD ACIDIFIED-HNO3-LAB FILT. (UG/L-CR)	7440473
46562	COPPER, FIELD ACIDIFIED-HNO3-LAB FILTER. (UG/L-CU)	7440508
46564	LEAD, FIELD ACIDIFIED-HNO3-LAB FILTERED (UG/L-PB)	7439921
46566	SILVER, FIELD ACIDIFIED-HNO3-LAB FILTER.(UG/L-AG)	7440224
46567	ZINC, EXTRACT. FIELD ACID W/HNO3, LAB FILT. (UG/L)	7440666
70012	PARACHLOROMETA CRESOL, WATER, WHOLE (LBS/DAY)	59507
70017	HEXACHLOROCYCLOPENTADIENE, WATER, WHOLE (LBS/DAY)	77474
70021	LEAD, (TCLP), WATER, TOTAL (MG/L)	7439921

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
71890	MERCURY, DISSOLVED (UG/L AS HG)	7439976
71895	MERCURY, SUSPENDED (UG/L AS HG)	7439976
71900	MERCURY, TOTAL (UG/L AS HG)	7439976
71901	MERCURY, TOTAL RECOVERABLE IN WATER AS HG (UG/L)	7439976
71946	CADMIUM, EXTRACTABLE (UG/L AS CD)	7440439
71947	CHROMIUM, EXTRACTABLE (UG/L AS CR)	7440473
71949	LEAD, EXTRACTABLE (UG/L AS PB)	7439921
71950	ZINC, EXTRACTABLE (UG/L AS ZN)	7440666
71951	COPPER, EXTRACTABLE (UG/L AS CU)	7440508
73063	CHLOROQUAIACOL,4-, TOTAL, WATER (UG/L)	16766306
73522	PROPANE, 2,2'-OXYBIS(1-CHLORO)- TOTAL (UG/L)	108601
77163	1,3-DICHLOROPROPENE-1, WHOLE WATER (UG/L)	542756
77354	1,1-DICHLORO-2,2-DIFLUOROETHANE WHOLE WATER (UG/L)	471432
77771	3-CHLORO-4-HYDROXYBENZOPHENONE, WHOLE WATER (UG/L)	55191203
78113	ETHYL BENZENE WHOLE WATER SAMPLE (UG/L)	100414
78124	BENZENE IN WATER (VOLATILE ANALYSIS) (UG/L)	71432
78131	TOLUENE IN WHOLE WATER (VOLATILE ANALYSIS) (UG/L)	108883
78208	2,4-DINITRO-O-CRESOL IN WHOLE WATER SAMPLE (UG/L)	534521
78247	CHROMIUM, HEXAVALENT, TOTAL RECOVERABLE, WT (UG/L)	18540299
78248	CYANIDE, TOTAL RECOVERABLE, WATER, WHOLE (UG/L)	57125
80357	CHROMIUM, TRIVALENT, DISSOLVED, AS CR	16065831
81208	CYANIDE, FREE (NOT AMEN. TO CHLORINATION) (MG/L)	57125
81210	CYANIDE - STATE OF ILLINOIS (MG/L)	57125
81214	CADMIUM - STATE OF ILLINOIS (MG/L)-COLD	7440439
81215	CHROMIUM - STATE OF ILLINOIS (MG/L), COLD DIGEST	18540299
81216	CHROMIUM(TRI)-STATE OF ILLINOIS (MG/L)-COLD DIGEST	16065831
81217	CHROMIUM, TOTAL - STATE OF ILLINOIS (MG/L) COLD DIGEST	7440473
81218	COPPER, STATE OF ILLINOIS, MG/L, COLD DIGEST	7440508

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
81220	LEAD, STATE OF ILLINOIS, MG/L, COLD DIGEST	7439921
81222	NICKEL - STATE OF ILLINOIS, MG/L, COLD DIGEST	7440020
81223	SILVER, STATE OF ILLINOIS, MG/L, COLD DIGEST	7440224
81224	ZINC - STATE OF ILLINOIS, MG/L, COLD DIGEST	7440666
81642	SILVER (AG) IN WATER POUNDS PER DAY (LBS/DAY)	7440224
81750	COPPER, INTERSTITIAL WATER FROM SEDIMENTS (UG/L)	7440508
81751	LEAD, INTERSTITIAL WATER FROM SEDIMENTS (UG/L)	7439921
81752	NICKEL, INTERSTITIAL WATER FROM SEDIMENTS (UG/L)	7440020
81753	CADMIUM, INTERSTITIAL WATER FROM SEDIMENT	7440439
81754	ZINC, INTERSTITIAL WATER FROM SEDIMENTS (UG/L)	7440666
81766	HEPTACHLOR EPOXIDE IN EPILITHIC ALGAE SED. (UG/KG)	1024573
81931	MERCURY (HG) SUSPENDED FRACTION OF WATER (UG/G)	7439976
81932	CADMIUM (CD) SUSPENDED FRACTION OF WATER (UG/G)	7440439
81933	ZINC (ZN) SUSPENDED FRACTION OF WATER (UG/G)	7440666
81934	LEAD (PB) SUSPENDED FRACTION OF WATER (UG/G)	7439921
81936	LEAD (PB) DISSOLVED CATIONIC SPECIES (UG/L)	7439921
81937	CADMIUM (CD) DISSOLVED CATIONIC SPECIES (UG/L)	7440439
81938	CHROMIUM, DISSOLVED CATIONIC SPECIES (UG/L)	7440473
81939	COPPER (CU) DISSOLVED CATIONIC SPECIES (UG/L)	7440508
81940	ZINC (ZN) DISSOLVED CATIONIC SPECIES (UG/L)	7440666
81941	CHROMIUM, DISSOLVED ANIONIC SPECIES (UG/L)	7440473
81942	COPPER (CU) DISSOLVED ANIONIC SPECIES (UG/L)	7440508
81943	ZINC (ZN) DISSOLVED ANIONIC SPECIES (UG/L)	7440666
82058	CHROMIUM, TOTAL, PERCENT REMOVAL	7440473
82399	CHROMIUM, HEXAVALENT (KG/BATCH)	18540299
82512	M,P-DICHLOROBENZENE (MEASURES 1,3&1,4) TOT. (UG/L)	541731
82573	CYANIDE/CHLORINATION IN WATER (MG/L)	57125
82621	HEXACHLOROBENZENE, WATER, TOTAL RECOVER. (UG/L)	118741

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
82622	ENDRIN ALDEHYDE, WH. WATER, TOTAL RECOVER. (UG/L)	7421934
82623	ENDOSULFAN SULFATE, WATER, TOTAL RECOVER. (UG/L)	1031078
82624	ENDOSULFAN, BETA, WH. WATER, TOTAL RECOVER. (UG/L)	33213659
82626	1,2-DIPHENYLHYDRAZINE, WATER, TOTAL RECOVER. (UG/L)	122667
82627	PARACHLOROMETA CRESOL, WATER, TOTAL RECOVER. (UG/L)	59507
82702	ARSENIC, FIELD ACIDIFIED, DECANTED, WATER (UG/L)	7440382
82704	BERYLLIUM, FIELD ACIDIFIED, DECANTED, WATER (UG/L)	7440417
82705	CADMIUM, FIELD ACIDIFIED, DECANTED, WATER (UG/L)	7440439
82706	CHROMIUM, FIELD ACIDIFIED, DECANTED, WATER (UG/L)	7440473
82708	COPPER, FIELD ACIDIFIED, DECANTED, WATER (UG/L)	7440508
82711	LEAD, FIELD ACIDIFIED, DECANTED, WATER (UG/L)	7439921
82713	MERCURY, FIELD ACIDIFIED, DECANTED, WATER (UG/L)	7439976
82715	NICKEL, FIELD ACIDIFIED, DECANTED, WATER (UG/L)	7440020
82716	SILVER, FIELD ACIDIFIED, DECANTED, WATER (UG/L)	7440224
82719	ZINC, FIELD ACIDIFIED, DECANTED, WATER (UG/L)	7440666
85006	ZINC, TOTAL - (#/DAY)	7440666
85007	CHROMIUM, TOTAL (#/DAY)	7440473
85010	NICKEL, TOTAL - (#/DAY)	7440020
85013	MERCURY, TOTAL - (#/DAY)	7439976

Appendix H

Literature Cited

Code of Federal Regulations. 1994. Protection of Environment. 40 CFR Parts 100 to 149. Revised as of July 1, 1994. Published by the Office of the Federal Register, National Archives and Records Administration. U.S. Government Printing Office, Washington, D.C. 20402.

Gilbert, R. O. 1987. Statistical Methods for Environmental Pollution Monitoring. Van Nostrand Reinhold Co., New York, NY. 320p.

GKY and Associates. 1990. Dam Inventory Database and Retrieval Software: Final Report. U.S. Environmental Protection Agency, Water Quality Analysis Branch. Under Contract #68-03-3339.

Kunkle, S. and J. Wilson. 1984. Specific Conductance and pH Measurements in Surface Waters: An Introduction for Park Natural Resource Specialists. Water Resources Field Support Laboratory Report No. 84-3. National Park Service, Water Resources Division, Fort Collins, Colorado 80525. 51p.

National Park Service. 1993. Strategic Plan for Conducting Baseline Natural Resource Inventories in the National Park Service. National Park Service, Washington Office, Servicewide Inventory and Monitoring Program, Washington, D.C. Unpublished. 17p.

U.S. Environmental Protection Agency. 1995. Quality Criteria for Water 1995. Final Draft. Office of Water Regulations and Standards, Washington, D.C.

U.S. Environmental Protection Agency. 1989. STORET User Handbook. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. 20460.

U.S. Environmental Protection Agency. 1992. Office of Water Environmental and Program Information Systems Compendium. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. 20460. 152p.

U.S. Environmental Protection Agency. 1993. Technical Description of the Reach File. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. 20460. 23p.

U.S. Geological Survey. 1982. A U.S. Geological Survey Data Standard: Codes for the Identification of Hydrologic Units in the United States and Caribbean Outlying Areas. Geological Survey Circular 878-A. U.S. Geological Survey, Water Resources Division, Reston, VA. 22092. 115p.

U.S. Geological Survey 1992. Hydro-Climatic Data Network: A U.S. Geological Survey Streamflow Data Set for the United States for the Study of Climate Variations 1874-1988. Open File Report 92-129/USGS Water Supply Paper No. 2406. U.S. Geological Survey, Water Resources Division, Reston, VA. 22092. 193p.

Ward, R. C., J. C. Loftis, and G. B. McBride. 1990. Design of Water Quality Monitoring Systems. Van Nostrand Reinhold Co., New York, NY. 231p.

Appendix I

Selected General Water Quality References

- American Public Health Association. 1989. Standard Methods for the Examination of Water and Wastewater (17th ed.). Washington, D.C. 1476p.
- Drever, J. I. 1982. The Geochemistry of Natural Waters. Prentice-Hall, Inc., Englewood Cliffs, NJ. 388p.
- Dunne, T. and L. B. Leopold. 1978. Water in Environmental Planning. W.H. Freeman and Company, San Francisco, CA. 818p.
- Everett, L. G. 1980. Groundwater Monitoring. General Electric Co., Schenectady, NY. 440p.
- Fetter, C. W. 1988. Applied Hydrogeology (2nd ed.). MacMillan Publishing Co., New York, NY. 592p.
- Flora, M. D., T. E. Ricketts, J. Wilson, and S. Kunkle. 1984. Water Quality Criteria: An Overview for Park Natural Resource Specialists. WRFSL Report No. 84-4. National Park Service, Water Resources Field Support Laboratory, Fort Collins, CO. 46p.
- Gilbert, R. O. 1987. Statistical Methods for Environmental Pollution Monitoring. Van Nostrand Reinhold Co., New York, NY. 320p.
- Hem, J. D. 1985. Study and Interpretation of the Chemical Characteristics of Natural Water (3rd ed.). U.S. Geological Survey Water-Supply Paper 2254. U.S. Government Printing Office, Washington, D.C. 263p.
- Kunkle, S., W. S. Johnson, and M. Flora. 1987. Monitoring Stream Water Quality for Land-Use Impacts: A Training Manual for Natural Resource Management Specialists. Water Resources Division, National Park Service, Fort Collins, CO. 102p.
- Kunkle, S. and J. Wilson. 1984. Specific Conductance and pH Measurements in Surface Waters: An Introduction for Park Natural Resource Specialists. Water Resources Field Support Laboratory Report No. 84-3. National Park Service, Water Resources Division, Fort Collins, Colorado 80525. 51p.
- Merritt, R. W., and K. W. Cummins (eds.). 1984. An Introduction to the Aquatic Insects of North America (2nd ed.). Kendall/Hunt Publishing Co., Dubuque, IA. 44p.
- Morel, F. M. 1983. Principles of Aquatic Chemistry. John Wiley & Sons, Inc., New York, NY. 446p.
- Nielsen, D. M. (ed.). 1991. Practical Handbook of Ground-Water Monitoring. Lewis Publishers, Inc. Chelsea, MI. 717p.
- Ponce, S. L. 1980a. Statistical Methods Commonly Used in Water Quality Data Analysis. WSDG Technical Paper WSDG-TP-00001. U.S. Department of Agriculture, Forest Service, Watershed Systems Development Group, Fort Collins, CO. 136p.
- Ponce, S. L. 1980b. Water Quality Monitoring Programs. WSDG Technical Paper WSDG-TP-00002. U.S. Department of Agriculture, Forest Service, Watershed Systems Development Group, Fort Collins, CO. 68p.
- Rand, G. M. and S. R. Petrocelli (eds.). 1985. Fundamentals of Aquatic Toxicology. Hemisphere Publishing Co., New York, NY. 666p.

Rantz, S. E. and others. 1982. Measurement and Computation of Streamflow: Volume 1. Measurement of Stage and Discharge. Volume 2. Computation of Discharge. U.S. Department of the Interior, Geological Survey Water Supply Paper 2175. 631p.

Stednick, J.D. and D. M. Gilbert. 1998. Water Quality Inventory Protocol: Riverine Environments. National Park Service, Water Resources Division Technical Report NPS/NRWRD/NRTR-98/177. Fort Collins, CO. 103p.

Stednick, J. D. 1991. Wildland Water Quality Sampling and Analysis. Academic Press, Inc., San Diego, CA. 217p.

United Nations Educational, Scientific and Cultural Organization (UNESCO). 1978. Water Quality Surveys: A Guide for the Collection and Interpretation of Water Quality Data. IHD-WHO Working Group on the Quality of Water, Paris, France. 350p.

U.S. Department of the Interior. 1977. National Handbook of Recommended Methods for Water-Data Acquisition. U.S. Geological Survey, Office of Water-Data Coordination, Reston, VA. 990p.

U.S. Environmental Protection Agency. 1978. Microbiological Methods for Monitoring the Environment: Water and Wastes. R. H. Border, J. A. Winter, and P. W. Scarpino. EPA-600/8-78-017. Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 338p.

U.S. Environmental Protection Agency. 1979b. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-020. (Revised March 1983). Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 460p.

U.S. Environmental Protection Agency. 1983. Water Quality Standards Handbook. Office of Water Regulations and Standards, Washington, D.C. 218p.

U.S. Environmental Protection Agency. 1995. Quality Criteria for Water 1995. Final Draft. Office of Water Regulations and Standards, Washington, D.C.

U.S. Environmental Protection Agency. 1989. Rapid Bioassessment Protocols for Use in Streams and Rivers: Benthic Macroinvertebrates and Fish. J. L. Plafkin, M. T. Barbour, K. D. Porter, S. K. Gross, and R. M. Hughes. EPA-444/4-89-001. Office of Water Regulations and Standards, Assessment and Watershed Protection Division, Washington, D.C. 162p.

U.S. Environmental Protection Agency. 1990. Macroinvertebrate Field and Laboratory Methods for Evaluating the Biological Integrity of Surface Waters. D. J. Klemm, P. A. Lewis, F. Fulk, and J. M. Lazorchak. EPA-600/4-90-030. Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 256p.

U.S. Environmental Protection Agency. 1991a. Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms (4th ed.). C. I. Weber, ed. EPA-600/4-90-027. Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 293p.

U.S. Environmental Protection Agency. 1991b. Monitoring Guidelines to Evaluate Effects of Forestry Activities on Streams in the Pacific Northwest and Alaska. L. H. MacDonald, A. W. Smart, and R. C. Wissmar. EPA-910/9-91-001. Region 10, Seattle, WA. 162p.

U.S. Environmental Protection Agency. 1993. Guide to Federal Water Quality Programs and Information. T. Stuart and N. P. Ross. EPA-230-B-93-001. Office of Strategic Planning and Environmental Data, Environmental Statistics and Information Division. Washington, D.C. 194p.

Verschueren, K. 1983. Handbook of Environmental Data on Organic Chemicals (2nd ed.). Van Nostrand Reinhold Co., New York, NY. 1310p.

Viessman W. and M. J. Hammer. 1985. Water Supply and Pollution Control (4th ed.). Harper and Row, Publishers, Inc. New York, NY. 797p.

Ward, R. C., J. C. Loftis, and G. B. McBride. 1990. Design of Water Quality Monitoring Systems. Van Nostrand Reinhold Co., New York, NY. 231p.

Wetzel, R. G. 1983. Limnology (2nd ed.). Sanders College Publishing, Philadelphia, PA. 767p.



As the nation's principal conservation agency, the Department of the Interior has the responsibility for most of our nationally owned public lands and natural and cultural resources. This includes fostering wise use of our land and water resources, protecting our fish and wildlife, preserving the environmental and cultural values of our national parks and historical places, and providing for enjoyment of life through outdoor recreation. The Department assesses our energy and mineral resources and works to ensure that their development is in the best interests of all our people. The Department also promotes the goals of the Take Pride in America campaign by encouraging stewardship and citizen responsibility for the public lands and promoting citizen participation in their care. The Department also has a major responsibility for American Indian reservation communities and for people who live in island territories under U.S. administration.